MAXIFY GX3050 Wi-Fi, Print, Copy, Scan & Cloud

LOW RUNNING COSTS, **BRILLIANT PRODUCTIVITY**

Low-cost and compact, but capable of delivering high volumes of high-quality prints fast – a perfect business printer for hybrid or home office workers.







Ultra-low running costs

Save over the printer's lifetime thanks to cost effective refillable ink tanks that vastly reduce the total cost of ownership and cost per page. Boost page yield with Economy mode3 and print up to 1.5x more pages with the same amount of ink

Brilliant business-quality prints

Enjoy water-, friction- and marker-resistant, business-friendly prints with excellent readability, delivered quickly and in large volumes

Print more media in-house

Print flyers, banners and posters in-house thanks to compatibility with a wide variety of materials including magnetic and photo media, plus a new rear flat tray that supports thicker media and card

Print high volumes of documents without irritating paper reloads, thanks to a 100-sheet rear feed and a 250-sheet front cassette, windowed to make checking paper levels quick and easy

Small but mighty

Save vital space at home or in the office thanks to the printer's compact footprint, whilst reducing the amount of plastic packaging means more of it can be easily recycled

Easy to use and maintain

Reduce downtime with the user-replaceable maintenance cartridge, easily accessible from the front of the printer. Colour-coded, springloaded ink caps mean refills are simple and mess-free











PRODUCT RANGE



MAXIFY GX3050



MAXIFY GX4050



MAXIFY GX5050

MAXIFY GX3050

MAXIFY GX4050 MAXIFY GX5050 MAXIFY GX6050 MAXIFY GX7050



TECHNICAL SPECIFICATIONS

MAXIFY GX3050

GENERAL SPECIFICATIONS

Functions

PRINTER SPECIFICATIONS Print Resolution Print Marains (min.) Print Technology

Mono Print Speed Colour Print Speed

First Page Out Time (approx.)

Two Sided Printing

CONSUMABLES AND INK Standard Ink Bottles

Maintenance cartridge Bottle Yield (Plain paper)

PAPER SUPPORT

Paper Types

Maximum Paper Input

Paper Sizes

Paper Weight

SCANNER SPECIFICATIONS **Scanner Type** Scanner Resolution (Optical) Line Scanning Speed

Scanning Depth Maximum Document Size Wi-Fi, Print, Copy, Scan & Cloud

Up to 600 x 1200 dpi [1] Top: 3mm, Bottom: 5mm, Left & Right: 3.4mm 1 Print Head

Refillable ink tank printer approx. 18.0 ipm (2 approx.13.0 ipm [2] Mono: 8 sec (ready / simplex) [2]

Colour: 9 sec (ready/simplex) [2]

A4. Letter - Plain Paper (Rear Tray, Cassette only)

GI-56 BK GI-56 C GI-56 M GI-56 Y

MC-G03(User Replaceable) A4 colour documents printing [3]

Black: 6,000 pages (Economy mode 9,000 pages) [4] Colour: 14,000 pages (Economy mode 21,000 pages) [5]

* Estimated supplemental vield

Plain Paper

Red Label Superior 80 g/m2 (WOP111), Canon Oce Office Colour Paper 80 g/m2 (SAT213) Photo Paper Pro Luster (LU-101),

Photo Paper Plus Glossy II (PP-201) Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501)

High Resolution Paper (HR-101N), Envelope.

Photo Paper Plus Semi-gloss (SG-201), Restickable Photo Paper(RP-101) Magnetic Photo Paper(MG-101)

Light Fabric Iron on Transfers (LF-101) Double sided Matte Paper (MP-101D) Rear Tray: Max. 100 sheets (plain paper) Cassette: Max. 250 sheets (plain paper)

Rear Flat Tray: 1 sheet Rear Tray: A4, A5, A6, B5, LTR, LGL, 4"x6" (10 x 15 cm), 5"x7" (13 x 18 cm), 7"x10" (18 x 25 cm), 8"x10" (20 x 25 cm), Square 5"x 5", (127mm x 127mm), Envelopes

(DL. COM10). Custom size (width: 89 mm - 216 mm, length: 127 mm - 1,200 mm)

Cassette: A4, A5, B5, LTR [Custom size] width 148 mm - 215.9 mm, length 210 mm - 297 mm

Rear Flat Tray: A4, B5, LTR [Custom size] width 89 mm - 215.9 mm, length 127 mm - 1,200 mm

Rear Tray: Plain Paper: 64 g/m² - 105 g/m² or

supported genuine Canon papers
Canon paper: Max. paper weight Approx. 265 g/m² (Photo Paper Plus Glossy II (PP-201)

Cassette: Plain Paper: 64 g/m² - 105 g/m²

Rear Flat Tray: Paperboard: 0.1 mm to 0.7 mm

Flatbed (Platen) CIS colour scanner 1,200 x 2,400 dpi [6]

Colour: 3.5 ms/line (300 dpi) [7] Greyscale: 1.5 ms/line (300 dpi) [7] Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit Platen: A4/Letter (216 x 297 mm)

COPIER SPECIFICATIONS Copy Speed

Copy quality Intensity adjustment

Multiple Copy **Copy Functions**

Copy Zoom

GENERAL Display

Display Languages

Standard Interface

Mobile Apps (iOS®/ ANDROID™)

Printer Features

Smart Assistant & Automation troagu2

OS Compatibility

Minimum System Requirements

Software Included

PHYSICAL FEATURES Weight

Dimensions (W x D x H) With the trays retracted: Dimensions (W x D x H) With the travs extended: Acoustic Noise Levels Operating Temperature Operating Humidity Power Source **Duty Cycle**

Typical Electricity

Consumption

Power Consumption

sFCOT (colour): 17.0 sec $^{[8]}$ sESAT (colour): 11.1 ipm $^{[8]}$ 3 levels (Economy, Standard, High)

9 positions, Auto intensity (AE copy) 99 copies (max.)

Document Copying, Two-Sided Copy, 2-on-1 and 4-on-1 copy, Frame erase copy (Flatbed only),

ID copy

Fit to page A5 to A4, B5 to A4, A4 to A5 and A4 to B5

1.35" /3.4 cm LCD (Monochrome)

32 Languages Selectable: Japanese, English (mm & inch), French, German, Italian, Spanish, Portuguese, Dutch, Danish, Norwegian, Swedish, Finnish, Greek, Polish, Czech, Russian, Hungarian, Slovene, Turkish, Simplified Chinese, Traditional Chinese, Korean, Indonesian, Slovakian, Estonian, Latvian, Lithuanian, Ukrainian, Romanian, Bulgarian,

Croatian Vietnamese Hi-Speed USB (B Port)

Wi-Fi: IEEE802.11 b/g/n/a/ac ^[9] Wi-Fi Security: WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES), WPA-EAP (AES)*

WPA2-EAP (AES)* WPA3-EAP (AES)*
*IEEE802.1X (EAP-TLS/EAP-TTLS/PEAP) Wireless LAN Frequency Band: 2.4GHz, 5GHz Canon PRINT Inkjet/SELPHY app [10] Easy-PhotoPrint Editor app Creative Park app

Easy-PhotoPrint Editor Software [11]
PIXMA Cloud Link [11]

Canon Print Service Plugin (Android) [12] Apple AirPrint [13]

Wireless Direct [14] Mopria (Android) [15] Amazon Alexa™ [16] Google AssistantTM [16]

Windows 11 Windows 10, Windows 8 1, Windows 7

Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.

Driver and IJ Printer Assistant Tool only: Windows Server 2008 R2 SP1, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server

Display environment: XGA 1024 x 768 or more

Mac: macOS 10.14.6 ~ macOS 10.15, macOS 11, macOS 12>

Chrome OS

Mobile Operating Systems: iOS®, iPadOS, Android™

Windows: 1.5GB or more

Note: for bundled software installation. The necessary amount of hard disk space required.

Printer Driver

IJ Printer Assistant Tool

Easy-PhotoPrint Editor (download)

Approx. 399 x 417 x 216mm Approx. 399 x 719 x 303mm

approx. 49 dB(A) [18]

5-35°C

10-90%RH (no dew condensation) AC 100-240V 50/60Hz up to 33,000 pages

Off: Approx. 0.1W Standby (USB connection to PC): Approx. 0.8W Standby (all ports connected): Approx. 1.4W Time to enter Standby mode: 5minutes Copying: Approx. 18W^[19]

*The wait time for standby cannot be changed (Lot26) 0.19 kWh $^{\left[20\right]}$



TECHNICAL **SPECIFICATIONS**

MAXIFY GX3050

- 111 lnk droplets can be placed with a pitch of 1/600 inch at minimum.
- ^[2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- [3] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement
- [4] The economy mode reduces the ink consumption by lowering the density, 50% more pages than the standard mode can be printed
- [5] The economy mode reduces the ink consumption by lowering the density, 50% more pages than the standard mode can be printed
- (4) Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard
- [7] The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.
- (8) Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up
- 19) Wireless printing requires a working network with wireless 802.11b/a/n/a or ac capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- [10] Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- [11] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.

Footnote:

- [12] Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at
- [13] AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- [14] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
- [15] Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android
- 4.4 mobile devices with a download of the Mopria Print Service from Google Play.

 (14) Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens. Only English, French and German supported.
- [17] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.
- [18] Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.
- [19] Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [20] Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.
- [21] Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software,
- document complexity, print mode, page coverage, type of paper used etc.

 Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Ireland 3006 Lake Drive Citywest, Sagaart Co. Dublin, Ireland Telephone No: 01 2052400 Facsimile No: 01 2052525

canon.ie

Canon (UK) Ltd The Bower 4 Roundwood Avenue Stockley Park Uxbridge **UB11 1AF**

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2022



TINY RUNNING COSTS, BRILLIANT PRODUCTIVITY

MAXIFY GX3050

Low-cost and compact, but capable of delivering high volumes of high-quality prints fast – a perfect business printer for hybrid or home office workers.

Sales Start Date: December 2022



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price	
MAXIFY GX3050 GB	5777C008AA	4549292204483	<please fill="" in="" rrp=""></please>	

CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
Standard size			
GI-56BK	4412C001	4549292169034	<please fill="" in="" rrp=""></please>
GI-56C	4430C001	4549292169058	<please fill="" in="" rrp=""></please>
GI-56M	4431C001	4549292169072	<please fill="" in="" rrp=""></please>
GI-56Y	4432C001	4549292169096	<please fill="" in="" rrp=""></please>
Maintenance Cartridge			
MC-G03	5794C001AA	4549292204674	<please fill="" in="" rrp=""></please>

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
MAXIFY GX3050 GB	5777C008AA	Individual	1	588	488.9	313.7	13.2	TBC
		Pallet (Upper)	12	1184	986	945.6	160.1	TBC
		Pallet (Bottom)	12	1184	986	945.6	160.1	TBC

What's in the box?

- MAXIFY GX3050 Refillable MegaTank Inkjet Printer
- 4 high-yield ink bottles (1 x Black and 1 x C/M/Y)
- Power cord
- Manuals and other documents

^{*} Windows software also available from canon.com/ijsetup.

