



APC Essential SurgeArrest 1 Outlet 2 USB Ports Black 230V Germany

PME1WU2B-GR

Overview

Lead time

Main

Main Input Voltage	220 V 230 V 240 V
Input Connection Type	Schuko CEE 7/7P
Provided equipment	User manual

Physical

Colour	Black	
Height	9.32 cm	
Width	6.31 cm	
Depth	4 cm	
Net weight	0.13 kg	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	

Input

Input power	4000 W
Network frequency	50/60 Hz
Maximum input current	16 A

Output

Number of power socket outlets	1
Outlet standard deviation	Schuko CEE 7

Conformance

Product certifications	CE
Marking	CE Mark

Environmental

Ambient air temperature for operation	040 °C
Relative humidity	095 %
Operating altitude	010000 ft
Ambient air temperature for storage	-1545 °C
Storage Relative Humidity	095 %
Storage altitude	0.000000000015240.000000000 m

Surge Protection and Filtering

Response time	1 ns common mode	
Common mode rejection	45 dB	
Peak current	15 kAnormal mode	
Surge energy rate	680 J	

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7 cm
Package 1 Width	9 cm
Package 1 Length	10 cm
Package 1 Weight	0.171 kg
Unit Type of Package 2	BB1
Number of Units in Package 2	12
Package 2 Height	14 cm
Package 2 Width	29 cm
Package 2 Length	29 cm
Package 2 Weight	2.386 kg
SCC14	10731304347016

Contractual warranty

Warranty 20 years repair or replace



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

②	Reach Free Of Svhc	
⊘	Mercury Free	
Ø	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

PME1WU2B-GR

Image of product / Alternate images

Alternative



