

# DisplayPort to HDMI Multi-Monitor Splitter - 3-Port MST Hub

Product ID: MSTDP123HD




This MST hub lets you connect three HDMI® monitors to your DisplayPort™ (DP) 1.2 equipped Windows® laptop or desktop.

## Increase productivity with multiple screens

The newest generations of computers are more portable than ever, which often means that you're left with fewer video outputs and smaller integrated screens. This MST hub solves both of these problems by letting you connect three additional displays to your computer, which makes multitasking much easier.







### Configure your displays for any environment

Using the MST hub, you can extend your desktop onto additional monitors and stream independent content to each display. You can also mirror the same image onto multiple HDMI televisions or projectors for remote viewing applications such as digital signage.



### Enjoy amazing video quality without draining system resources

MST technology uses your existing video card to minimize the use of system resources while delivering Ultra HD 4K resolutions. This unprecedented performance makes MST perfect for high-resolution applications such as graphic design, gaming and medical imaging.

Note: When using a DisplayPort 1.1 video card the MSTDP123HD will act as splitter, automatically mirroring your video source across all displays. Resolution limitations apply.

The MSTDP123HD supports plug-and-play installation for a hassle-free setup, and is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Note: MST shares 21.6 Gbps across all attached displays. Higher resolutions can restrict the available bandwidth with the remaining ports, please see our guideline below for determining an ideal resolution for your setup. Certain graphics adapters have limited MST support and will only output to three displays in total. If more than three monitors are attached the fourth will be disabled. Some monitors limit available resolution

Average Resolution Bandwidth Allocation





1920x1080 (High-definition 1080p) @60hz - 22%

1920x1200 @60hz - 30%

2560x1440 @60hz - 35%

2560x1600 @60hz - 38%

3840 x 2160 (Ultra HD 4K) @30hz - 43%

Note: Exceeding 100% will reduce functionality.

**Examples of Supported Resolution Configurations** 

| Screen 1                 | Screen 2                 | Screen 3        | Total % of |
|--------------------------|--------------------------|-----------------|------------|
| Resolution               | Resolution               | Resolution      | Bandwidth  |
| 1920x1200 @60hz          | 1920x1200 @60hz          | 1920x1200 @60hz | 90%        |
| (30%)                    | (30%)                    | (30%)           |            |
| 2560×1440 @60hz          | 2560x1440 @60hz          | 1920x1200 @60hz | 92%        |
| (35%)                    | (35%)                    | (30%)           |            |
| 2560x1600 @60hz          | 2560x1600 @60hz          | 1920x1080 @60hz | 98%        |
| (38%)                    | (38%)                    | (22%)           |            |
| 3840x2160 @30hz          | 1920x1200 @60hz          | 1920x1080 @60hz | 95%        |
| (43%)                    | (30%)                    | (22%)           |            |
| 3840x2160 @30hz<br>(43%) | 3840x2160 @30hz<br>(43%) | None            | 86%        |

Examples of Unsupported Resolution Configurations





| Screen 1        | Screen 2        | Screen 3        | Total % of |
|-----------------|-----------------|-----------------|------------|
| Resolution      | Resolution      | Resolution      | Bandwidth  |
| 2560x1600 @60hz | 2560x1600 @60hz | 1920x1200 @60hz | 106%       |
| (38%)           | (38%)           | (30%)           |            |
| 3840x2160 @30hz | 2560x1600 @60hz | 1920x1200 @60hz | 116%       |
| (43%)           | (43%)           | (30%)           |            |
| 3840x2160 @30hz | 2560x1600 @60hz | 2560x1440 @60hz | 121%       |
| (43%)           | (43%)           | (35%)           |            |
| 3840x2160 @30hz | 3840x2160 @30hz | 3840x2160 @30hz | 124%       |
| (43%)           | (43%)           | (38%)           |            |





# Certifications, Reports and Compatibility













### **Applications**

- Use one screen for reference data such as websites, while composing in another screen
- Dock your DP 1.2 device and add three high-resolution displays at your workstation
- Create a panoramic video wall for HDMI digital signage applications using your DisplayPort computer
- Edit images, video or audio clips across three displays in any orientation or resolution
- Perfect for spanning a spreadsheet or worksheet across three displays, to avoid side-scrolling
- Enjoy the panoramic views built into games and display helpful codes and walk-through data on a third display, at the same time

#### **Features**

- Maximize your productivity by connecting up to three independent displays to your computer using the MST Hub
- Connect your DisplayPort computer to HDMI televisions, monitors or projectors, avoiding the hassle of additional HDMI adapters
- Increase external video performance with support for resolutions up to 4K
- VESA and DisplayPort certified
- Compatible with DP 1.2 graphics cards such as AMD Radeon with Eyefinity Technology
- Plug-and-play installation



# **Data Sheet**

|                             | Warranty                     | 3 Years   |
|-----------------------------|------------------------------|---|
| Hardware                    | Active or Passive Adapter    | Active  |
|                             | Audio                        | Yes   |
|                             | Chipset ID                   | MegaChips - STDP4320  |
|                             | Ports                        | 3   |
| Performance                 | Maximum Digital Resolutions  | 3840 x 2160 @30hz   |
|                             | Supported Resolutions        | Note: MST shares 21.6 Gbps across all attached displays. Higher resolutions can restrict the available bandwidth with the remaining ports, please see our guideline below for determining an ideal resolution for your setup. |
|                             |                              | Average resolution bandwidth allocation   |
|                             |                              | 1920x1080 (High-definition 1080p) @60hz - 22% 1920x1200 @60hz - 30% 2560x1440 @60hz - 35% 2560x1600 @60hz - 38% 3840 x 2160 (Ultra HD 4K) @30hz - 38% Note: Exceeding 100% will reduce functionality.                         |
|                             | Wide Screen Supported        | Yes   |
| Connector(s)                | Connector A                  | 1 - DisplayPort (20 pin) Male Input   |
|                             | Connector B                  | 1 - HDMI (19 pin) Female Output   |
| Software                    | OS Compatibility             | Windows 10, 8.1, 8  |
| Power                       | Center Tip Polarity          | Positive  |
|                             | Input Current                | 0.5 A   |
|                             | Input Voltage                | 110V-240V AC  |
|                             | Output Current               | 3A  |
|                             | Output Voltage               | 5 DC  |
|                             | Plug Type                    | N   |
|                             | Power Consumption (In Watts) | 15  |
|                             | Power Source                 | AC Adapter Included   |
| Environmental               | Humidity                     | 50-90%  |
|                             | Operating Temperature        | 0°C to 45°C (32°F to 113°F)   |
|                             | Storage Temperature          | -20°C to 70°C (-4°F to 158°F)   |
| Physical<br>Characteristics | Cable Length                 | 7.5 in [19 cm]  |



# **Data Sheet**

|                          | Color                     | Black                                     |
|--------------------------|---------------------------|---|
|                          | Enclosure Type            | Plastic                                   |
|                          | Product Height            | 0.6 in [14 mm]                            |
|                          | Product Length            | 15.2 in [386 mm]                          |
|                          | Product Weight            | 4.6 oz [131 g]                            |
|                          | Product Width             | 2.6 in [66 mm]                            |
| Packaging<br>Information | Shipping (Package) Weight | 17.9 oz [506 g]                           |
| What's in the Box        | Included in Package       | 1 - DisplayPort to 3x HDMI MST Hub        |
|                          |                           | 1 - Universal power adapter (NA/EU/UK/AU) |
|                          |                           | 1 - Quick install guide                   |
|                          |                           |   |

Product appearance and specifications are subject to change without notice.