

MAXIFY GX4050


Wi-Fi, Ethernet, Print, Copy, Scan, Fax & Cloud

LOW RUNNING COSTS, BRILLIANT PRODUCTIVITY

Low-cost and compact, but capable of delivering high volumes of high-quality prints fast – a perfect business printer for hybrid or home office workers.



- **Ultra-low running costs**
Save over the printer's lifetime thanks to cost effective refillable ink tanks that vastly reduce the total cost of ownership and cost per page. Boost page yield with Economy mode³ and print up to 1.5x more pages with the same amount of ink
- **Brilliant business-quality prints**
Enjoy water-, friction- and marker-resistant, business-friendly prints with excellent readability, delivered quickly and in large volumes
- **Print more media in-house**
Print flyers, banners and posters in-house thanks to compatibility with a wide variety of materials including magnetic and photo media, plus a new rear flat tray that supports thicker media and card
- **Print without pause**
Print high volumes of documents without irritating paper reloads, thanks to a 100-sheet rear feed and a 250-sheet front cassette, windowed to make checking paper levels quick and easy. A 35-sheet ADF simplifies multipage document management
- **Small but mighty**
Save vital space at home or in the office thanks to the printer's compact footprint, whilst reducing the amount of plastic packaging means more of it can be easily recycled
- **Easy to use and maintain**
Reduce downtime with the user-replaceable maintenance cartridge, easily accessible from the front of the printer. Colour-coded, spring-loaded ink caps mean refills are simple and mess-free



PRODUCT RANGE



MAXIFY GX3050



MAXIFY GX4050



MAXIFY GX5050

MAXIFY GX3050
MAXIFY GX4050
MAXIFY GX5050
MAXIFY GX6050
MAXIFY GX7050

Live for the story_

TECHNICAL SPECIFICATIONS

MAXIFY GX4050

GENERAL SPECIFICATIONS

Functions Wi-Fi, Ethernet, Print, Copy, Scan, Fax & Cloud

PRINTER SPECIFICATIONS

Print Resolution Up to 600 x 1200 dpi^[1]
Print Margins (min.) Top: 3mm, Bottom: 5mm, Left & Right: 3.4mm
Print Technology 1 Print Head
 Refillable ink tank printer
 approx. 18.0 ipm^[2]
 approx. 13.0 ipm^[2]
Mono Print Speed Mono: 8 sec (ready/simplex)^[2]
Colour Print Speed Colour: 9 sec (ready/simplex)^[2]
First Page Out Time (approx.) A4, Letter - Plain Paper (Rear Tray, Cassette only)

CONSUMABLES AND INK YIELDS

Standard Ink Bottles GI-56 BK
 GI-56 C
 GI-56 M
 GI-56 Y
Maintenance cartridge MC-G03 (User Replaceable)
Bottle Yield (Plain paper) A4 colour documents printing^[3]
 Black: 6,000 pages
 (Economy mode 9,000 pages)^[4]
 Colour: 14,000 pages
 (Economy mode 21,000 pages)^[5]
 * Estimated supplemental yield

PAPER SUPPORT

Paper Types Plain Paper,
 Red Label Superior 80 g/m² (WOP111),
 Canon Oce Office Colour Paper 80 g/m² (SAT213)
 Photo Paper Pro Luster (LU-101),
 Photo Paper Plus Glossy II (PP-201)
 Matte Photo Paper (MP-101),
 Glossy Photo Paper "Everyday Use" (GP-501)
 High Resolution Paper (HR-101N),
 Envelope,
 Photo Paper Plus Semi-gloss (SG-201),
 Restickable Photo Paper (RP-101)
 Magnetic Photo Paper (MG-101)
 Light Fabric Iron on Transfers (LF-101),
 Double sided Matte Paper (MP-101D)

Maximum Paper Input Rear Tray: Max. 100 sheets (plain paper)
 Cassette: Max. 250 sheets (plain paper)
 Rear Flat Tray: 1 sheet
 ADF: A4, LTR = 35, LGL = 5, others = 1

Paper Sizes Rear Tray: A4, A5, A6, B5, LTR, LGL, 4"x6" (10 x 15 cm),
 5"x7" (13 x 18 cm), 7"x10" (18 x 25 cm), 8"x10"
 (20 x 25 cm), Square 5"x 5", (127mm x 127mm),
 Envelopes (DL, COM10),
 Custom size (width: 89 mm - 216 mm, length: 127 mm -
 1,200 mm)
 Cassette: A4, A5, B5, LTR
 [Custom size] width 148 mm - 215.9 mm, length 210
 mm - 297 mm
 Rear Flat Tray: A4, B5, LTR
 [Custom size] width 89 mm - 215.9 mm, length 127
 mm - 1,200 mm
 ADF: A5, A4, LTR, LGL

Paper Weight Rear Tray: Plain Paper: 64 g/m² - 105 g/m² or
 supported genuine Canon papers
 Canon paper: Max. paper weight Approx. 265 g/m²
 (Photo Paper Plus Glossy II (PP-201))
 Cassette: Plain Paper: 64 g/m² - 105 g/m²
 Rear Flat Tray: Paperboard: 0.1 mm to 0.7 mm

SCANNER SPECIFICATIONS

Scanner Type Flatbed (ADF / Platen) CIS colour scanner
Scanner Resolution (Optical) 1,200 x 2,400 dpi^[6]
Line Scanning Speed Colour: 3.5 ms/line (300 dpi)^[7]
 Greyscale: 1.5 ms/line (300 dpi)^[7]
Scanning Depth (Input / Output) Colour: RGB each 16bit/8bit
 Greyscale: 16 bit / 8 bit
Maximum Document Size Platen: A4/Letter (216 x 297 mm)
 ADF: A4/Letter/Legal (216 x 356 mm)

COPIER SPECIFICATIONS

Copy Speed sFCOT (colour): Approx. 17.0 sec^[8]
 sESAT (colour): Approx. 11.1 ipm^[8]
 ESAT/Simplex ADF (colour): Approx. 7.4 ipm^[8]
 ESAT/Simplex ADF (black): Approx. 15.2 ipm^[8]

Copy quality

Intensity adjustment 3 levels (Economy, Standard, High)
Multiple Copy 9 positions, Auto intensity (AE copy)
Copy Functions 99 copies (max.)
 Document Copying, Two-Sided Copy, 2-on-1 and 4-
 on-1 copy, Collated Copy (ADF only), Frame erase
 copy (Flatbed only), ID copy
Copy Zoom 25 - 400%
 Fit to page
 A5 to A4, B5 to A4, A4 to A5 and A4 to B5

FAX SPECIFICATIONS

Fax Type Super G3 / Colour
Fax Resolution Mono: 8pels/mm x 3.85 lines/mm (Standard)
 8pels/mm x 7.7 lines/mm (Fine)
 300 dpi x 300 dpi (Extra Fine)
 Colour: 200 x 200 dpi
Transmission Speed Mono: approx. 3 sec.^[21]
 Colour: approx. 1 min.^[21]
Modem Speed maximum 33.6 kbps (Automatic fall back)
Print Size A4, LTR, LGL
Fax Memory Approx. 250 pages^[22]
Automatic Dialing Coded Speed Dialing: Max. 100 locations
 Group Dialing: Max. 99 locations

GENERAL

Display 2.7" / 6.7cm LCD (Touch Screen, Color)
Display Languages 33 Languages Selectable: Japanese, English (mm &
 inch), German, French, Italian, Spanish, Portuguese,
 Dutch, Danish, Norwegian, Swedish, Finnish, Russian,
 Ukrainian, Polish, Czech, Slovenian, Hungarian,
 Slovakian, Croatian, Romanian, Bulgarian, Turkey,
 Greek, Estonian, Latvian, Lithuanian, Simplified
 Chinese, Korean, Traditional Chinese, Thai,
 Indonesia, Vietnamese

Standard Interface

Hi-Speed USB (B Port)
 Ethernet: 10/100Mbps (auto switchable)
 Wi-Fi: IEEE802.11 b/g/n/a/ac^[9]
 Wi-Fi Security: WPA-PSK (TKIP/AES), WPA2-PSK
 (TKIP/AES), WPA3-SAE (AES), WPA-EAP (AES)*
 WPA2-EAP (AES)* WPA3-EAP (AES)*
 * IEEE802.1X (EAP-TLS/EAP-TTLS/PEAP)
 Wireless LAN Frequency Band: 2.4GHz, 5GHz

Mobile Apps (iOS®/ANDROID™)

Canon PRINT Inkjet/SELPHY app^[10]
 Easy-PhotoPrint Editor app^[11]
 Creative Park app^[24]
Printer Features Easy-PhotoPrint Editor Software^[11]
 PIXMA Cloud Link^[11]
 Canon Print Service Plugin (Android)^[12]
 Apple AirPrint^[13]
 Wireless Direct^[14]
 Mopria (Android)^[15]
Smart Assistant & Automation Support Amazon Alexa™^[14]
 Google Assistant™^[14]
OS Compatibility Windows 11, Windows 10, Windows 8.1, Windows 7
 SP1 Operation can only be guaranteed on a PC with
 pre-installed Windows 7 or later.
 Driver and IJ Printer Assistant Tool only: Windows
 Server 2008 R2 SP1, Windows Server 2012 R2,
 Windows Server 2016, Windows Server 2019, Windows
 Server 2022
 Display environment: XGA 1024 x 768 or more
 Mac: macOS 10.14.6 ~ macOS 10.15, macOS 11,
 macOS 12 >
 Chrome OS
 Mobile Operating Systems: iOS®, iPadOS,
 Android™^[17]

Windows: 1.5GB or more
 Note: for bundled software installation. The
 necessary amount of hard disk space required.
Software Included Printer Driver
 IJ Printer Assistant Tool
 Easy-PhotoPrint Editor (download)

Minimum System Requirements

Weight approx. 9.5 kg
Dimensions (W x D x H) With the trays retracted: Approx. 399 x 417 x 251mm
Dimensions (W x D x H) With the trays extended: Approx. 399 x 719 x 304mm

PHYSICAL FEATURES

Weight approx. 9.5 kg
Dimensions (W x D x H) With the trays retracted: Approx. 399 x 417 x 251mm
Dimensions (W x D x H) With the trays extended: Approx. 399 x 719 x 304mm
Acoustic Noise Levels approx. 49 dB(A)^[18]
Operating Temperature 5-35°C
Power Source AC 100-240V, 50/60Hz
Duty Cycle up to 33,000 pages



TECHNICAL SPECIFICATIONS

MAXIFY GX4050

Power Consumption

Off: Approx. 0.1W
Standby (USB connection to PC): Approx. 0.9W
Standby (all parts connected): Approx. 1.4W
Time to enter Standby mode: 5minutes
Copying: Approx. 20W^[19]
*The wait time for standby cannot be changed (Lot26)

Typical Electricity Consumption

0.15 kWh^[20]

Footnote:

- ^[1] Ink droplets can be placed with a pitch of 1/600 inch at minimum.
- ^[2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- ^[3] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- ^[4] The economy mode reduces the ink consumption by lowering the density, 50% more pages than the standard mode can be printed.
- ^[5] The economy mode reduces the ink consumption by lowering the density, 50% more pages than the standard mode can be printed.
- ^[6] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- ^[7] The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.
- ^[8] Copy speeds are the average of sFCOT and sESAT, ISO/IEC29183. Copy speeds (ADF) are ESAT of copy in sequence, ISO/IEC24735. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- ^[9] Wireless printing requires a working network with wireless 802.11b/g/n/a or ac capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- ^[10] Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- ^[11] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- ^[12] Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- ^[13] AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- ^[14] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
- ^[15] Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.

- ^[16] Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens. Only English, French and German supported.
- ^[17] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.
- ^[18] Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.
- ^[19] Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- ^[20] Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.
- ^[21] Black & white document fax transmission speed is based on default setting using ITU-T No.1 chart. Color document fax transmission speed is based on default setting using Canon Color Fax Test Sheet. Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc.
- ^[22] Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1.
- ^[23] ADF scan speeds are the average of sESAT30secA in "ADF Productivity Measurement" test, ISO/IEC 17991:2015. When scanning or copying a certain volume of documents (approx. 150 sheets in default settings) continuously from the ADF, the printer may switch to "waiting mode" in which paper feeding stops for several tens of seconds after each scan to prohibit overheating the ADF.
- ^[24] Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



Canon Ireland
3006 Lake Drive
Citywest, Saggart
Co. Dublin, Ireland
Telephone No: 01 2052400
Facsimile No: 01 2052525
canon.ie

Canon (UK) Ltd
The Bower
4 Roundwood Avenue
Stockley Park
Uxbridge
UB11 1AF

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2022

LOW RUNNING COSTS, BRILLIANT PRODUCTIVITY

MAXIFY GX4050

Low-cost and compact, but capable of delivering high volumes of high-quality prints fast – a perfect business printer for hybrid or home office workers.

Sales Start Date: December 2022



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
MAXIFY GX4050 GB	5779C008AA	4549292204278	<Please fill in RRP>

CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
Standard size			
GI-56BK	4412C001	4549292169034	<Please fill in RRP>
GI-56C	4430C001	4549292169058	<Please fill in RRP>
GI-56M	4431C001	4549292169072	<Please fill in RRP>
GI-56Y	4432C001	4549292169096	<Please fill in RRP>
Maintenance Cartridge			
MC-G03	5794C001AA	4549292204674	<Please fill in RRP>

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
MAXIFY GX4050 GB	5779C008AA	Individual	1	588	488.9	348.7	14.6	TBC
		Pallet (Upper)	12	1184	986	1050.6	176.9	TBC
		Pallet (Bottom)	12	1184	986	1050.6	176.9	TBC

What's in the box?

- MAXIFY GX4050 Refillable MegaTank Inkjet Printer
- 4 high-yield ink bottles (1 x Black and 1 x C/M/Y)
- Power cord
- Manuals and other documents

*Windows software also available from canon.com/ijsetup.

Live for the story_