#### **Technical Specifications**

#### **HP P27h G4 27-inch Monitor**



#### **Front**

I. Function Buttons

2. Power Button

#### **Technical Specifications**

#### HP P27h G4 27-inch Monitor



- 1. Power Connector
- 2. DisplayPort™ Connector
- 3. HDMI Port

#### Back

- 4. VGA Port
- 5. Audio-in Jack (Select models only)
- 6. Security Cable Slot

#### **Technical Specifications**

Models: 7VH95AA

Panel Specifications Display Size (Diagonal) 27-in
Display Panel Type IPS

Micro-Edge Bezel Yes, 3-sided

Native Resolution/Timing 1920×1080 @ 60 Hz

Native Resolution Note\* 1 VGA, 1 HDMI 1.4, 1 DisplayPort 1.2

 Panel Bit Depth
 6bit + AFRC

 Aspect Ratio
 16:9

 Brightness - Typical
 250 cd/m²

 Static Contrast Ratio - Typical
 1000:1

 Dynamic Contrast Ratio (DCR)
 8,000,000:1

Flicker Free Yes

**Pixel Pitch** 0.3114(H)mm x 0.3114(V)mm

Pixels Per Inch (PPI) 82

Backlight Lamp Life (to half brightness -

in hours)

Anti-Glare Panel Yes

**Response Time - Typical** 5 ms (gray to gray)

Horizontal Viewing Angle (typical CR>10) 178° Vertical Viewing Angle (typical CR>10) 178°

Panel Active Area (w x h)597.89mm x336.31 mmPreset Graphic Modes/Supported640 x 480 @ 60 HzResolutions720 x 400 @ 70 Hz

800 x 600 @ 60 Hz 1024 x 768 @ 60 Hz 1280 x 720 @ 60 Hz 1280 x 800 @ 60 Hz 1280 x 1024 @ 60 Hz 1366 x 768 @ 60 Hz 1440 x 900 @ 60 Hz 1600 x 900 @ 60 Hz 1680 x 1050 @ 60 Hz 1920 x 1080 @ 60 Hz

30k minimum

Maximum Resolution1920 x 1080 @ 75 HzRecommended Resolution1920 x 1080 @ 60 Hz

Vertical Scan Range48Hz - 75HzHorizontal Scan Range30KHz - 86KHzDefault Color TemperatureNeutral (6500 K)

Maximum Pixel Clock Speed 180 MHz

\*VGA or DisplayPort™ 1.2 or HDMI 1.4 required to drive panel at its native resolution

NOTE: Performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

Color Gamut Coverage NTSC 72%



#### **Technical Specifications**

**Color Management Factory Color Calibrated** Yes

> **Factory Color Presets** Warm - 5000K Neutral - 6500K

Cool - 9300K

Color Space / Subsampling Support RGB 4:4:4, YCBCR 4:4:4, YCBCR 4:2:2

**Default Color Temperature** Neutral (6500 K)

Low Blue Light Modes Yes **RGB Channel Adjust** Yes, Gain

Monitor **Specifications**  **Exterior Color of Monitor Bezel and Stand** Black

Plug & Play Yes

Tilt -5° to +23° **Swivel** 360° **Pivot** Clockwise 90°

**Height Adjustment Range** 100 mm **VESA Mounting** Yes **Security Lock Ready** Yes **Detachable Base** Yes

Warranty Based on region

Multimedia Speakers Yes, 1 pair

> Speakers Output Power 2 W per channel

**On Screen Display** 

(OSD)

On Screen Display User Controls Brightness+, Color, Image, Input, Power, Menu,

Management, Information, Exit

**User Programmable Modes** Yes. 20

**Monitor Control Buttons or Switches** Menu/OK, Minus ("-")/Brightness, Plus ("+")/Color,

> Back/Input, Power Yes, 3 (5 options)

**User-Assignable Function Buttons Audio Controls** Yes, Volume

Languages

10 (English, Spanish, German, French, Italian, Netherlands, Portuguese, Japanese, T-Chinese and S-Chinese)

**Connector Types** DisplayPort™ 1, DisplayPort™ 1.2

> **HDMI** 1, HDMI1.4

VGA

**HDCP** support Yes, (DisplayPort™ and HDMI)

**Audio Input** 1, Analog

**Power & Operating** 

**Power Supply** Internal **Specs** 

**Power Source** 100 - 240 VAC 50/60 Hz

**Power Consumption - Maximum** 28 W **Energy Saving/Standby Mode** 0.3 W **Power Consumption - Typical** 24 W Power cable length 1.9 m

Operational Mode at 100 VAC **Energy Star Data** 14.8 W >16.5 W

#### **Technical Specifications**

Operational Mode at 115 VAC14.8 W > 16.5 WOperational Mode at 230 VAC14.8 W > 16.5 W

EU Energy Efficiency Class (ERP Lot5) On-mode Power Consumption 17 W

Annual Power Consumption 21.6 kWh >24 kWh

Energy Efficiency Class E

Operating Conditions

Operating Temperature - Celsius $5^{\circ}-35^{\circ}C$ Operating Temperature - Fahrenheit $41^{\circ}C-95^{\circ}F$ Non-operating Temperature - Celsius $-20^{\circ}-60^{\circ}C$ Non-operating Temperature - Fahrenheit $29^{\circ}-140^{\circ}F$ 

**Operating Humidity** 20 – 80% Relative Humidity (non-condensing)

Non-operating Humidity 5-95%

 Operating Altitude
 0 - 5,000 m (16,400 ft.)

 Non-operating Altitude
 0 - 12,192 m (40,000 ft.)

Environmental Features and Certifications Mercury-free LED display backlighting

Arsenic-Free Display Glass

Low Halogen\*\*

Yes, Mercury-free LED backlighting

Yes Yes

GSE HP-00011-01B, table 2 defines low-halogen (BFR, CFR,

PVC)

NOTE: External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained

after purchase may not be Low Halogen.

Agency Approvals and Certifications CE,CB,KC/KCC/NOM/PSB/ICE/TUV-S/ISO 9241-307/

EAC/UL/CSA/PSB/ISC/CCC/CEL/Energy

Star/ISC/VCCI/FCC/BSMI/Vietnam MEPS/Australian-New

Zealand MEPS/WEEE Win 10, Win 8, Win 7

**Microsoft WHQL Certification** 

**ENERGY STAR®** Yes, ENERGY STAR® 8

**EPEAT® 2019 Registered\* China Energy Label**CEL Grade 1

TCO Certified Yes

SmartWay Transport Partnership - NA Yes (NA SKU)

only

Note: DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries.

Metric Imperial



<sup>\*</sup> Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit http://www.epeat.net for more information.

<sup>\*\*</sup>External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

#### ochnical Specifications

Unit Product/Package Specifications	<b>Product Dimensions</b> (Unpacked with stand) (W x D x H)	62.01 x 21.16 x 50.95 cm	24.41 x 8.33 x 20.05 in		
	Product Dimensions (Packed) (W x D x H)	69.6 x 19.0 x 46.0 cm	27.4 x 7.48 x 18.1 in		
	<b>Display Head Dimensions</b> (Unpacked without stand) (W x D x H)	62.01 x 21.16 x 37.14 cm	24.41 x 8.33 x 14.62 in		
	Base Area Footprint (w x d mm)	214.6 x 211.6 mm	8.45 x 8.33 in		
	Bezel Measurements	Bottom 22.7 mm	Bottom 0.9 in		
	Product Weight (Unpacked with stand)	5.22 kg	11.49 lb		
	Product Weight (Packed)	7.17 kg	15.77 lb		
	Product Weight (Head Only)	3.1 kg	6.84 lb		
Pallet Information	Pallet Dimensions (L x W x H)	1280 x 1100 x 126 mm	50.39 x 43.31 x 4.96 in		
	Pallet Total Weight	304.3 Kg	676.45 lbs		
	Pallet Layers	4			
	Pallet Product per Layer	10			
	Total Products per Pallet	40			
	Container Load, 20-Foot	320 units			
	Container Load, 40-Foot	720 units			
	Container Load, 40-Foot HighQ	900 units			
Software Included	HP Display Assistant				
What's in the box?	AMS: AC Power Cord (1.8m) 5.9 ft, HDMI Cable (1.8m) 5.9 ft, DP Cable (1.8m) 5.9 ft, Audio Cable (1.8m) 5 ft				
	LA: AC Power Cord (1.8m) 5.9 ft, HDMI Cable (1.8m) 5.9 ft, DP Cable (1.8m) 5.9 ft, Audio Cable (1.8m) 5.9 ft				

9 ft APJ (exclude Japan): AC Power Cord (1.8m) 5.9 ft, VGA Cable (1.8m) 5.9 ft, HDMI Cable (1.8m) 5.9 ft, Audio Cable (1.8m) 5.9 ft

APJ Japan: AC Power Cord (1.8m) 5.9 ft, VGA Cable (1.8m) 5.9 ft, HDMI Cable (1.8m) 5.9 ft, DP Cable (1.8m) 5.9 ft, Audio Cable (1.8m) 5.9 ft

EMEA: AC Power Cord (1.8m) 5.9 ft, VGA Cable (1.8m) 5.9 ft, HDMI Cable (1.8m) 5.9 ft, Audio Cable (1.8m) 5.9 ft

**User Guide and Warranty Languages**  **User Guide Languages** English, Arabic, S. Chinese, T. Chinese, Czech, Danish,

> Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and

Turkish.

**Warranty Languages** English, Arabic, S. Chinese, T. Chinese, Czech, Danish,

> Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and

Turkish.

### **Technical Specifications**

Environmental Data	Eco-Label Certifications & declarations	This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks:  IT ECO declaration  US ENERGY STAR®  TCO 8.0  EPEAT® Silver registered in the United States. See http://www.epeat.net for registration status in your country.  US Federal Energy Management Program (FEMP)				
	Energy Consumption (in accordance with US ENERGY STAR® test method)	115VA(	C, 60Hz	230VAC, 50Hz	100VAC,	
	Normal Operation	15.04 W		15.10 W	15.06	W
	Sleep	0.16 W		0.20 W	0.15 \	N
	Off	0.11 W		0.14 W	0.10 \	N
	Heat Dissipation*	115VA(	C, 60Hz	230VAC, 50Hz	100VAC,	50Hz
	Normal Operation	51 BT	U/hr	52 BTU/hr	51 BTU	/hr
	Sleep	1 BT	U/hr	1 BTU/hr	1 BTU/	'hr
	Off	0 BT	U/hr	0 BTU/hr	0 BTU/	'hr
	Additional Information	<ul> <li>This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2002/95/EC.</li> <li>This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive - 2002/96/EC.</li> <li>This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986).</li> <li>This product is in compliance with the IEEE 1680 (EPEAT) standard at the silver level, see <a href="http://www.epeat.net">http://www.epeat.net</a></li> <li>Plastics parts weighing over 25 grams used in the product are marked per ISO 11469 and ISO1043.</li> <li>This product contains 55% post-consumer recycled plastic (by wt.) according to IEEE 1680.1-2018 standard, criterion 4.2.1.1.</li> <li>This product is 97.0% recycle-able when properly disposed of at end of life.</li> </ul>				
	Packaging Materials	External:	PAPER/Cor	rugated		956 g
		Internal:	PLASTIC/E	PS (Expanded Polystyrene)		474 g
			PLASTIC/Po	olyethylene Expanded - EPE		37 g
			PLASTIC/Po	olyethylene high density - HC	)PE	8 g
	RoHS Compliance	companies to	extend the r	materials regulations. We w estrictions in the European L oHS) Directive to our product	Inion (EU) Restric	tion of

#### **Technical Specifications**

HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam.

We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances—including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products.

We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve.

To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position statement.

#### **Material Usage**

This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at <a href="http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen\_specifications.html">http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen\_specifications.html</a>):

- Asbestos
- Certain Azo Colorants
- Certain Brominated Flame Retardants may not be used as flame retardants in plastics
- Cadmium
- Chlorinated Hydrocarbons
- Chlorinated Paraffins
- Bis(2-Ethylhexyl) phthalate (DEHP)
- Benzyl butyl phthalate (BBP)
- Dibutyl phthalate (DBP)
- Diisobutyl phthalate (DIBP)
- Formaldehyde
- Halogenated Diphenyl Methanes
- Lead carbonates and sulfates
- Lead and Lead compounds
- Mercuric Oxide Batteries
- Nickel finishes must not be used on the external surface designed to be frequently handled or carried by the user.
- Ozone Depleting Substances
- Polybrominated Biphenyls (PBBs)
- Polybrominated Biphenyl Ethers (PBBEs)
- Polybrominated Biphenyl Oxides (PBBOs)
- Polychlorinated Biphenyl (PCB)
- Polychlorinated Terphenyls (PCT)
- Polyvinyl Chloride (PVC) except for wires and cables, and certain retail packaging has been voluntarily removed from most applications.
- Radioactive Substances
- Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)



### **Technical Specifications**

Packaging	<ul> <li>HP follows these guidelines to decrease the environmental impact of product packaging: <ul> <li>Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials.</li> <li>Eliminate the use of ozone-depleting substances (ODS) in packaging materials.</li> <li>Design packaging materials for ease of disassembly.</li> <li>Maximize the use of post-consumer recycled content materials in packaging materials.</li> <li>Use readily recyclable packaging materials such as paper and corrugated materials.</li> <li>Reduce size and weight of packages to improve transportation fuel efficiency.</li> <li>Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.</li> </ul> </li></ul>	
End-of-life Management and Recycling	Hewlett-Packard offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.  The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.	
HP, Inc. Corporate Environmental Information	For more information about HP's commitment to the environment:  Global Citizenship Report     http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Eco-label certifications     http://www.hp.com/hpinfo/globalcitizenship/environment/productdesign/ecolabels.html ISO 14001 certificates:     http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842     and     http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf	

#### **Technical Specifications**

Copyright © 2021 HP Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.



#### Summary

Change Log				
November 5, 2019	V1 to V2	Added	Environmental tab	
December 13, 2019	V2 to V3	Added	HDMI Cable	
January 30, 2020	V3 to V4	Updated	Model	
February 25, 2020	V4 to V5	Updated	What's in the box Section	
July 29, 2020	V5 to V6	Updated	Contrast Ratio Minimum	
January 11, 2021	V6 to V7	Updated	SKU Update	
March 10, 2021	V7 to V8	Updated	EU Energy Efficiency Class	
	V8 to V9			

