

Rittal – The System.

Faster – better – everywhere.

Cable route for VX, VX IT – VX 5302.322

Date : Jun 15, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Cable route for VX, VX IT – VX 5302.322

created: 15.06.2021 on www.rittal.com/com-en



Product description

Benefits:	Simple assembly with tool-free quick-release fastening Alternatively suitable for screw-fastening Integral multifunctional punching for attaching cable routing components Integral mounting holes for fixing the PDUs in a 7 U pitch pattern via a keyhole recess
Applications:	For vertical cable routing and strain relief with network and server applications
Material:	Sheet steel
Surface finish:	Spray-finished
Colour:	RAL 9005
Assembly instruction:	For mounting across the entire enclosure depth on the frame structure with a quick-release fastener. When mounted in 800 mm wide enclosures, additional screw fastening to the depth-stays of the 482.6 mm (19") configuration is supported
Supply includes:	Assembly parts

Product description

To fit:	Enclosure type: VX Enclosure type: VX IT Height: ≥ 2000 mm
Dimensions:	Width: 265 mm
Installation options:	On the VX IT frame between the roof and base frames, all-round In 800 mm wide VX IT racks, alternatively, screw-fastening between the upper and lower depth stays is supported

Packs of:	1 pc(s).
Weight/pack:	7.3 kg
Copper weight (kg per piece):	0
EAN:	4028177952737
Customs tariff number:	73269098
ETIM 7.0:	EC000012
ETIM 6.0:	EC000012
eCl@ss 8.0/8.1:	27400703
eCl@ss 6.0/6.1:	27400703
Product description:	Cable route, for VX, VX IT, for vertical cable routing and strain relief, for network and server applications, integrated multifunction punchings for fastening