

# Product datasheet

Specifications



## Rack PDU, Basic, Zero U, 10A, 230V, (15)C13



AP9568

### Overview

Lead time

### Main

Colour	Black
Product or component type	PDU
PDU type	Basic
Cord length	2.0 m
Number of cables	1
Provided equipment	Installation guide Rack mounting brackets Toolless mounting kit

### Complementary

Input Voltage	120 V 200 V 208 V 230 V 240 V
Height	61 cm
Width	4.4 cm
Output Voltage	208 V 230 V
Depth	4.4 cm
Net weight	2 kg
Mounting location	Side
Mounting preference	No preference
Input Plug Type	IEC 60320 C14
Mounting mode	Rack-mounted
Rack units	0U
Mounting position	Vertical
Permissible voltage	100...240 V
Input current limits	10 A
Load capacity	2300 VA
Network frequency	50/60 Hz
Outlet type and quantity	15 IEC 60320 C13

## Environment

---

Product certifications	cUL listed CE GOST Queensland Australia UL listed VDE
Ambient air temperature for operation	0...45 °C
Relative humidity	0...95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-25...65 °C
Storage Relative Humidity	0...95 %
Storage altitude	0.000000000...15240.000000000 m

## Packing Units

---

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	64.8 cm
Package 1 Width	17.8 cm
Package 1 Length	15.2 cm
Package 1 Weight	2.724 kg

## Logistical informations

---

Country of origin	IN
-------------------	----

## Contractual warranty

---

Warranty	2 years repair or replace
----------	---------------------------



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) **51**

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard **Yes**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant**

SCIP Number **1cdb2fed-a06f-4574-913d-8df8e70936b2**

REACH Regulation [REACH Declaration](#)

Halogen content performance **Product contains halogen above thresholds**

### Energy efficiency

Optimized Energy Efficiency **Energy efficient product**

## Use Again

### Repack and remanufacture

Circularity Profile [End of Life Information](#)

Take-back **Yes**

WEEE The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

---

