

Mini DisplayPort 1.2 to VGA Adapter Converter – Mini DP to VGA – 1920x1200

Product ID: MDP2VGA2



The MDP2VGA2 Mini DisplayPort to VGA converter enables you to connect your Mini DisplayPort video source (Macbook® or any mDP-equipped Microsoft® Surface[™] Pro devices) to a VGA monitor or projector, saving the expense of upgrading to a Mini DisplayPort compatible display.

With a small foot print and no external power adapter this mDP to VGA adapter ensures maximum portability making it an ideal laptop accessory.

Compatible with Intel® Thunderbolt[™], when connected directly to a supporting DisplayPort over Thunderbolt[™] I/O port, the adapter supports resolutions up to 1920x1200 (WUXGA).

The MDP2VGA2 is backed by a 3-year StarTech.com warranty and free lifetime technical support.



Data Sheet

Certifications, Reports and Compatibility





− € F©

Applications

- Use with single-mode Mini DisplayPort video outputs that are not capable of outputting multimode DP++ signals, such as ATI® Eyefinity video cards
- Ideal for using your VGA monitor as a secondary display
- Connect your VGA display device (monitor, projector) directly to a Mini DisplayPort 1.2 output device
- Works to output VGA video from your Surface Pro 4, Surface Pro 3, Surface 3 or Surface Pro 2

Features

- Supports display resolutions up to 1920x1200/1080p
- Compatible with Intel® Thunderbolt[™] devices that are capable of outputting a DisplayPort signal
- Plug-and-play installation
- DisplayPort 1.2 Compliant

www.startech.com 1 800 265 1844

StarTechcom

Hard-to-find made easy*

Data Sheet

HardwareActive or Passive AdapterActiveAdapter StyleAdaptersAudioNoAV InputDisplayPortAV OutputVGA	
AudioNoAV InputDisplayPort	
AV Input DisplayPort	
AV Output VGA	
Chipset ID Analogix - ANX9833	
Performance Maximum Analog Resolutions 1920x1200 / 1080p (output)	
Maximum Digital Resolutions 1920x1200 / 1080p (input)	
Wide Screen Supported Yes	
Connector(s) Connector A 1 - Mini-DisplayPort (20 pin) Male	
Connector B 1 - VGA (15 pin, High Density D-Sub) Female	
Environmental Humidity 10%-85%RH	
Operating Temperature 0°C to 70°C (32°F to 158°F)	
Storage Temperature -10°C to 80°C (14°F to 176°F)	
Physical Cable Length 7.1 in [180 mm] Characteristics 7.1 in [180 mm]	
Color Black	
Product Height 0.3 in [8 mm]	
Product Length 8.7 in [220 mm]	
Product Weight 1 oz [27 g]	
Product Width 1.4 in [35 mm]	
Packaging Package Height 0.7 in [18 mm] Information Information Information	
Package Length 8.7 in [220 mm]	
Package Width 7.9 in [200 mm]	
Shipping (Package) Weight 1.3 oz [36 g]	
What's in the Box Included in Package 1 - Mini DisplayPort 1.2 to VGA Adapter	

Product appearance and specifications are subject to change without notice.