

# Rittal – The System.

Faster – better – everywhere.

## **Socket strip for IEC 320 connectors – DK 7240.201**

Date : Jul 5, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Socket strip for IEC 320 connectors – DK 7240.201

created: 05.07.2021 on [www.rittal.com/com-en](http://www.rittal.com/com-en)



## Product description

Description:	Socket strips in an aluminium duct.
Benefits:	Practical, universal fastening Providing flexibility and saving on warehousing. In the the 482.6 mm (19") section there is adequate space to route the infeed between the socket strip and the mounting angle without kinks
Material:	Aluminium section, natural anodised Socket inserts: Polycarbonate
Standards:	Sockets: DIN VDE 0620-1
Supply includes:	Socket strip 2 mounting brackets Assembly parts Integral miniature fuse 5 x 20 mm (10 A) No connection cable, to be provided by the customer.
Note:	Depending on the application, we recommend use of a charging current reserve to prevent incorrect activation due to starting-current spikes Variable attachment distance within a range of 25 mm, the distance given is hole centre – hole centre of mounting bracket

## Product description

Design:	With IEC 320 input
Dimensions:	Height: 44 mm Depth: 44 mm Length: 482.6 mm

<b>Rated operating voltage:</b>	250 V (AC), 50 Hz
<b>Installation options:</b>	Components with a 25 mm pitch pattern IT wall-mounted distributor, at the rear, horizontal (adequate width provided) Enclosure frame 482.6 mm (19") level
<b>Mounting dimensions:</b>	452.5 mm Tolerance: $\pm 25$ mm
<b>Type of electrical connection:</b>	IEC 60320: C14
<b>Rated voltage:</b>	230 V AC, 50 Hz
<b>Rated current (max.):</b>	10 A
<b>Equipment (electrical):</b>	Number of sockets: 9 Jack/socket (type): IEC 320 socket C13 No. of sockets and type: 9 x C13 Colour of socket: Black
<b>Packs of:</b>	1 pc(s).
<b>Weight/pack:</b>	0.61 kg
<b>Copper weight (kg per piece):</b>	0
<b>EAN:</b>	4028177237544
<b>Customs tariff number:</b>	85369095
<b>ETIM 7.0:</b>	EC000330
<b>ETIM 6.0:</b>	EC000330
<b>eCl@ss 8.0/8.1:</b>	27142604
<b>eCl@ss 6.0/6.1:</b>	27142604
<b>Product description:</b>	DK Socket strip, IEC 320 socket C13, 9-way, 250 V, 10 A, LHD: 482,6x44x44 mm, For IEC 320 connectors with IEC 320 input
<b>Approvals</b>	
<b>Certificates:</b>	EAC
<b>Declarations:</b>	Declaration of conformity