

Technical Specifications

HP Series 7 Pro 24 inch WUXGA USB-C Monitor - 724pu




1. Power Button

Front
2. Power LED

Technical Specifications

HP Series 7 Pro 24 inch WUXGA USB-C Monitor - 724pu



Back

1. Joypad OSD Button
2. Security Cable slot
3. On/Off Switch
4. Power Connector
5. HDMI 2.0 Connector
6. DisplayPort™ 1.4 connector
7. DisplayPort™ 1.4-out
8. 1 SuperSpeed USB Type-C® 5Gbps signaling rate (Up to 100W USB Power Delivery, Alt Mode DisplayPort™ 1.4)
9. RJ-45 Port
10. 2 SuperSpeed USB Type-A 5Gbps signaling rate (1 charging)
11. 2 SuperSpeed USB Type-A 5Gbps signaling rate (1 charging)

Technical Specifications


Model: 8Y2F7AA, 8Y2F7E9, 8Y2F7A5

Panel Specifications	Display Size (Diagonal)	24" (61.0 cm)
	Viewable Diagonal Size	61
	Panel Technology	IPS
	Curvature	Flat
	Max Refresh Rate	100 Hz
	Native Resolution	WUXGA (1920 x 1200)
	Panel Bit Depth	8 bit (6 bit + FRC)
	Aspect Ratio	16:10
	Brightness (Typical)	350 nits
	Display Contrast Ratio (Static)	1500:1
	Display Contrast Ratio (Dynamic)	10000000:1 = 10M:1
	Flicker-Free	Yes
	Pixel Pitch	0.27 x 0.27 mm
	Pixels Per Inch (PPI)	94 PPI
	Display colors	Up to 16.7 million colors supported* *Number of colors through A-FRC technology.
	Backlight Lamp Life Minimum (To Half Brightness - In Hours)	30
	Backlight Type	Edge-lit
	Screen Treatment	Anti-glare
	Hardness	3H
	Haze	25
	Response Time (Typical)	5ms GtG (with overdrive)
	Horizontal Viewing Angle (Typical Cr>10)	178°
	Vertical Viewing Angle (Typical Cr>10)	178°
Panel Active Area Metric (W x H)	51.84 x 32.40 cm	
Panel Active Area Imperial (W x H)	20.4 x 12.8 in	
NOTE: Performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.		
Color	sRGB	99%
	BT.709	100%
	Display P3	85%
Color Management	Factory Color Calibrated	Yes
	Calibrated Color Presets	sRGB, BT709
	Color Space/ Subsampling Support	RGB 4:4:4, YCBCR 4:4:4, YCBCR 4:2:2
	RGB Channel Adjust	Yes, Gain
	Default Color Temperature	Standard (6500K)
Monitor Specifications	Bezel Type	4-sided Micro Edge
	Color Of Stand	Black/Silver
	Color Of Head	Black/Silver
	Tilt	-5 to +20°
	Swivel	±45°
	Pivot	±90°

Technical Specifications

	Height Adjustment Range	150 mm
	Vesa Mounting	100 mm x 100 mm (bracket included)
	Security Lock	Security Lock-Ready
	Detachable Stand	Yes
	Warranty	3/3/0 for LA, NA, EMEA, APJ (3/3/3 in select APJ Countries)
	Low Blue Light	Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)
	Zero Bright Dot Warranty	Yes
	Management Software	HP Display Center, HP Display Manager* <i>*Host PC requires Windows 10 and above. HP Display Center is available on the Microsoft store.</i>
On Screen Display (OSD)	On Screen Display	Brightness+, Color, Input, Image, Power, Menu, Management, Information, Exit
	Native Resolution	WUXGA (1920 x 1200 @ 60 Hz)* <i>*DisplayPort 1.4 or HDMI 2.0 required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 3840 x 2160 at 60 Hz with 10-bit color using one DP, HDMI, or USB-C (DP alt mode)."</i>
	Maximum Resolution	WUXGA (1920 x 1200 @ 100 Hz)
	Preset Graphic Modes/Supported Resolutions	640 x 480@60Hz 720 x 400@70Hz 800 x 600@60Hz 1024 x 768@60Hz 1280 x 800@60Hz 1280 x 1024@60Hz 1440 x 900@60Hz 1600 x 900@60Hz 1600 x 1200@60Hz 1680 x 1050@60Hz 1920 x 1080@60Hz 1920 x 1200@60Hz 1920 x 1200@100Hz
	Minimum Vertical Scan Rate	50 Hz
	Maximum Vertical Scan Rate	100 Hz
	Minimum Horizontal Scan Rate	30.0 kHz
	Maximum Horizontal Scan Rate	75.0 kHz
	Maximum Pixel Clock	170.0 MHz
	User Programmable Modes	Yes, 22
	User-Assignable Function Buttons	Yes, 5 buttons
	Languages	11 (English, Spanish, German, French, Italian, Netherlands, Portuguese, Japanese, T-Chinese, S-Chinese and Russian)
Connector Types	DisplayPort™	1 DisplayPort™ 1.4
	DisplayPort™ Out	1 DisplayPort™ 1.4-out
	HDMI	1 HDMI 2.0

Technical Specifications

	HDCP	Yes, DisplayPort™, HDMI and USB Type-C®
	USB Type-C® Video Input & Data Transfer	1 SuperSpeed USB Type-C® 5Gbps signaling rate (Up to 100W USB Power Delivery, Alt Mode DisplayPort™ 1.4)
	USB- A	4 SuperSpeed USB Type-A 5Gbps signaling rate (2 charging)
	ETHERNET	1 RJ-45 (10/100/1000 Mbps)
Special Features	Picture-In-Picture, Picture-By-Picture Switch	Yes 5-in-1 joystick, Power Information/Input/Brightness
	Remote Manageability	In-Band MAC Address Pass Through (MAPT), In-Band Wake on LAN (WoL), PXE Boot
	User Presets	0
	User Updateable Firmware	Yes
	Other Special Features	Daisy Chain
Power & Operating Specs	Power Supply	Internal
	Power Source	100 – 240 VAC 50/60 Hz
	Power Consumption- Max	160 W
	Energy Saving/Stand By Mode	0.5 W
	Power Consumption - Typical	26.4 W
Energy Star Data	Operational Mode at 100 VAC	14.27 W
	Operational Mode at 115 VAC	14.25 W
	Operational Mode at 230 VAC	15.79 W
EU Energy Efficiency Class (ErP LOT-5)	On-mode Power Consumption for Standard Dynamic Range (SDR)	19.2 W
	ErP LOT5 Energy Efficiency Class for Standard Dynamic Range (SDR)	
Operating Conditions	Operating Temperature - Celsius	5 – 35°
	Operating Temperature - Fahrenheit	41– 95°
	Non-Operating Temperature - Celsius	–34 – 60°
	Non-Operating Temperature - Fahrenheit	29 – 140°F
	Operating Humidity	20 – 80% Relative Humidity (non-condensing)
	Non-Operating Humidity	5 – 95%
	Operating Altitude	0 – 5,000
	Non-operating Altitude	0 – 12,192
	Operating Altitude imperial	0 – 16,400
	Non-operating Altitude imperial	0 – 40,000
Certifications and Compliances	Low Halogen	Yes* <i>*External power supplies, WWAN modules, power cords, cables and peripherals excluded.</i>

Technical Specifications

Agency Approvals and Certifications	WW application CE,CB,KC/KCC/NOM/PSB/ISC/EAC/GS/TUV-S/ISO 9241-307/ Low Blue Light/ BIS/cTUVus/CCC/CEL/CECP/SEPA/Energy Star/TCO/TCO Certified Edge/VCCI/FCC/BSMI/WEEE/UAE/Ukraine/Belarus EE Win 10, Win 11 Yes EPEAT® Gold in the United States*	
Microsoft WHQL Certification ENERGY STAR® Certified EPEAT® Registered Regions need to verify by country		
China Energy Label TCO Certified Edge TCO Certified SmartWay Transport Partnership - NA only	CEL Grade 1 Yes Yes Yes (NA sku)	
Contains Recycled Plastics	Contains Recycled Plastics 90% post-consumer recycled plastic*, Contains Ocean-Bound Plastic** *Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard. **All plastic parts contain ocean-bound plastic. Percentage of ocean-bound plastic contained in each component varies by product.	
	Recycled Metals 90% recycled metal * *Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams.	
	Recyclable Packaging (Box, packing materials) Outside Box and corrugated cushions are 100% sustainably sourced and recyclable* *100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.	
Unit Product/Package Specifications		
Product Dimensions (Unpacked with stand) (W x D x H)	Metric 53.17 x 19.5 x 52.14 cm	Imperial 20.93 x 7.68 x 20.53 in
Product Dimensions (Packed) (W x D x H)	62.5 x 14.2 x 41.5 cm	24.61 x 5.59 x 16.33 in
Display Head Dimensions (Unpacked without stand) (W x D x H)	53.17 x 3.85 x 34.29 cm	20.93 x 1.52 x 13.5 in
Base Area Footprint (w x d)	232 x 195 mm	9.13 x 7.7 in
Product Weight (Unpacked with stand)	5.2 kg	11.5 lb
Product Weight (Packed)	7.8 kg	17.2 lb
Product Weight (Head Only)	4 kg	8.8 lb

Technical Specifications

Pallet Information	Pallet Dimensions (L x W x H mm)	Slip sheet: 630 x 1150 x 2085 mm / 1260 x 1150 x 2085 mm (40'ft) Slip sheet: 630 x 1150 x 2500 mm / 1260 x 1150 x 2500 mm (40'HQ) Pallet: 630 x 1150 x 2204 mm / 1260 x 1150 x 2204 mm	Slip sheet: 24.8 x 45.28 x 82.08 inch / 49.61 x 45.28 x 82.08 inch (40'ft) Slip sheet: 24.8 x 45.28 x 98.43 inch / 49.61 x 45.28 x 98.43 inch (40'HQ) Pallet: 24.8 x 45.28 x 86.77 inch / 49.61 x 45.28 x 86.77 inch
	Pallet Total Weight	Slip sheet: 317.5 / 630.5 kg (40'ft) Slip sheet: 380.4 / 755.8 kg (40'HQ) Pallet: 328.6 / 645.6 kg	Slip sheet: 700.0 / 1390.0 lb (40'ft) Slip sheet: 838.6 / 1666.2 lb (40'HQ) Pallet: 724.4 / 1423.3 lb
	Pallet Layers	5 layers (slip sheet for 40'ft); 6 layers (slip sheet for 40'HQ)	
	Pallet Product per Layer	5 layers (pallet) 8 / 16 sets	
	Total Products per Pallet	40 / 80 sets (slip sheet for 40'ft); 48 / 96 sets (slip sheet for 40'HQ) 40 / 80 sets (pallet)	
	Container Load, 20-Foot	720 sets (slip sheet and pallet)	
	Container Load, 40-Foot	1520 sets (slip sheet and pallet)	
	Container Load, 40-Foot HighQ	1824 sets (slip sheet) 1520 sets (pallet)	
What's in the box?	AC power cord (1.9m) 6.2 ft HDMI 2.0 cable (1.8m) 5.9 ft DP 1.4 cable (1.8m) USB 3.1 C-C cable (1.8m) Warranty Quick Setup Poster Color calibration report. VESA Mount Adapter		
User Guide and Warranty Languages	User Guide Languages	English, Arabic, S. Chinese, T. Chinese, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and Turkish.	
	Warranty Languages	English, Arabic, S. Chinese, T. Chinese, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and Turkish	

Technical Specifications

ENVIRONMENTAL DATA

Eco-Label Certifications & declarations	<p>This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks:</p> <ul style="list-style-type: none"> • IT ECO declaration • US ENERGY STAR® • US Federal Energy Management Program (FEMP) • EPEAT® Gold registered in the United States. See http://www.epeat.net for registration status in your country. • TCO or TCO Certified Edge • China Energy Conservation Program (CECP) • China State Environmental Protection Administration (SEPA) • Taiwan Green Mark • Korea Eco-label • Japan PC Green label* 		
Sustainable Impact Specifications	<ul style="list-style-type: none"> • Product Carbon Footprint • 90% ITE – derived closed loop plastic. • 80% post-consumer recycled plastic • Low halogen • Outside Box and corrugated cushions are 100% sustainably sourced and recyclable • Recycled Plastic cushions 		
System Configuration	<p>The configuration used for the Energy Consumption and Declared Noise Emissions data for the Notebook model is based on a “Typically Configured Notebook”.</p>		
Energy Consumption (in accordance with US ENERGY STAR® test method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Short idle)	14.25 W	15.79 W	14.27 W
Normal Operation (Long idle)	14.25 W	15.79 W	14.27 W
Sleep	0.3 W	0.31 W	0.3 W
Off	0.26 W	0.27 W	0.26 W
	<p>NOTE: Energy efficiency data listed is for an ENERGY STAR® compliant product if offered within the model family. HP computers marked with the ENERGY STAR® Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR® specifications for computers. If a model family does not offer ENERGY STAR® compliant configurations, then energy efficiency data listed is for a typically configured PC featuring a hard disk drive, a high efficiency power supply, and a Microsoft Windows® operating system.</p>		
Heat Dissipation*	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Short idle)	48.7 BTU/hr	54.0 BTU/hr	48.8 BTU/hr
Normal Operation (Long idle)	48.7 BTU/hr	54.0 BTU/hr	48.8 BTU/hr
Sleep	1.0 BTU/hr	1.1 BTU/hr	1.0 BTU/hr
Off	0.9 BTU/hr	0.9 BTU/hr	0.9 BTU/hr
	<p>*NOTE: Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour.</p>		

Technical Specifications

Longevity and Upgrading	This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the		
	Spare parts are available throughout the warranty period and or for up to “5” years after the end of production.		
Additional Information	<ul style="list-style-type: none"> • This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC. • This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive – 2002/96/EC. • This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986). • This product is in compliance with the IEEE 1680 (EPEAT) standard at the Gold level, see www.epeat.net • Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043. • This product is 98.7% recycle-able when properly disposed of at end of life. 		
Packaging Materials	External:	PAPER/Corrugated	1790 g
	Internal:	PLASTIC/EPE (Expanded Polyethylene)	58 g
	The plastic packaging material contains at least 94.8% recycled content.		
	The corrugated paper packaging materials contains at least 0% recycled content.		
RoHS Compliance	<p>HP Inc. complies fully with materials regulations. We were among the first companies to extend the restrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive to our products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam.</p> <p>We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances—including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products.</p> <p>We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve.</p> <p>To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position statement.</p>		
Material Usage	<p>This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html):</p> <ul style="list-style-type: none"> • Asbestos • Certain Azo Colorants • Certain Brominated Flame Retardants – may not be used as flame retardants in plastics • Cadmium • Chlorinated Hydrocarbons • Chlorinated Paraffins 		

Technical Specifications

	<ul style="list-style-type: none"> • Bis(2-Ethylhexyl) phthalate (DEHP) • Benzyl butyl phthalate (BBP) • Dibutyl phthalate (DBP) • Diisobutyl phthalate (DIBP) • Formaldehyde • Halogenated Diphenyl Methanes • Lead carbonates and sulfates • Lead and Lead compounds • Mercuric Oxide Batteries • Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. • Ozone Depleting Substances • Polybrominated Biphenyls (PBBs) • Polybrominated Biphenyl Ethers (PBBEs) • Polybrominated Biphenyl Oxides (PBBOs) • Polychlorinated Biphenyl (PCB) • Polychlorinated Terphenyls (PCT)
<p>Packaging Usage</p>	<p>HP follows these guidelines to decrease the environmental impact of product packaging:</p> <ul style="list-style-type: none"> • Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials. • Eliminate the use of ozone-depleting substances (ODS) in packaging materials. • Design packaging materials for ease of disassembly. • Maximize the use of post-consumer recycled content materials in packaging materials. • Use readily recyclable packaging materials such as paper and corrugated materials. • Reduce size and weight of packages to improve transportation fuel efficiency. • Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.
<p>End-of-life Management and Recycling</p>	<p>HP offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.</p> <p>The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.</p>

Technical Specifications

HP, Inc. Corporate Environmental Information	For more information about HP's commitment to the environment: Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Eco-label certifications http://www8.hp.com/us/en/hp-information/environment/ecolabels.html ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf
footnotes	<ul style="list-style-type: none">• Percentage of ocean-bound plastic contained in each component varies by product• Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.• External power supplies, WWAN modules, power cords, cables and peripherals excluded.• 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.• Fiber cushions made from 100% recycled wood fiber and organic materials.• Plastic cushions are made from >90% recycled plastic

Technical Specifications

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.

Summary

Change Log			
April, 12 2024	V1 to V2	Added	Environmental Data