



Mini GaN Chargers

PN: 32229, 32231, 32216

Description

- Supports charging of up to 4 devices simultaneously with a maximum total output of up to 165W
- Equipped with 2 or 3 USB-C ports and a USB-A port (see table for details)
- Integrated GaN technology provides efficient charging and generates less heat
- Great travel companion thanks to foldable US prongs. replaceable EU and UK plugs and slim. compact design
- Support super-fast charging with USB Power Delivery 3.1 & 3.0, PPS, and Quick Charge 3 & 4+. (varies by model and port type)
- Programmable Power Supply (PPS) technology delivers the right amount of power needed for the ideal charge. Made with high-quality, flame-resistant polycarbonate.
- Plastic-free packaging
- 2-year limited warranty



PN: 32229, 32231, 32216

Product Specifications

- PC flame retardant material
- Input: 100V – 240V 50/60Hz
- Charging Protocols:
 - **USB-C:** PPS, PD3.0, QC4+, QC3.0, QC2.0, AFC, FCP, SCP, Apple 2.4A
 - **USB-A:** QC3.0, QC2.0, AFC, FCP, SCP, Apple 2.4A
- Working Temperature: -10 °C to +40 °C
- Storage Temperature: -20 °C to +80 °C
- Operating Humidity: 5%(0°C)~90%(40°C)RH
- Certificates: CE/LVD/FCC/CB
- RoHS REACH: Yes

PN	# Devices	USB-C	USB-A	Max Total Output	Power Delivery	Q.C.*
32229	3	2 x 70W	1 x 30W	70W	PD 3.0	4+
32231	4	2 x 100W + 1 x 20W	1 x 22.5W	100W	PD 3.0	4+
32216	4	2 x 140W + 1 x 65W	1 x 30W	165W	PD 3.1	4+

* QC 4+ is only supported by USB-C port ; USB-A port only supports up to QC 3.0



Pack Content

GaN Charger
EU and UK plug Adapter
Quick Start Guide

Languages

Front of pack: English (Product description also in French)
Back of pack: English. French. German. Dutch. Italian.
Spanish. Portuguese. Polish. Russian. Czech. Hungarian.
Serbian. Croatian. Traditional Chinese. Simplified Chinese.
Korean. Japanese

Quick Installation Languages

English. German + Technical support text in English. French.
German . Dutch. Italian. Spanish. Portuguese. Polish.
Russian. Czech. Hungarian. Serbian. Croatian. Traditional
Chinese. Simplified Chinese. Korean. Japanese

Reorder No.	Description	Tariff Code	Barcode	EAN-128	EAN-14
32229	Mini GaN Charger 70W 3 Port US plug with EU and UK adaptors	85366990	023942322290	(02)00023942322290(37)10(91)892 (02)00023942322290(37)20(91)892	20023942322294 50023942322295
32231	Mini GaN Charger 100W 4 Port US plug with EU and UK adaptors	85366990	023942322313	(02)00023942322313(37)10(91)892 (02)00023942322313(37)20(91)892	20023942322317 50023942322318
32216	Verbatim Mini GaN Charger 165W 4 Port US plug with EU and UK adaptors	85366990	023942322160	(02)00023942322160(37)10(91)892 (02)00023942322160(37)20(91)892	20023942322164 50023942322165

Reorder No.	32229	32231	32216
Product Dimensions L x W x H	54 x 31 x 54 mm	63 x 31.5 x 63 mm	72 x 31 x 72 mm
Product Weight	120 g	176 g	245 g
Units per Pack	1	1	1
Pack Dimensions L x W x H	110 x 47 x 123 mm	110 x 47 x 140 mm	110 x 47 x 140 mm
Pack Weight	230 g	297 g	365 g
Packs per Inner Carton	10	10	10
Inner Carton Dimensions L x W x H	265 x 255 x 130 mm	300 x 255 x 130 mm	300 x 255 x 130 mm
Inner Carton Weight	2630 g	3320 g	4000 g
Packs per Outer Carton	40	20	20
Outer Carton Dimensions L x W x H	560 x 270 x 290 mm	320 x 270 x 290 mm	320 x 270 x 290 mm
Outer Cartons Weight	11520 g	7400 g	8750 g
Outer Cartons per Layer	8	12	12
Layers per Pallet	4	4	4
Packs per Pallet	1280	960	960