# **D¢LL**Technologies

PRECISION 3560

# The power is in the details.





#### REDESIGNED INSIDE AND OUT

The 3560 has been completely redesigned, from the use of reclaimed carbon fiber and bio-plastics on the outside, to the significant performance features on the inside. The new Pro2 keyboard and larger touchpad provide a great user experience along with up to an UHD (100% sRGB, 400nit display with ComfortView Plus (hardware low blue light) and Dell exclusive PremierColor.



#### **EXCEPTIONAL MOBILITY**

Starts at just 3.5lbs. Also, get an extremely long battery life with an optional 4-cell ExpressCharge battery, and up to 4TB of storage, ExpressConnect to optimize WiFi connectivity. for projects on the go. The latest Thunderbolt 4 and USB ports keep you connected to all the accessories you need.



#### INTELLIGENT PERFORMANCE

Maximize your workstation performance with Dell Optimizer for Precision software and featured components including the latest Intel® Core™ processors, up to 64GB of 3200MHz DDR4 memory, faster Intel integrated graphics and up to NVIDIA T500 professional graphics (2GB). Plus, advanced thermals help keep the system running at high speeds longer and more quietly.



#### DELL OPTIMIZER FOR PRECISION

New Dell Precision workstations feature Dell Optimizer for Precision, which is Al-based software that learns how you work and adapts to your style to create a smarter, more-personal experience. The result? Improved system responsiveness, better application performance, smarter use of battery power, reliable network connectivity, optimized storage as well as reporting and analytics to help identify bottlenecks and other options to improve system performance. All from a single console that you manage from WorkspaceOne or Dell SCCM—allowing IT staff to deploy, configure, update, and monitor Optimizer remotely.

## Recommended Accessories

PRECISION 3560

#### **ON-THE-GO**



### DELL USB-C MOBILE ADAPTER DA310

Compact and portable 7-in-1 USB-C mobile adapter provides superb video, data connectivity and up to 90W power pass-through to your PC.



DELL PRO HYBRID BRIEFCASE BAKCPACK, 15" | PO1521HB

Protect your laptop from impact with this earth friendly backpack that is lined with EVA foam cushioning. Easily convert from backpack to briefcase mode and travel with ease.



DELL MOBILE ADAPTER SPEAKERPHONE | MH3021P

Multiport adapter with integrated speakerphone offers an all-in-one connectivity and conferencing solution.

#### AT THE DESK



#### DELL THUNDERBOLT DOCK | WD19TB

Work at full speed with Dell's powerful Thunderbolt Dock. Charge your system faster, support up to two 4K displays and connect to your peripherals via a single cable.



#### DELL ULTRASHARP 27 4K USB-C MONITOR | U2720Q

Experience true color and striking clarity on this 27" 4K monitor with a wide color coverage. Features VESA DisplayHDR™ 400, InfinityEdge and USB-C connectivity with up to 90W power delivery.



#### DELL PREMIUM WIRELESS KEYBOARD AND MOUSE | KM7321W

Multi-task seamlessly across 3 devices with this premium full size keyboard and sculpted mouse combo with programmable shortcuts and 36 months battery life.

#### **CREATORS AND ENGINEERS**



JABRA EVOLVE | 85

Engineered to keep you focused. Our best headset for concentration, collaboration and productivity. All-day comfort with leather-feel ear cushions and on-the-ear design.



## 3DCONNEXION SPACEMOUSE WIRELESS

3Dconnexion's patented 6-Degrees-of-Freedom (6DoF) sensor is specifically designed to manipulate digital content or camera positions in the industry-leading CAD applications. Simply push, pull, twist or tilt the 3Dconnexion controller cap to intuitively pan, zoom and rotate your 3D drawing.



#### DELL ULTRASHARP 27 4K PREMIER COLOR MONITOR | UP2720Q

Create on your terms with the world's first 27" 4K monitor\* with built-in colorimeter and Thunderbolt™ 3.1.

\*Based on Dell analysis of publicly available data, July 2019.

# Features & Technical Specifications

#### PRECISION 3560

Feature	Technical Specifications	Feature	Technical Specifications
Processor <sup>1</sup>	3.0 GHz up to 4.8 GHz Turbo, 17.5W, vPro Intel® Core™ Processor i7-1165G7, 4 Core, 12MB Cache, 2.8 GHz up to 4.70 GHz Turbo, 17.5W Intel® Core™ Processor i5-1145G7, 4 Core, 8MB Cache, 2.60 GHz up to 4.40 GHz Turbo, 17.5W, vPro Intel® Core™ Processor i5-1135G7, 4 Core, 8MB Cache, 2.4 GHz up to 4.20 GHz Turbo, 17.5W	Multimedia	Dual integrated high quality speakers and dual integrated noise cancelling digital array microphones MaxxAudio® Pro by Waves Optional RGB HD, IR+HD, or FHD+IR+ Express Sign-In Camera
		I/O Ports and Connectors	2x Thunderbolt 4 Type C, 2x USB 3.2 Gen 2 Type A (1x power enabled), HDMI 2.0, RJ-45, Headset, uSD card reader, Smart Card optional, Fingerprint reader optional
Operating System <sup>2</sup>	Win10 Pro 64 Win10 Home 64 RHEL 8.2 (Web-post only) Ubuntu 20.04	Systems Management	Intel® vPro Technology Enabled No Out-of-Band Systems Management ME Secure Lockout
Memory <sup>3</sup>	4GB, 1x4GB, DDR4, 3200Mhz Non-ECC Memory 8GB, 1x8GB, DDR4, 3200Mhz Non-ECC Memory 8GB, 2x4GB, DDR4, 3200Mhz Non-ECC Memory 16GB, 1x16GB, DDR4, 3200Mhz Non-ECC Memory 16GB, 2x8GB, DDR4, 3200Mhz Non-ECC Memory 32GB, 2x16GB, DDR4, 3200Mhz Non-ECC Memory 64GB, 2x32GB, DDR4, 3200Mhz Non-ECC Memory	Security <sup>5</sup>	SafeGuard and Response, powered by VMware Carbon Black and Secureworks provides modern security to prevent, detect and remediate advanced malware and cyber attacks. Suite of technologies include the following: Next Generation Antivirus (NGAV), Endpoint Detection and Response (EDR), Threat Detection and Response (TDR),
Graphics <sup>3</sup>	tel® UHD Graphics with single-channel emory configuration tel® Iris® Xe Graphics with dual-channel		Managed Endpoint Detection and Response, Incident Management Retainer, Emergency Incident Response  SafeData protects information on device and in the cloud.
Display Options	memory configuration NVIDIA T500 w/2GB GDDR6  15.6" HD, 16x9, 1366x768, 220 nit brightness, TN, 45% NTSC, 60Hz, Non-Touch 15.6" FHD, 16x9, 1920x1080, 250 nit brightness, WVA, 45% NTSC, 60Hz, Non-Touch 15.6" FHD, 16x9, 1920x1080, 400 nit, Super Low Power, WVA, LBL, 100% sRGB, 60Hz, Non-Touch 15.6" FHD, 16x9, 1920x1080, 250 nit, WVA, 45% NTSC, 60Hz, Touch 15.6" UHD, 16x9, 3840x2160, 400 nit, Super Low Power, WVA, LBL, 100% sRGB, 60Hz, Non-Touch		Hardware Security SafeBIOS protects from threats that attack below-the-OS. Includes Dell Off-host BIOS Verification, BIOS Resilience, BIOS Recovery, and additional BIOS Controls.  SafeID secures end user credentials with a dedicated security chip. Additional features include the following: Trusted Platform Module (TPM) 2.07, self-encrypting storage drives (Opal, FIPS), Smart card keyboard (FIPS).  Physical Security Options: Chassis lock slot support, Chassis Intrusion Switch, Lockable Cable Covers, Supply
Storage Options <sup>4</sup>	M.2 2230, 128 GB, Gen 3 PCle x4 NVMe, Class 35 SSD M.2 2230, 256 GB, Gen 3 PCle x4 NVMe, Class 35 SSD M.2 2230, 512 GB, Gen 3 PCle x4 NVMe, Class 35 SSD M.2 2280, 256 GB, Gen 3 PCle x4 NVMe, Class 40 SSD M.2 2280, 512 GB, Gen 3 PCle x4 NVMe, Class 40 SSD M.2 2280, 1TB, Gen 3 PCle x4 NVMe, Class 40 SSD M.2 2280, 2TB, Gen 3 PCle x4 NVMe, Class 40 SSD M.2 2280, 2TB, Gen 3 PCle x4 NVMe, Class 40 SSD M.2 2280, 2TB, Gen 4 PCle x4 NVMe, Class 40 SSD M.2 2280, 256 GB, Gen 3 PCle x4 NVMe, Class 40 Opal 2.0 Self Encrypting Solid State Drive M.2 2280, 512 GB, Gen 3 PCle x4 NVMe, Class 40 Opal 2.0 Self Encrypting Solid State Drive No RAID  *with Integrated graphics only. This Gen 4 drive would be the 2nd SDD in a dual storage configuration.  Single Pointing standard Single Pointing backlit	Dimensions	chain tamper alerts (Check regional availability) Width: 14.09"/358 mm x Depth: 9.13"/232 mm x Height: .42"/10.8mm (front), .93"/23.8mm (peak),
		Battery	.56"/14.4mm (rear)  3 Cell 42WHr ExpressCharge Capable Battery 4 Cell 63WHr ExpressCharge Capable Battery 3 Cell 42WHr Long Life Battery (includes 3 year limited hardware warranty) - coming soon 4 Cell 63WHr Long Life Battery (includes 3 year limited hardware warranty) - coming soon
		Weight <sup>6</sup>	Starting at 3.5 lbs (1.59 kg)
Input		Power Adaptor	65W E5 Type-C Power Adapter 90W E5 Type-C Power Adapter 130W E5 Type-C Power Adapter
Communication Options	Multi-touch Touchpad  No Wireless LAN Card Qualcomm QCA61x4A 802.11ac Dual Band, 2x2, Wireless Adapter + Bluetooth 4.2 Intel® Wi-Fi 6 AX201 2x2 .11ax 160MHz (No Bluetooth) Intel® Wi-Fi 6 AX201 2x2 .11ax 160MHz + Bluetooth 5.1 Intel® Wi-Fi 6 AX210 2x2 .11ax 160MHz (No Bluetooth) - Coming Soon Intel® Wi-Fi 6 AX210 2x2 .11ax 160MHz + Bluetooth 5.1 - Coming Soon	Regulatory and Environmental Compliance <sup>7</sup>	Energy Star / EPEAT Gold Certified
		TAA Configurations available	YES (Check regional availability)

+ Bluetooth 5.1 - Coming Soon

Intel XMM 7360 Global LTE-Advanced WWAN

## **Built for business**

## **Dell Technologies Unified Workspace**

Dell Technologies Unified Workspace is the most comprehensive solution to deploy, secure, manage and support virtually all devices from the cloud. We designed this revolutionary solution with intelligence and automation providing you with visibility across the entire endpoint environment. We help you save time, improve user experience, optimize resources and strenthen security.



Our modern deployment solution, ProDeploy in the Unified Workspace allows you to revolutionize the way deployment gets done. By spending just one hour for set up, IT can then hand deployment to Dell and have preconfigured systems shipped directly to the end users--wherever they are.



Dell Endpoint Security for the Unified Workspace helps you manage growing cyber risks while embracing workforce transformation. With Dell SafeGuard and Response powered by Secureworks, you gain actionable insight to help you quickly and efficiently prevent, detect and respond to cyber-attacks - keeping your environment free from harm.

The 3560 has additional security features such as Intel® Platform Trust Technology, Trusted Platform Module (TPM) 2.0 (Check regional availability), Chassis lock slot support; Support for Computrace and SmartCard Reader; Fingerprint reader or FIPS Fingerprint reader (Check regional availability); camera privacy shutter.



We integrated our hardware management solution Dell Client Command Suite with VMware Workspace ONE, allowing you to take advantage of unified endpoint management (UEM) and manage the firmware, operating system and applications for all devices from the Workspace ONE console. UEM simplifies the management of the entire environment saving IT time from having to work between separate consoles for PCs and phones.



ProSupport Plus continues to be the only predictive and proactive support in the market. When compared to key competitors, ProSupport Plus with SupportAssist reduced time to resolve a failed hard drive with up to 11x faster time to resolution\*



PRECISION 3560

## Power within reach.



Some options available only in select regions; ISV certification applies to select configurations:

- 1 Intel Turbo Boost mode only available on Xeon, Core i7 and Core i5 processors. Intel Integrated HD graphics only available with select processors.
- 2 A 64-bit operating system is required to support 4GB or more of system memory.
- 3 System memory may be used to support graphics, depending on system memory size and other factors.
- 4 Hard Drive capacity varies with preloaded material and will be less
- 5 Computrace is not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.absolute.com/en/about/legal/agreements.
- 6 Weights vary depending on configuration and manufacturing variability.
- 7 See epeat.net for specific registration rating/status by country. For a complete listing of declarations & certifications, see Dell's regulatory & compliance homepage at dell.com/regulatory\_compliance. Availability and terms of Dell Services vary by region. For more information, visit Dell.com/servicecontracts/global; Limited Hardware Warranty available by writing Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty; Onsite Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.

Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. Intel and the Intel logo are trademarks of Intel Corporation in the U.S. and/or other countries. Microsoft and Windows are trademarks of Microsoft Corporation in the U.S. and/or other countries.