




Veriton Mini



12th Gen Intel[®] Core[™] vPro[®] Processor^{1, 3}
Expandable Design with 1-liter Add-ons
VESA Mountable²
Wi-Fi 6E Connectivity¹





Product views	 One button recovery Audio combo jack USB 3.2 Gen 2 Type-CTM port USB 3.2 Gen 2 Type-A port USB 3.2 Gen 1 Type-A port USB 3.2 Gen 1 Type-A port 	11. USB 3.2 Gen 2 Type-A ports (N6690G only) or USB 2.0 Type-A port (N4690G / N4690GT only) 12. Ethernet (RJ-45) port
Operating system ^{1,}	Windows 11 Pro 64-bit (Acer recommends Windows 11 Pro for business.)	UEFI Shell
CPU and chipset ¹	12th Generation Intel® Core™ i3 processor, Intel® UHD Graphics 730 Chipset: Intel® B660 Chipset	
Memory ^{1, 3, 4}	8 GB DDR4 3200 MHz soDIMM Up to 64 GB of Dual-channel DDR4 3200 MHz	
Storage ^{1, 5}	Hard disk drive 256 GB M.2 2280 PCI-E SSD	
Optical media drive	8X DVD-RW drive, 9.0 mm slim, tray-load, M-DISC Ready™	
Audio	Integrated high-definition sound	
Communication	WLAN: 802.11ax/ac/a/b/g/n, Wi-Fi 6E and Bluetooth® 5 802.11ax/ac/a/b/g/n, Wi-Fi 6 and Bluetooth® 5	LAN: Gigabit Ethernet
Expansion slot(s)	N4690GT: PCIe x16 slot: 0, 1 M.2 slot (for SSD): 1 M.2 slot (for WLAN): 1	
Commercial features	Intrusion alert (via BIOS) One-button recovery (OBR) Kensington lock slot 100% solid capacitors	TPM v2.0 (Trusted Platform Module) WOL (Wake On Lan) PXE (Preboot eXecution Environment) Hard drive password protection (via BIOS)
Commercial	USB 3.2 Gen 2 Type-C port supporting data transfer, USB charger, video	Additional 2nd HDMI® port
selected options ⁷	out and power delivery USB 3.2 Gen 2 Type-C port supporting data transfer, USB charger and video out COM (Series) port VESA mounting kit	Additional 2nd DisplayPort™ Internal speaker Additional D-SUB port SD card reader module (N4690G / N6690G only)
Dimensions	186.3 (W) x 186.3 (D) x 36.2 (H) mm (7.33 x 7.33 x 1.43 inches) 186.3 (W) x 186.3 (D) x 56.3 (H) mm (7.33 x 7.33 x 2.22 inches) 243.8 (W) x 186.3 (D) x 56.3 (H) mm (9.6 x 7.33 x 2.22 inches) (N6690G / N-	4690G only)
Power supply and battery	3-pin 135 W AC adapter (N6690G / N4690G only) 3-pin 90 W AC adapter 3-pin 65 W AC adapter	
System compliance	RoHS, DMI, GS, ENERGY STAR®, PC2001	
Options and	Wireless (2.4 GHz RF) keyboard and mouse	
accessories	USB keyboard and mouse	
Certification	BSMI VCCI CE FCC	CB EPEAT Silver TCO Certified (N4690GT only)
P/N, EAN	DT.VW7EH.001, 4711121129506	
Short Description	Veriton Mini N4690GT I34208 Pro - Intel® Core™ i3-12100 - 8GB DDR4 - 256GB PCIe NVMe SSD - Intel® UHD Graphics 730 - Intel® Wi-Fi 6 AX 201 (2x2) + BT 5 - Windows 11 Pro - VESA - 1 Years On-Site + 2 Years Carry In	
Standard Warranty	3 year (1 st Year On-Site, 2 nd and 3 rd Year Pick Up & Return / Drop-off Collection points) – Extended warranty available, please contact your local representative	
 A 64-bit operating sys Memory speed may v 	spending on model. uired to enjoy the advantages of 64-bit processing. stem is required to enjoy the ultimate performance of 4 GB or higher memory. ary, depending on the CPU, chipset or memory fitted. A charal formatted capacity is lases and may vary depending on preloaded materials and operate	

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model.

Availability may vary depending on region.

© 2022. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Arc graphics, Intel Atom, Intel Atom Inside, Intel Inside, Intel Inside Logo, Intel VPro, Intel Evo, Pentium, Pentium Inside, VPro Inside, Xeon, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Ethernet, Iris, Killer, MAX, Select Solutions, Si Photonics, Stratix, Tofino, and Intel Optane are trademarks of Intel Corporation or its subsidiaries.

1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as

Total available graphics memory comprises dedicated video memory, system memory, and shared system memory. This figure will vary depending on system memory, installed drivers, BIOS settings and

other factors.

Only one of the additional options can be selected.

dedicated backup space.

About Acer

5.

6.



















Faster data transit

Data Access

One Button Recovery

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model.

Availability may vary depending on region.

© 2022. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Arc graphics, Intel Atom, Intel Atom Inside, Intel Inside, Intel Inside Logo, Intel VPro, Intel Evo, Pentium, Pentium Inside, VPro Inside, Xeon, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Ethernet, Iris, Killer, MAX, Select Solutions, Si Photonics, Stratix, Tofino, and Intel Optane are trademarks of Intel Corporation or its subsidiaries.

About Acer