

TAROX Workstation M9240ZP

WITH Intel® Core™ i9-13900K



SPECIFICATIONS

P/N	2303362
EAN	4250154119097
Manufacturer	TAROX

CHASSIS

Chassis	TAROX Performance Liquid Cooling
Formfactor	µATX, ATX, eATX
Width	24.0 cm
Heights	56.6 cm
Depth	60.4 cm
Colour	black
ODD Bay (5.25")	2
FDD Bay (3.50")	-
HDD Bay (3.50")	6

FRONT INTERFACES

USB 3.2 Gen1	2 + 1x USB 3.2 Gen2 Typ-C
USB 2.0	-
Line in	yes
Line Out	yes

PSU

Power	750 W
Efficiency	80 Plus Gold

OPERATION SYSTEM

Operation System	Windows® 11 Pro
Languages	DE, FR, EN

MAINBOARD

Mainboard	Intel® Z790, 4x DDR4, mATX
-----------	----------------------------

SYSTEM

CPU Socket	1700
Chipset	Intel® Z790
Audio Chipset	Realtek ALC897
GPU	CPU integrated

LAN Chipset
PXE
Wake on Lan (WoL)
Intel® Active Management
Trustes Plattform Module (TPM)
Formfactor
Memory Support
max. Memory
max. Memory-Modules

Intel® I219V Gigabit LAN
yes
yes
yes
prepared
µATX
DDR4
128GB
4

REAR INTERFACES

USB 3.2 Gen 2 Typ-C
USB 3.2 Gen 2
USB 3.2 Gen 1
USB 2.0
RS232
LPT
Displayport
HDMI
DVI
D-Sub
RJ-45
Line In
Line Out
Microphone

1
1
4
2
-
-
4x DP 1.4
-
-
-
1
yes
yes
yes

INTERNAL INTERFACES

USB 3.2 Gen 2
USB 3.2 Gen 1
USB 2.0
RS232 (Header)
LPT (Header)
Trusted Plattform Module (TPM)
S-ATA Controller

-
2 (1x Typ-C)
2
1
-
1
4

PROCESSOR(S)

Processor(s)
Base Clock
Turbo Clock
Cores
Cache
VT
Hyperthreading
TDP
Socket

Intel® Core™ i9-13900K
P-Cores: 3.00 GHz E-Cores: 2.20 GHz
P-Cores: 5.40 GHz E-Cores: 4.30 GHz
24
36 MB
yes
yes
125 W 253 W
LGA 1700

MEMORY

Capacity
Memory Type
Memory-Modules (installed)

32 GB
DDR4
2

HDD / SSD

Capacity
Solid State Disk (SSD)
Interface
2nd Device

1000 GB
yes
m.2 NVMe
-

ODD
DVD+-R/RW
Cardreader

-
-

GPU
GPU
Memory
Interface
Connections
Cooling
Width
max. Resolution
DirectX
ShaderModel
OpenGL

NVIDIA® Quadro® RTX A4000
16 GB
256-bit GDDR6
4x DP 1.4
active
Single-Slot
7680x4320 @60Hz
12.1
5.1
4.6

CERTIFICATES
Decleration of Conformity
Production in Germany according to ISO9001
WEEE-Reg.-Nr. DE 99267951

yes
yes
yes

INPUT DEVICES
Keyboard
Mouse

-
-

SERVICE
Warranty
Service

36 month
36 month On-Site-Service