

NetBotz Rack Monitor 750

NBRK0750



UV	er	VI	e	W
----	----	----	---	---

Presentation	The NetBotz Rack Monitor 750 provides integrated surveillance, sensing, access control, and advanced
	alerting for IT environmentsof all sizes, from single-rack edge networks to large data centers.

Lead time

Main

Number of rack unit	1U
Communication port protocol	A-Link DHCP HTTPS IPv4 SNMP v1 SNMP v3 SSH v2 TCP/IP
Provided equipment	Rack mounting brackets Temperature/humidity sensor USB cable
Product compatibility	Rack sensor pod 150 Room sensor pod 155

General

Camera frame rate	Up to 30 fps
Display resolution	Up to 1280x1024
Universal sensor supported	0-5V Door contact Dry contact Humidity Smoke Fluid spot leak Temperature Vibration
Number of universal sensor ports	6
Number of sensor pods supported	12
Number of universal sensors supported	78
Number of supported camera	4

Physical

Colour Black

Height	4.3 cm
Width	43.2 cm
Depth	17.8 cm
Net weight	2.45 kg
Mounting location	Front Rear
Mounting preference	No preference
Mounting mode	Rack-mounted
Mounting position	Horizontal

Conformance

Standards	CSA C22.2 No. 60950-1-03 FCC part 15 class A ICES-003 UL 60950-1
Product certifications	2014/30/EU AS/NZS 3548 (C-Tick) class A CE EMC directive 2004/108/EC VCCI class A

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	010000 ft
Relative humidity	095 %
Ambient air temperature for storage	-1565 °C
Storage altitude	0.0015240.00 m
Storage Relative Humidity	095 %

Communications & Management

Communication network type	RJ45 10/100/1000 Base-T

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	12.1 cm
Package 1 Width	31.8 cm
Package 1 Length	53.3 cm
Package 1 Weight	4.17 kg

Offer Sustainability

EU RoHS Directive Under investigation

Contractual warranty

Warranty	18 months