

i-tec USB 3.0/USB-C Dual HDMI Docking Station

i-tec USB 3.0/USB-C Dual HDMI Docking Station



PRODUCT DESCRIPTION

Universal docking station compatible with all notebook brands and models, supplied with a 100 cm USB 3.0 cable with integrated plug adapters for both USB-C and Thunderbolt 3.

The station supports up to 2 external monitors connected via HDMI ports. 6 USB ports, reliable and fast Internet connection thanks to an integrated LAN port, and support for audio input and output.

The docking station can be installed vertically (takes up less space on the desk) or horizontally, where it can serve as a comfortable stand for your laptop.

- Connect up to two external monitors
- Two HDMI ports available
- 2x USB 3.0 (one of which supports quick charging), for fast data transmission
- 4x USB 2.0 ports for easy connection of your USB devices and peripherals.
- Gigabit Ethernet RJ-45 provides reliable, robust and high-speed Internet connection supporting 10/100/1000 Mbps speeds
- Separate audio output and audio input (microphone)
- Supports Windows 10, macOS X, Android, ChromeOS and Linux

The docking station connects via USB 3.0 interface and therefore does not support charging laptops and tablets.

PRODUCT FEATURES

- 1x USB 3.0 port for connecting to a device + 100 cm USB 3.0 cable with integrated USB-C and Thunderbolt 3 adapters
- Docking station technology: [DisplayLink](#)
- Video ports:
 - 2x HDMI
 - Resolution:
 - 1 monitor - 1x HDMI → up to 1440p/50Hz

- 2 monitors – 2x HDMI → up to 2x 1080p/60Hz
- 1x USB 3.0 port
- 1x USB 3.0 port with support for quick charging (BC 1.2)
- 4x USB 2.0 port
- 1x Ethernet GLAN RJ-45 port (DisplayLink DL-3900)
- 1x 3.5 mm audio output, 1x 3.5 mm microphone input
- 1x port for power supply (DC 5 V/4 A)
- MAC Address cloning: Yes (using [i-tec Docker Pro](#) software)
- WOL: S1, S2, S3
- Cable, USB-B to USB-A/USB-C (100 cm)
- OS: Windows XP SP3 / Vista / 7 / 8 / 8.1 / 10 / 11, macOS X, Linux Ubuntu 14.04, 16.04, 17.04, 17.10, 18.04, 19.04, Android 5 or later, Chrome OS R51 or later
- Easy driver installation ([Windows](#), [MacOS](#), [Ubuntu](#), [Android \(external link\)](#))
- Product dimensions: 181 x 71 x 31 mm
- Product weight: 205 g
- Package dimensions: 242 x 164 x 79 mm
- Package weight: 639 g

Hardware Requirements:

- Device with a free USB-A, USB-C, USB4 or Thunderbolt™ 3/4 port

Operating System:

- Windows 10 / 11, macOS, Android 5 or later, Chrome OS R51 or later, Linux Ubuntu

The docking station connects via USB 3.0 interface and therefore does not support charging laptops and tablets.

SPECIFICATION

| Part Number | Product Description & EAN |
|---------------------|---|
| U3DUALHDMIDOCK | i-tec USB 3.0/USB-C Dual HDMI Docking Station EAN: 8595611703843 |
| U3DUALHDMIDOCKUK | i-tec USB 3.0/USB-C Dual HDMI Docking Station EAN: 8595611703850 |
| Hardware | |
| Bus type | USB-3.0, Thunderbolt-3, Thunderbolt-4, USB-C |
| Ports/Connectors | |
| System Requirements | |
| Operating system | Windows 10/11 macOS X Android 5 or later Linux Ubuntu 14.04, 16.04, 17.04, 17.10, 18.04, 19.04 Chrome OS R51 or later |
| Other features | |
| Colour | black |
| Housing Material | ABS |

| | |
|--|-------------------|
| Product Dimensions | 181 x 71 x 31 mm |
| Product Weight | 205 g |
| Package Weight | 639 g |
| Packaging Dimensions (LxWxH) | 242 x 164 x 79 mm |
| Support | |
| Warranty period | 2 years |
| Technical support | lifetime |
| Package contents | |
| Product | |
| Stand | |
| Power adapter (DC cable, 175 cm) | |
| Connecting cable (100 cm) USB-B with USB-A and USB-C ports | |
| Instruction manual | |

For further information regarding setup or for answers to FAQ's, please visit our website [i-tec.pro](https://www.i-tec.pro). Specifications are subject to change without notice.

Updated 13.4.2023