LinkStation[™] 520D

Network Attached Storage



LS520D-EU

Network Attached Storage: Fast Forward

Buffalo[™] Technology's LinkStation[™] 520D series is a customisable, large capacity Network Attached Storage solution with great flexibility.

The LS520D features a robust Dual Core processor and is super-fast with impressive start-up and shut down speed as well as read and write speeds up to 100 MB/s!

The LS520 makes intensive data storage tasks easy, and users can choose from RAID 0/1/JBOD support for customised capacity and redundancy according to their specific needs. Backups are also made easy with NovaStor's NovaBACKUP for PC, or TimeMachine for Mac.

LS520 users will enjoy its intuitive and quick interface. Expanded power control features include on/off scheduling, Wake on LAN, and HDD spin down, all of which enable the LS520 to stop working when you do and greatly lessen its power consumption.

Buffalo's LS520 is also DLNA compatible and works with 3rd party File Management apps for Android and iOS to help you step-up your Digital Life and/ or seamlessly blend in to your existing set-up.

Buffalo[™] Technology's LS520D series is a two bay Network Attached Storage available fully populated with 2, 4, 6, or 8TB capacity.

Features and Benefits

- Two bay NAS for performance, reliability, and large capacity
- Available fully populated with 2, 4, 6 or 8TB capacity
- High-performance Dual Core CPU and 256MB of DDR3 RAM
- Read and write speeds up to 100MB/s
- Power control features include on/off scheduling, Wake on LAN, and HDD spin down
- Provides a central location and sharing capability across your network – for growing media libraries including iTunes[®]
- 5 Award-winning NovaBACKUP[®] licenses included for PCs
- TimeMachine compatible and ready for multi-client Mac backups
- 2 year warranty





LinkStation[™] 520D

Network Attached Storage



LS520D-EU

Specifications

System	
CPU	Realtek RTD1195N, Dual Core, 1.1GHz
RAM	DDR3 256MB
Performance	
Internal Hard Drives	100+ MB/s
	CATA
HDD interface	SATA
Number of bays	2 3.5"
HDD sizes	
Supported Capacities	1, 2, 3, 4 TB
Total Capacities	2, 4, 6, 8 TB
Supported RAID levels	0/1/JBOD
Interfaces	
LAN	
Standard Compliance	IEEE802.3ab / IEEE802.3u / IEEE802.3 Standard
Connector Type	RJ45
Number of Ports	1
Data Transfer Rates	10/100/1000 Mbps
USB	
Standard Compliance	USB 3.0 (USB 2.0 compatible)
Connector Type	USB Type A
Number of Ports	1
Data Transfer Rates	5 Gbps
Protocol Support	
Networking	TCP/IP
File Sharing	SMB/CIFS, FTP, AFP, BitTorrent™
Management	HTTP
Time Synchronisation	NTP
Other	
Supported OS	Windows 8.1 / 8 / 7 / Vista [™] (32/64 bit), Windows XP, Mac [®] OS X 10.7 or later*
Dimensions (W x H x D)	87 x 126 x 205mm
Weight	≈ 2.5 kg
Operating Environment	5-35°C, 20-80% (non-condensing)
Power Consumption	Max 37 Watts Operation \approx 19 Watts Standby \approx 13 Watts Sleep \approx 0.9 Watts
Power Supply	External, AC 100-240V, 50/60Hz

Product Codes

LS520D0202-EU LS520D0402-EU LS520D0602-EU LS520D0802-EU

* Some included optional utilities are not supported.

About Buffalo

Buffalo Technology is a leading global provider of award-winning storage, networking and multimedia solutions for the home and small business environments as well as for system builders and integrators. With more than three decades of networking and computer peripheral experience, Buffalo has proven its commitment to delivering innovative solutions that have put the company at the forefront of infrastructure technology.

© Buffalo Inc. 2015. BUFFALO logo, AirStation, Nfiniti, AOSS, TeraStation, LinkStation, DriveStation and MiniStation are either trademarks or registered trademarks of Melco Holdings Inc. or Buffalo Inc. Microsoft Windows and Microsoft logo are either registered trademarks or trademarks of Microsoft Corporation in United States and/or other countries. The names and logos of other companies mentioned herein belong to their respective owners. The information within this datasheet is subject to change without notice. All rights reserved. E & 0E.

06/2015