

HDMI to DP/DVI/VGA Converter

Part No.: 38182



Description

- Lightweight multi-interface adapter for travel and BYOD applications
- Supports Ultra HD 4K (DisplayPort) and Full HD (DVI-D & VGA) resolutions
- Plug & Play operation
- 2 Year Warranty

Perfect for field based and BYOD applications this HDMI adapter offers a cost-effective solution for connecting a DisplayPort, DVI-D or VGA equipped high definition monitor, projector, or LCD screen to a HDMI equipped Notebook, Ultrabook, Tablet or 2 in 1.

With its lightweight, low profile design, the adapter easily fits into a Notebook bag and simply expands your available connectivity options, so you can connect to the most commonly used digital and analogue video equipment, without having to carry multiple adapters.

Support for resolutions up to 4K 60Hz Ultra HD (DisplayPort only) allows you to connect to the very highest resolution displays and projectors, so you will never have to sacrifice picture quality.

Please Note: Only one output channel may be used at a time.

Package Contents:

HDMI to DisplayPort, DVI-D & VGA Adapter Converter
User Manual

Technical details

- Input: HDMI Type A Male, USB Type A Male (power only)
- Output: DisplayPort, Female, DVI-D Female & VGA Female
- HDMI 1.4b / DP 1.2a / DVI 1.0 Compliant
- HDCP 1.4/DPCP compliant
- Supports resolutions depending on monitor EDID data up to:

- DisplayPort: 4K@30/24Hz 3840x2160p30 4:4:4 8bit
- VGA/DVI-D: 1920x1200p60
- Supports HBR2, HBR, RBR and DP++ modes
- Chipsets: DP STDP2600, DVI-D PS8222, VGA AG6200
- EDID pass through
- Supports 7.1 LPCM digital audio up to 192kHz 24Bit
- Cable Length: 15cm (HDMI & USB)
- Colour: Black
- Power Consumption: VGA 2.8W, DVI 1.8W, DP 2.4W
- Operation Temperature 0⁰C ~ +65⁰C
- Operating Humidity 20 ~ 95% RH Non-Condensing
- Storage Temperature -20⁰C ~ +65⁰C
- Storage Humidity 20 ~ 95% RH Non-Condensing
- Dimensions: 87x40x16mm (housing without cable)
- Weight: 0.064kg