

AirLancer Extender 0-360D-5G

Outdoor 4G/5G omni-directional antenna with 360° beam angle



The LANCOM AirLancer O-360D-5G outdoor omnidirectional antenna is ideal for use in 4G/LTE networks and also supports the new 5G frequencies. By connecting to LANCOM cellular routers, it improves signal quality in all environments. The permanently connected 5-meter connection cable and the supplied mounting materials allow flexible installation of the antenna both directly on building facades and on masts.

- \rightarrow 2x2 MIMO antenna for higher data rates and better signal quality
- \rightarrow For the reception of 4G/LTE and 5G
- $\rightarrow~$ Covers all 4G and 5G bands in the range from 700-3,800 MHz
- → Ideal for connecting to LANCOM indoor 4G cellular routers
- → Accessories for wall and pole mounting included
- → Includes 5m permanently connected cable with SMA connector



lancom-systems.com

AirLancer Extender 0-360D-5G

Technical Information

Number of integrated antennas	2 (MIMO system)
Frequency range	698-960 MHz and 1.710-3.800 MHz
Supported bands	→ 3G / 4G / 5G
Impedance	50 ohm
Gain	 → 2 dBi (698 - 960 MHz) → 5 dBi (1.710 -2.170 MHz) → 4 dBi (2.200 -3.800 MHz)
Antenna characteristics	Omni-directional antenna
VWSR	less than 2:1
Correlation coefficient	less than 0,2
Isolation	greater than 20dB
Max input power	20 watt
Note	For maximum 5G performance, we recommend the use of the AirLancer O-360Q-5G outdoor cellular antenna with 4x4 MIMO

Mechanical specifications

Size	→ Height: 155 mm → Width: 155 mm
Material	UV-resistant plastic (ABS)
Color	RAL 9010 (white)
Operation temperature	-30°C to +80°C
Mounting options	 → Wall fixing → Mast mounting (diameter of mast 2-5 cm) → Stand for mounting on windows sills (Indoor)
Cable material	2 x CS29 coax cable (5 mm)
Package content	

Cable	5 m
Connection	2x SMA (m)



AirLancer Extender 0-360D-5G

Item	
Warranty	2 years
Item number	61233

LANCOM Systems GmbH Adenauerstr. 20/B2 52146 Wuerselen | Germany info@lancom.de www.lancom-systems.com LANCOM, LANCOM Systems, LCOS, LANcommunity and Hyper Integration are registered trademarks. All other names or descriptions used may be trademarks or registered trademarks of their owners. This document contains statements relating to future products and their attributes. LANCOM Systems reserves the right to change these without notice. No liability for technical errors and/or omissions. 05/22