

Smarter
technology
for all



Lenovo ThinkVision VoIP Stack

Modernize collaboration
with a smarter solution

Effortless virtual meetings for everyday productivity

Take virtual meetings to a new level with the Lenovo ThinkVision VoIP Stack, built to deliver superior collaborative experiences for your teams, no matter where you work. This new modular stack incorporates neat, linear design features that seamlessly fit in with the ambiance of your workspace, enhancing its ergonomics. Modern remote workers who engage in frequent video conferencing can make the most of their collaborative opportunities with privacy controls. This stack design integrates the ThinkVision MC60 (S) Monitor Webcam and ThinkVision MS30 (S) Monitor Soundbar, making adapting to everyday hybrid working a breeze. Stay in control of your workday with various adjustability features—perfect camera angles, comfortable height, superior sound quality, and advanced security features. The whole VoIP solution combines built-in smarter features with ThinkColour software support and a flexible, clutter-free design to help elevate your productivity.

Purposeful features for next-level meeting experiences



Make any place your workspace

Experience flexibility at work with the ThinkVision VoIP Stack. The plug-and-play VoIP solution is made to suit your remote collaboration needs. Get a streamlined, inspiring work environment with instant starts to your meetings and stay at your productive best anytime, anywhere.



Clutter-free connectivity with ThinkVision monitors

Say goodbye to the clutter and the mess of multiple cables. The new modular stack connects directly with your ThinkVision monitor USB-A port, so getting into a quick meeting is easy without the rush of tidying up.



Adjustable features that support a busy day

Get the flexibility to customize your Lenovo ThinkVision VoIP Stack based on your work requirement. Independently use the ThinkVision MC60 (S) Monitor Webcam for video calls or the ThinkVision MS30 (S) Monitor Soundbar for audio-only meetings. Alternatively, combine the camera and speaker to get a holistic VoIP meeting solution. Adjust the height of the ThinkVision VoIP stack with a monitor for comfort and ease of use.



ThinkVision MS30 (S) Monitor Soundbar

Uncompromised audio quality
for ThinkVision monitors

The ThinkVision MS30 (S) Monitor Soundbar delivers crystal clear and quality sound directly from the front 2 x 2W speakers, so your virtual meetings and classroom experiences are always rich. Its sleek, modular design, less than 30 mm in height, is free of cable clutter and pairs perfectly with your ThinkVision P and T Series monitors.¹ It has a Security Lock that keeps it safe from physical theft once connected. Lenovo ThinkColour software enables convenient display features for a stress-free experience.

Smart audio for world-class collaboration



Superior sound for effective meetings

The ThinkVision MS30 (S) Monitor Soundbar offers an economical way for a high-quality speaker to do what it was designed for—deliver perfect sound. Simple front delivery allows you to listen well, compared to speakers facing away of mounted sideways. The front-facing 2 x 2W sound experience is perfect for virtual meetings and online classroom sessions.



Go cableless with ThinkVision P and T Series displays¹

The ThinkVision MS30 (S) Monitor Soundbar is the perfect partner for your ThinkVision monitor. Its sleek, cableless design keeps your work area clutter-free, good-looking, and always ready for collaboration. In-built anti-theft functionality with Security Lock helps ensure your system integrity remains intact.



Innovative and easy-to-use audio settings

The ThinkVision MS30 (S) Monitor Soundbar speaker is straightforward to operate and is designed for compatibility with your ThinkVision P and T Series monitors.¹ Lenovo's ThinkColour software incorporates display features, enabling easy-to-adjust audio output quality for effortless collaborative sessions.

**Smarter
technology
for all**

Smarter
technology
for all

Lenovo



ThinkVision MC60 (S) Monitor Webcam

Amplified video output for everyday meetings

Take your virtual meetings to the next level. The ThinkVision MC60 Monitor Webcam is an intuitive webcam that offers the most stunning video quality—full 1080p resolution designed to fit on your monitor seamlessly. For seamless collaboration, capture your best perspectives with different FOV angles of 65/78/90 degrees, autofocus features, and smart controls. The ThinkVision MC60 (S) Monitor Webcam is designed to eliminate ambient noise with directional signal transmission technology that optimizes the microphone between private and conference modes to give a tailored audio experience. Its built-in, high-sensitivity dual mics capture precise voice inputs from up to two meters away. Advanced security features such as the privacy shutter and anti-theft functionality ensure privacy protection when you need it the most.



Collaborative perspectives for the new workplace



Superior resolution. Thoughtful design.

The ThinkVision MC60 (S) Monitor Webcam allows you to select your best camera angle with different FOV angles of 65/78/90 degrees and adjustable height settings that help you capture your best views and still maintain your privacy. The 1080p IR+RGB camera and large 1/2.9-inch sensor size sensor combined with smart functionality controls enhance the appearance of your face and adjust the lighting to help you always look your best. Moreover, its compact form fits super comfortably into any workspace. It does away with cable clutter while its lift expansion structure fits perfectly into your monitor's USB-A slot.



Smart appearance. Efficient meetings.

Waste no time logging into sessions, thanks to Windows Hello secure login. Look your sharpest with the Autofocus camera. Cancel ambient noise with the latest noise-filtering technology, so your audience hears every word you say without distortion. Further enhance your meetings with Smart Traffic Light that warns people around you that you are on a call, so that won't interrupt you.



Worry-free, secure collaboration

Stay in control of your contribution to meetings with the handy Audio Mode Switch, so your audience only hears what you want to say. Thanks to the webcam's physical shutter that blinds your camera, your privacy is in your hands—beneficial when working remotely. Additionally, the antitheft functionality helps secure the camera with a physical key.

Lenovo ThinkVision VoIP Stack installation guide


There is no reason to worry about your MC60 (S) and MS30 (S) falling over at a critical time or being stolen from your setup. These innovative modular solutions come with a built-in locking mechanism that secures them to the stand, and the device they are attached to. The innovative locking mechanism activates when the soundbar and camera are connected to the device. A special key is also available for users to unlock and lock them at need. Each module attaches individually, and together with the stand attachment.

Lenovo


1 Attach the MC60 (S) or MS30 (S) with the USB-A attachment, per preference, to lock automatically



2 Stack the MC60 (S) in front of the MS30 (S) via USB-A



3 Twist the keyhole 180° to lock it in place



Visual representation of VoIP Stack after being mounted on the monitor

Technical Specifications

THINKVISION MC60 (S) MONITOR WEBCAM

CONNECTIVITY

Connectivity to Monitor
USB-A, cableless

USB
2.0

VIDEO

Resolution
FHD (1920 x 1080)

Record Resolution and Framerate
640 x 480@ 30fps
1280 x 720@ 30fps
1920 x 1080@ 30fps

Lens Type
IR+RGB

RGB Sensor Size
1 / 2.9 inches

RGB DFOV
65° / 78° / 90°

Digital Zoom
4x

Focus Type
Autofocus

Shooting Angle
Tilt -25° / +25°

Video Coding
MJPEG
YUY2

AUDIO

Integrated Microphone
2 x built-in mics

Built-in Speaker
No

Noise Cancellation
Yes

SPECIAL FEATURES

Software
Lenovo ThinkColour
(Lenovo Display Control Centre*)

Support OS
Windows 10, Windows 11

Special Features
Privacy shutter : physically cover webcams lens
Auto face framing
Anti-flicker

Microphone Switch
Microphones disable via Audio Mode

Switch button
Private mode : Block all noise out of 60-degree (ENC + beamforming)
Conference mode : ENC only Off
Electrical off mics

Privacy Shutter
Yes (built-in)

Tilt Control
Yes

Lift Expansion

Yes

Security Lock

Yes

Others

1 x Traffic light for Video / Audio on / off
1 x Mic Indicator for Audio on / off

POWER

Power Input
5V, 800 mA

Voltage Required
DC

PHYSICAL

Product Color
Raven Black

Packed Dimension (L x D x H, mm / inch)
172.0 x 100.0 x 55.0 mm
6.77 x 3.93 x 2.16 inch

Packed Weight
205.0 g

Size w/o Stand (D x H x W, m / inch)
41.5 x 28.2 x 123.2 mm
1.63 x 1.11 x 4.85 inch

Size w/ Stand (D x H x W, mm / inch)
41.5 x 124.0 x 123.2 mm
1.63 x 4.88 x 4.85 inch

Weight w/o stand
73.2 g

Weight w/ stand
121.0 g

WHAT'S IN THE BOX

What's in the box
1 x MC60 (S) Monitor Webcam
1 x Stand
1 x Key
1 x QSG
1 x Warranty Booklet

CERTIFICATION

CE for European Union / European Free Trade Association
UKCA
FCC and ICES for North America
CB(62368 -1)
IC
KCC for South Korea
BSMI for Taiwan
VCCI for Japan
CQA
UKR for Ukraine
SASO for Saudi Arabia
EAC for Russia / Customs Union
VCCI for Japan
NOM for Mexico
Microsoft Teams
Windows Hello

COMPATIBLE MONITORS

P49w-30 | T34w-30
P24h-30
P24q-30



*This software can only be used with Windows 10 & Windows 11.

¹Compatible only with selected ThinkVision P and T Series monitors.

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.

© 2023 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Lenovo

Technical Specifications

THINKVISION MS30 (S) MONITOR SOUNDBAR

CONNECTIVITY

Connectivity to Monitor
USB-A, cableless

USB
2.0

AUDIO

Power Output
2 x 2W

Frequency Range
140 Hz - 20 kHz

Impedance
4 Ohm

Sensitivity
85dB @1w/0.5m

Distortion
< 3%

Signal-to-Noise Ratio
64dB

Diver
35 x 16 mm

Speaker System
RTOS

SPECIAL FEATURES

Software
Lenovo ThinkColour
(Lenovo Display Control Center*)

Support OS
Windows 10, Windows 11

Security Lock
Yes

Lift Expansion
Yes

Others
No

POWER

Power Consumption
5V, 1.6A

Voltage Required
DC

PHYSICAL

Product Color
Raven Black

Packed Dimension (L x D x H, mm / inch)
300.0 x 70.0 x 80.0 mm
11.81 x 2.76 x 3.15 inch

Size w/o Stand (D x H x W, mm / inch)
34.5 x 27.2 x 256.0 mm
1.35 x 1.07 x 10.07 inch

Size w/ Stand (D x H x W, mm / inch)
34.5 x 118.5 x 256.0 mm
1.35 x 4.66 x 10.07 inch

Packed Weight
287.0 g

Weight w/o Stand
111.2 g

Weight w/ Stand
158.0 g

WHAT'S IN THE BOX

What's in the box
1 x MS30 (S) Monitor Soundbar
1 x Stand
1 x Key
1 x QSG
1 x Warranty Booklet

CERTIFICATION

CB
FCC
IC
CE
UKCA
BIS
VCCI
BSMI
KC
3C
CQA

COMPATIBLE MONITORS

P49w-30 | T34w-30
P24h-30
P24q-30

*This software can only be used with Windows 10 & Windows 11.

¹Compatible only with selected ThinkVision P and T Series monitors.

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.

© 2023 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.