ASUS Product Information

Table of contents

1.	Ove	erview	2 2 2 2 2 2 2 4 5 5
2.	Fea	tures	2
	1.	PRODUCT NAME	2
	2.	CERTIFICATION NAME	2
	3.	OPERATING SYSTEM	2
	4.	PROCESSORS	2
	5.	CHIPSET	2
	6.	GRAPHICS	
	7.		
	8.	STORAGE AND DRIVES	5
	9.	MEMORY	5
	10.	NETWORKING/COMMUNICATIONS	5
	11.	AUDIO	6
	12.	CAMERA	6
	13.	KEYBOARDS & FUNCTION KEYS	6
	14.	SOFTWARE	7
	15.	BIOS	7
	16.	SECURITY	9
	17.	MILITARY GRADE	9
	18.	POWER	9
	19.	DIMENSIONS	9
	20.	WEIGHTS	9
	21.	PORTS/SLOTS 1	LO
3	Cer	tifications 1	1



Overview

* Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.



Features

PRODUCT NAME

B3404CVF

CERTIFICATION NAME

B3404CV, B3404CVF

OPERATING SYSTEM

Non-preinstalled OS WIN10 Government(China) Windows 11 Home Windows 11 Pro Windows 11 Pro Education

PROCESSORS

Intel® Core™ i3-1315U Processor 1.2GHz (10M Cache, up to 4.5GHz, 6 cores) with Intel® UHD Graphics Intel® Core™ i5-1335U Processor 1.3GHz (12M Cache, up to 4.6GHz, 10 cores) with Intel® UHD/ Iris X Graphics Intel® Core™ i7-1355U Processor 1.7GHz (12M Cache, up to 5GHz,10 cores) with Intel® UHD/ Iris X Graphics

CHIPSET

Integrated with processor

GRAPHICS

Integrated

Intel® UHD Graphics Intel® UHD/ Iris X Graphics



^{*} Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.

^{*} All detail conditions please refer to parts spec sheet upon request.

^{*}Intel Iris X Graphics is for dual channel memory in i5/i7/i9, Intel® UHD Graphics is for i3 or single cannel memory.

^{*} Performance and clock frequency may vary depends on software application, hardware configurations and system loading. Not all software applications can get benefit from multi-core technology.

^{*} Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.

^{*} All detail conditions please refer to parts spec sheet upon request.

^{*} Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.

^{*} All detail conditions please refer to parts spec sheet upon request.

^{*} Integrate graphic depends on CPU.

Discrete

NVIDIA® GeForce® RTX 2050



^{*}Intel Iris X Graphics is for dual channel memory in i5/i7/i9, Intel® UHD Graphics is for i3 or single cannel memory.

^{*} Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.

^{*} All detail conditions please refer to parts spec sheet upon request.

DISPLAY

Panel Size: 14.0-inch
Backlit: LED Backlit
Brightness: 300nits

Resolution: WUXGA (1920 x 1200) 16:10

Glare: Anti-glare display

Color gamut: NTSC: 45%

Touch Panel: Non-touch screen

Screen-to-body ratio: 84 %
IPS-level: Wide view
Panel interface: eDP

Panel Size: 14.0-inch
Backlit: LED Backlit
Brightness: 300nits

Resolution: WUXGA (1920 x 1200) 16:10

Glare: Anti-glare display

Color gamut: NTSC: 45%
Touch Panel: Touch screen

Screen-to-body ratio: 84 %
IPS-level: Wide view
Panel interface: eDP

Panel Size: 14.0-inch
Backlit: LED Backlit
Brightness: 500nits

Resolution: WQXGA (2560 x 1600) 16:10

Glare: Anti-glare display
Color gamut: DCI-P3: 100%
Touch Panel: Non-touch screen

Screen-to-body ratio: 84 %
IPS-level: Wide view
Panel interface: eDP

Panel Size: 14.0-inch
Backlit: LED Backlit
Brightness: 500nits

Resolution: WQXGA (2560 x 1600) 16:10

Glare: Anti-glare display
Color gamut: DCI-P3: 100%
Touch Panel: Touch screen

Screen-to-body ratio: 84 % IPS-level: Wide view

Panel interface: eDP

^{*} All detail conditions please refer to parts spec sheet upon request.



^{*} Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.

STORAGE AND DRIVES

256GB M.2 2280 NVMe™ PCIe® 4.0 SSD

512GB M.2 2280 NVMe™ PCle® 4.0 SSD

1TB M.2 2280 NVMe™ PCle® 4.0 SSD

512GB M.2 2280 NVMe™ PCle® 4.0 Performance SSD

1TB M.2 2280 NVMe™ PCle® 4.0 Performance SSD

256GB M.2 2280 NVMe[™] PCIe® 4.0 SSD, TCG Opal 2.0 self-encrypting drive (SED)

512GB M.2 2280 NVMe[™] PCIe® 4.0 SSD, TCG Opal 2.0 self-encrypting drive (SED)

- * Please contact sales for other combinations.
- * Some items may be available after production.
- * Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.
- * All detail conditions please refer to parts spec sheet upon request.

MEMORY

Maximum Memory

32GB DDR5 system run at 5200 MHz

Memory

8GB DDR5-5600 SO-DIMM 16GB DDR5-5600 SO-DIMM

Memory Slot

2x SODIMM

- * Please contact sales for other combinations.
- * System runs frequency will depends on CPU support & maximum runs at memory support frequency.
- * Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.
- * All detail conditions please refer to parts spec sheet upon request.

NETWORKING/COMMUNICATIONS

WLAN

Intel® Wi-Fi 6 AX201(Gig+) 802.11a/b/g/n/ac/ax (2x2) and Bluetooth® 5.2 Combo Wireless Card Intel® Wi-Fi 6E AX211 802.11a/b/g/n/ac/ax (2x2) and Bluetooth® 5.3 Combo Wireless Card Intel® Wi-Fi 6E AX211 802.11a/b/g/n/ac/ax (2x2) and Bluetooth® 5.3 Combo Wireless Card, vPro

NFC

N/A

Ethernet

Intel I219-V 10/100/1000 Mbps, non-vPro



- * Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.
- * All detail conditions please refer to parts spec sheet upon request.

AUDIO

Audio by Dirac Built-in speaker Built-in array microphone Realtek ALC3288

- * Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.
- * All detail conditions please refer to parts spec sheet upon request.

CAMERA

Front-facing camera

1080p FHD camera with IR function to support Windows Hello, USB interface 720p HD camera, USB interface without camera

Rear-facing camera

without camera

World-facing camera

without camera

- * Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.
- * All detail conditions please refer to parts spec sheet upon request.

KEYBOARDS & FUNCTION KEYS

Keyboard

Chiclet Keyboard Backlit Chiclet Keyboard



Function Keys

F12: Launches MyASUS

F11: Activates screen capture tool

F9: Al Noise-Canceling Microphone(recording) on/off

F7: Adjusts brightness for the backlit keyboard

F6: Enables or disables the touchpad

F5: Increases display brightness

F4: Decreases display brightness

F1: Turns the speaker on or off

F2: Turns the speaker volume down

F3: Turns the speaker volume up

F8: Toggles the display mode(Note: Ensure that the second display is connected to your Notebook PC)

F10: Default (expert widget) customizable

SOFTWARE

Preinstalled Software feature

MyASUS

MyASUS

System diagnosis Battery health charging Fan Profile Splendid Tru2Life

Function key lock WiFi SmartConnect

AppDeals

Link to MyASUS

BIOS

SPI ROM SIZE

64MB



^{*} Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.

^{*} All detail conditions please refer to parts spec sheet upon request.

^{*} Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.

^{*} All detail conditions please refer to parts spec sheet upon request.

HARDWARE SUPPORT

Hall sensor

Support intel vPro

Support Modern Standby

Support AHCI

Support dTPM

Support fTPM

Support RPMC

Support Wake-on-LAN

Support Storage Password

Support BitLocker Network Unlock (include Wifi boot option)

Wide Range power in (5V-20V) through TypeC

Support Type-C: UCSI

Support KB Function Lock

Support Keyboard backlight

ASUS Simprodock 2

Sensors ISH/FSH

SOFTWARE SUPPORT

MyASUS option: Support Battery Health Charging/ Battery Reminder

MyASUS option: Support Fan Profile: Performance mode

MyASUS option: Support Fan Profile: Whisper MyASUS option: Support Fan Profile: Standard

Support ASUS Control Center (ACC) Support ASUS Business Manager

Support Absolute Persistence 2.0 (Computrace)

Support Microsoft DFCI

COMPULSORY

UEFI BIOS code. Boot from, HDD, USB FDD, USB ODD and AI-Flash

Support My ASUS

BIOS setup show System Manufaturer ASUSTeK COMPUTER INC.

Support Serial Number display in BIOS setup menu

Support GUI Interface

Support PXE Boot(Network Stack)

Supoort UUID

Support Asus AssetTag

Support intel GNA



^{*} Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.

^{*} All detail conditions please refer to parts spec sheet upon request.

SECURITY

BIOS Booting User Password Protection

BIOS setup user password

HDD User Password Protection and Security

Kensington Nano Security Slot™(6x 2.5mm)

Support Absolute Persistence 2.0 (Computrace)

Trusted Platform Module (Firmware TPM)

Trusted Platform Module (TPM) 2.0

MILITARY GRADE

US MIL-STD 810H military-grade standard

- * Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.
- * All detail conditions please refer to parts spec sheet upon request.

POWER

Power Supply

TYPE-C, 90W AC Adapter, Output: 20V DC, 4.5A, 90W, Input: 100~240V AC 50/60Hz universal

Battery

63WHrs, 3S1P, 3-cell Li-ion

- * Battery life will vary depending on various factors including product model, configuration, loaded application, features, use, wireless
- * Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.
- * All detail conditions please refer to parts spec sheet upon request.

DIMENSIONS

Device $(W \times D \times H)$

31.37 x 22.68 x 2.39 ~ 2.39 cm (12.35" x 8.93" x 0.94" ~ 0.94")

Carton (W x D x H)

With Bag/Sleeve: 51.4 x 14.4 x 31.5 cm (20.23" x 5.67" x 12.40") Without Bag/Sleeve: 50.6 x 7.6 x 30.1 cm (19.92" x 2.99" x 11.85")

WEIGHTS



^{*} Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.

^{*} All detail conditions please refer to parts spec sheet upon request.

Weight (w/o Battery)

1.30 kg (2.87 lbs)

1.42 kg (3.13 lbs)

1.43 kg (3.15 lbs)

1.55 kg (3.42 lbs)

Weight (w/ Battery A)

1.49 kg (3.28 lbs) with 50 WHrs battery

1.54 kg (3.40 lbs) with 63 WHrs battery

1.62 kg (3.57 lbs) with 50 WHrs battery

1.66 kg (3.66 lbs) with 63 WHrs battery

1.67 kg (3.68 lbs) with 63 WHrs battery

1.79 kg (3.95 lbs) with 63 WHrs battery

PORTS/SLOTS

IO ports

1x 3.5mm Combo Audio Jack

1x HDMI 2.1 TMDS

1x RJ45 Gigabit Ethernet

1x Thunderbolt™ 4, compliant with USB4, supports display / power delivery

1x USB 3.2 Gen 2 Type-C support power delivery

2x USB 3.2 Gen 2 Type-A

Smart Card reader

- Security IC, Alcor Micro AU9560
- Support ISO 781603 class A/B/C card & DoD common Access card
- Support (PIV/HSPD-12) protocol
- Support EMVCo 4.3a protocol

Expansion Slot(includes used)

2x DDR5 SO-DIMM slots

1x M.2 2280 PCIe 4.0x4



^{*} Weight may vary by configuration.

^{*} Configuration and related spec might be different in each region and country. Please contact local sales representatives for any related questions.

^{*} All detail conditions please refer to parts spec sheet upon request.

Certifications

Certificate	Country
BIS	India
BSMI	Taiwan
BSMI(NCC)/ST	Taiwan
СВ	Universal
CCC(CQC)	China
EPEAT	Universal
EPEAT Website(EPEAT網站揭露)	Universal
EU-type examination certificate	Austria
EU-type examination certificate	Belgium
EU-type examination certificate	Bulgaria
EU-type examination certificate	Croatia
EU-type examination certificate	Cyprus
EU-type examination certificate	Czech Republic
EU-type examination certificate	Denmark
EU-type examination certificate	Estonia
EU-type examination certificate	Finland
EU-type examination certificate	France
EU-type examination certificate	Germany
EU-type examination certificate	Greece
EU-type examination certificate	Hungary
EU-type examination certificate	Iceland
EU-type examination certificate	Ireland
EU-type examination certificate	Italy
EU-type examination certificate	Latvia
EU-type examination certificate	Liechtenstein
EU-type examination certificate	Lithuania
EU-type examination certificate	Luxembourg
EU-type examination certificate	Malta
EU-type examination certificate	Netherlands
EU-type examination certificate	Norway
EU-type examination certificate	Poland



Certificate	Country
EU-type examination certificate	Portugal
EU-type examination certificate	Romania
EU-type examination certificate	Slovakia
EU-type examination certificate	Slovenia
EU-type examination certificate	Spain
EU-type examination certificate	Sweden
EU-type examination certificate	Switzerland
EU-type examination certificate	United Kingdom
Energy Star	Universal
JATE	Japan
KC	South Korea
NBTC	Thailand
NRTL	Canada
NRTL	United States
NTC(Type Acceptance Certificate)	Philippines
REACH	Universal
RoHS	Universal
SDPPI	Indonesia
SIRIM	Malaysia
Scores of Reparability Index	France
TCO	Austria
TCO	Belgium
TCO	Bulgaria
TCO	Croatia
TCO	Cyprus
TCO	Czech Republic
TCO	Denmark
TCO	Estonia
TCO	Finland
TCO	France
TCO	Germany



Certificate	Country
TCO	Greece
TCO	Hungary
TCO	Iceland
TCO	Ireland
TCO	Italy
TCO	Latvia
TCO	Liechtenstein
TCO	Lithuania
TCO	Luxembourg
TCO	Malta
TCO	Netherlands
TCO	Norway
TCO	Poland
TCO	Portugal
TCO	Romania
TCO	Slovakia
TCO	Slovenia
TCO	Spain
TCO	Sweden
TCO	Switzerland
TCO	United Kingdom
TW Green Mark(台灣環保標章)	Taiwan
UKCA-TypeExamination certificate	United Kingdom
WFD	Austria
WFD	Belgium
WFD	Bulgaria
WFD	Croatia
WFD	Cyprus
WFD	Czech Republic
WFD	Denmark
WFD	Estonia



Certificate	Country
WFD	Finland
WFD	France
WFD	Germany
WFD	Greece
WFD	Hungary
WFD	Iceland
WFD	Ireland
WFD	Italy
WFD	Latvia
WFD	Liechtenstein
WFD	Lithuania
WFD	Luxembourg
WFD	Malta
WFD	Netherlands
WFD	Norway
WFD	Poland
WFD	Portugal
WFD	Romania
WFD	Slovakia
WFD	Slovenia
WFD	Spain
WFD	Sweden
WFD	Switzerland
WFD	United Kingdom
WHQL	Universal
中國環境標誌(十環)	China
衝突礦產	Universal

^{*} EPEAT, Energy star certification status may vary by different country and configuration.

