PIXMA G3520 CONNECTED, COST-CONSCIOUS PRINTING THAT'S COMPLETELY DEPENDABLE

Entry level, refillable ink tank multifunctional printer featuring Wi-Fi, cloud connectivity and usability improvements – ideal for home, student and office use.







• Endless low-cost printing

Keep on printing while keeping costs down thanks to huge yields of up to 12,000 pages (26% more in Economy mode³) from 2 black ink bottles, or 7,700 pages with a single set of colour bottles¹

High quality at speed

Count on quality at speed (9.1 ipm in black / 5 ipm in colour²), with pigment black ink ensuring pin-sharp text and dye colour inks delivering vivid colour photos. Experiment with diverse media and even print banners up to 1.2 metres in length

Easy maintenance

Minimise downtime and meet every deadline with ease, with a user-replaceable maintenance cartridge that ensures dependable, day after day performance

Thoughtful design

Refill ink tanks without fuss or effort using handy non-squeeze bottles with unique key type nozzles that ensure each ink bottle can only refill its equivalent tank

Smart connectivity

Print, scan, copy and connect to the cloud via the Canon PRINT app and PIXMA Cloud Link, and print directly from smart devices via AirPrint (iOS) and Mopria (Android)











1,200mm 1,200mm Banner Printing

PRODUCT RANGE



PIXMA G2520



PIXMA G3520



PIXMA G2560

PIXMA G1520 PIXMA G2520 **PIXMA G3520**

PIXMA G2560 PIXMA G3560

PIXMA G4511



TECHNICAL SPECIFICATIONS

PIXMA G3520

GENERAL SPECIFICATIONS

Functions

PRINTER SPECIFICATIONS

Print Resolution Print Technology

Mono Print Speed Colour Print Speed Photo Print Speed

Borderless Printing

Two Sided Printing

CARTRIDGES AND YIELDS Standard Ink Cartridges

Cartridge Yield (Plain paper)

Cartridge Yield (Photo print)

PAPER SUPPORT

Paper Types

Maximum Paper Input

Paper Sizes

Paper Weight

SCANNER SPECIFICATIONS Scanner Type

Scanner Resolution (Optical) Line Scanning Speed

Scanning Depth (Input / Output) Maximum Document Size Wi-Fi, Print, Scan & Copy, Cloud

Up to $4800 \times 1200 \, \mathrm{dpi}^{\,[1]}$

2 FINE Print Head (Black and Colour)

Refillable ink tank printer approx. 9.1 ipm [2] approx. 5.0 ipm ^[2]

GI-51 <C> GI-51 <M> GI-51 <Y>

Colour: 7,700 pages
* Estimated supplemental yield

Colour: 2,200 photos

High Resolution Paper (HR-101N).

Envelope,
Photo Paper Plus Semi-gloss (SG-201),

Card Size (91 mm x 55 mm) [Custom size] width 55 mm - 216 mm, lenath 89 mm - 1200 mm

600 x 1200 dpi [8]

A4/ITR

COPIER SPECIFICATIONS

Multiple Copy Copy Functions

Mobile Apps (iOS®/ANDROID™)

Copy Zoom

Borderless 10x15cm: Approx. 45 seconds [3]

A4, LTR, 4" x 6", 5" x 7", 7" x 10", 8" x 10", Square (89 mm x 89 mm), Square(127 mm x 127 mm), Card Size(91 mm x 55 mm) [4]

Manual operation

GI-51 <PGBK>

A4 colour documents printing [5]
Black: 6,000 pages (Economy mode 7,600 pages) [6]

10x15cm colour photo printing [7]

* Estimated supplemental yield

Plain Paper

Photo Paper Pro Luster (LU-101), Photo Paper Plus Glossy II (PP-201) Matte Photo Paper (MP-101),

Glossy Photo Paper "Everyday Use" (GP-501)

Cardstock
Restickable Photo Paper(RP-101)

Magnetic Photo Paper (MG-101)

Dark Fabric Iron on Transfers (DF-101),
Light Fabric Iron on Transfers (LF-101),
Double sided Matte Paper (MP-101D) Rear Tray: Max. 100 sheets (plain paper)

A4 A5 A6 B5 LTR LGL Executive 7.4, 7.5, 7.6, 5.5, Lik, 1631, Sec. Diversity 18.4.2 mm x 26.6.7 mm), Legal (21.5 mm x 34.5 mm), 4" x 6", 5" x 7", 7" x 10", 8" x 10", Envelopes DL, Envelopes COM10, Envelopes C5, Square

(89 mm x 89 mm), Square (127 mm x 127 mm),

Rear Tray: Plain paper: 64 - 105 a/m² Canon specialty paper: max paper weight:

approx. 275 g/m² (Photo Paper Plus Glossy II PP-201)

CIS flatbed photo and document scanner

Colour: 3.5 ms/line(300dpi) Greyscale: 1.5 ms/line(300dpi)^[9] Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit

sFCOT: Approx. 28 sec [10] sESAT: Approx. 2.6 ipm [10] Copy Speed

99 copies (max.) Document Copying, Photo Copying, Borderless copy, 2-on-1 and 4-on-1 copy, Frame erase copy,

25 - 400% (in 1% increments)

Fit to page A5 to A4, B5 to A4, A4 to A5 and A4 to B5

GENERAL Display Full Dot LCD

32 Languages Selectable: Japanese, English (mm & inch), German, French, Italian, Spanish, Display Languages Dutch, Portuguese, Norwegian, Swedish, Danish, Finnish, Russian, Czech, Hungarian, Polish, Slovene,

Turkish, Greek, Simplified Chinese, Traditional Chinese, Korean, Indonesian, Slovakian, Estonian, Latvian, Lithuanian, Ukrainian, Romanian, Bulgarian, Croatian, Vietnamese

Standard Interface

Hi-Speed USB (USB B Port)
Wi-Fi: IEEE802.11 b/g/n/a^[11]
Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP,

Administration password
Wireless LAN Frequency Band: 2.4 GHz Wireless PictBridge

Canon PRINT app [13]
Creative Park app [14] Easy-PhotoPrint Editor app [15]

Easy-PhotoPrint Editor Software [15] PIXMA Cloud Link (print) Printer Features

riama Cloud Link (print) """

Canon Print Service Plugin (Android) [16]
Apple AirPrint [17]
Wireless Direct [18]
Mopria (Android) [19] Amazon AlexaTM [20]

Smart Assistant & Google AssistantTM [20] **Automation Support** OS Compatibility

Windows 10, Windows 8.1, Windows 7 SP1
Operation can only be guaranteed on a PC with

pre-installed Windows 7or later.
Printer driver, IJ Printer Assistant Tool and IJ Network Device Setup Utility are available with following OS. Windows Server 2008 R2 SP1, Windows Server 2012 R2,

Windows Server 2016, Windows Server 2019 Mac: OS X 10.12.6 \sim macOS 10.15 Chrome OS

Mobile Operating Systems: iOS®, Android™ [21] Windows: 2.0GB or more

Minimum System Requirements Mac: 1.0GB or more Note: for bundled software installation. The

necessary amount of hard disk space required. Display: 1024 x 768 XGA Printer Driver

IJ Printer Assistant Tool

Easy-PhotoPrint Editor (download)

PHYSICAL FEATURES

Software Included

Weight Dimensions (W x D x H) Acoustic Noise Levels

Operating Temperature Operating Humidity

Typical Electricity Consumption

Power Source Power Consumption approx. 6.4 kg Approx. 445 x 330 x 167 approx. 49.5dB(A) [22]

10-90%RH (no dew condensation)

AC 100-240V 50/60Hz Off: Approx. 0.2W

Standby (USB connection to PC): Approx. 0.6W Standby (all ports connection to PC): Approx. 0.58 Standby (all ports connected): Approx. 1.2W Time to enter Standby mode: 11minutes 4sec Copying: Approx. 16W [23] 0.18 kWh [24]

5-35°C

Canon

Live for the story

² Document print speeds are the averages of ESAT (Word, Excel, PDF) in Office Category Test for the default simplex mode, ISO/IEC 24734. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

³ The economy mode reduces the black ink consumption by lowering the density, 26% more pages than the standard mode can be printed

TECHNICAL SPECIFICATIONS

PIXMA G3520

Footnotes:

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- $_{\rm [2]}$ A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- [3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data
- processing time on host computer.

 [4] Paper Types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers

 [5] Page Yield is the estimated value based on Canon individual test method using the
- ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- M The economy mode reduces the black ink consumption by lowering the density. 26% more pages than the standard mode can be printed
- 77 Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 chart and continuous printing simulation with the replacement after initial setup.
- R Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- [9] The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.
- 100 Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and
- does not take into account warming up time.

 [11] Wireless printing requires a working network with wireless 802.11b/g/n/ac or ad capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.

 [12] DPS over IP compatible device required.
- [13] Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that
- social media accounts Terms of Service. Certain exceptions may apply.

 [14] Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to
- use this app.

 115] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5, Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.

- (16) Canon Print Service is a print plua-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plua-in does not work as a standalone app. Available for free at Google Play.

 17] AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device
- running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC,
- AirPort Base station, or Time Capsule is not supported.

 [18] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.

 [19] Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android
- 4.4 mobile devices with a download of the Mopria Print Service from Google Play.

 [20] Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens. Only English, French and German supported.
- [21] Some functions may not be available with these Operating Systems. Please refer to
 the manual or website for details.
 [22] Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.
 [23] Copy; When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain

- paper using default settings. [24] Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using
 - TEC measurement procedure regulated in International ENERGY STAR Program.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows load are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2020



CONNECTED, COST-CONSCIOUS PRINTING THAT'S COMPLETELY DEPENDABLE

PIXMA G3520

Entry level, refillable ink tank multifunctional printer featuring Wi-Fi, cloud connectivity and usability improvements – ideal for home, student and office use.

Sales Start Date: December 2020



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price	
PIXMA G3520	4467C006AA	4549292168174	<please fill="" in="" rrp=""></please>	

CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price				
Standard size							
GI-51PGBK	4529C001AA	4549292169546	<please fill="" in="" rrp=""></please>				
GI-51C	4546C001AA	4549292169829	<please fill="" in="" rrp=""></please>				
GI-51M	4547C001AA	4549292169843	<please fill="" in="" rrp=""></please>				
GI-51Y	4548C001AA	4549292169867	<please fill="" in="" rrp=""></please>				
Maintenance Cartridge							
MC-G02	4589C001AA	4549292171518	<please fill="" in="" rrp=""></please>				

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA G3520	4467C006AA	Individual	1	520	476	255.5	9.45	TBC
		Pallet (Upper)	16	1051	984	1032.5	152.87	TBC
		Pallet (Bottom)	20	1051	984	1289.5	190.66	TBC

What's in the box?

- Canon PIXMA G3520
- 5 high yield ink bottles (2x Black and 1x C/M/Y)
- Print Heads
- Power cord
- Setup CD-ROM
- · Manuals and other documents

