


Data Sheet

# Signature Set *Pen Display*



WACOM® for Business

\*Please set your Windows display settings to "duplicate displays"

# Signature Set

## *Plug-and-Play electronic signatures*

### Product Overview

Signature Set combines a Wacom pen display with sign pro PDF software for electronic signatures, providing an off-the-shelf paperless workflow solution. sign pro PDF for Windows is a simple and secure eSignature application, which allows you to sign your PDF document electronically and share it securely, while eliminating the process of printing, signing and scanning the document. It is also an ideal solution for form input, free-hand annotations, and adding electronic post-it notes to your PDF.

### Key Features & Benefits

- **Streamline customer-facing workflows** by enabling secure handwritten electronic signatures within any PDF document
- **Integrate electronic handwritten signatures** easily daily business processes
- **Simple integration** with Windows® PCs
- **Capture static and dynamic biometric data** of individual signatures to support signature verification when defending against potential fraud
- **Quick, easy modernization** of the signature capture process delivering immediate efficiency and customer experience ROI

### Software Features


- Create and sign PDF documents
- Virtual printer driver for creating PDF documents from any printable Windows application
- Capture handwritten signatures with biometric characteristics
- Free-form Drawing / handwritten annotations with pen and eraser
- Electronic seals (personal, date or image)
- Sticky notes, place and edit comments
- Signature certificate with user key selection
- Define privileges for document certification and encryption for processing documents
- Compatible with Windows Vista or higher

Pen Display Overview



General Specifications				
	Dimensions (W x H x D, excluding stand)	12.2 x 8.54 x 0.55 inches / 310 x 217 x 14 mm	11.1 x 8.3 x 0.4 inches / 283 x 210 x 11 mm	11 x 8.26 x 0.62 inches / 279.8 x 209.9 x 16 mm
	Weight (including stand)	2.4 lbs / 1.1 kg	1.8 lbs / 0.8 kg	2.2 lbs / 1.0 kg
	Stand inclination	18° integrated stand	15° integrated stand	15° integrated stand
	Power supply	USB bus power, no AC power required	USB bus power, no AC power required	AC 100 ~ 240 V, 50/60 Hz
	Power consumption	5 W maximum, 1 W in sleep mode	5 W maximum, 1 W in sleep mode	10 W (full loading), Power Save mode: 0.5 W or lower, Power OFF mode: 0.5 W or lower
	Communication interface	USB 2.0 (high speed)	USB 2.0 (high speed)	USB 2.0
	Programmable buttons	NA	4	NA
	Supported operating systems	Windows: 10/8.1/7 (32-bit, 64-bit) Mac: OSX 10.11 or later	Windows: 10/8.1/7 (32-bit, 64-bit) Mac: OSX 10.11 or later	Windows: 10/8.1/7 (32-bit, 64-bit) Mac: OSX 10.11 or later
LCD Screen				
	LCD Panel Type	TN	AHVA	AHVA
	Touch Input	No	No	Yes
	Cover glass surface	Hardened, tempered glass	Tempered AG etched glass	Tempered AG etched glass
	Aspect ratio	16:10	16:9	16:9
	Native resolution	1024 x 600 pixels	1920 x 1080 pixels	1920 x 1080 pixels
	Video input	USB	USB	HDMI
	Viewing angles (horizontal/vertical)	140° / 120°	170° / 170°	170° / 170°
	Colours	262,144 colors	16.7M colors	16.7M colors
	Luminance (brightness)	0.13 cd/in² / 200 cd/m² (typical)	0.13 cd/in² / 200 cd/m² (typical)	0.13 cd/in² / 200 cd/m² (typical)
	Contrast ratio	500:1 (typical), 350:1 (minimum)	1000:1 (typical)	1000:1 (typical)
	Response time	TR 3 ms TF 5 ms	25 ms (typical)	25 ms (typical)
Tablet and pen				
	Technology	Electromagenetic Resonance (EMR)	Electromagenetic Resonance (EMR)	Electromagenetic Resonance (EMR)
	Active area size	10.1“ diagonal (8.77 x 4.93 inches / 222.7 x 125.3 mm)	10.1“ diagonal (8.79 x 4.94 inches / 223.2 x 125.6 mm)	10.1“ diagonal (8.79 x 4.94 inches / 223.2 x 125.6 mm)
	Coordinate resolution	2540 lpi	2540 lpi	2540 lpi
	Coordinate accuracy	±0.02 inches / ±0.5 mm (center)	±0.02 inches / ±0.5 mm (center)	±0.02 inches / ±0.5 mm (center)
	Report rate	200 points per second	200 points per second	200 points per second
	Pressure levels	512	1024	1024
	Encryption	AES 256 / RSA 2048	AES 256 / RSA 2048	AES 256 / RSA 2048
	Reading height	0.2 inches / 5 mm (center)	0.2 inches / 5 mm or more (center)	0.2 inches / 5 mm or more (center)
Miscellaneous				
	Pen storage	Integrated pen compartment, pen stand	Integrated pen compartment, pen stand	Integrated pen compartment, pen stand
	Security lock slot	Yes, Kensington	Yes, Kensington	Yes, Kensington
	Mounting system	VESA 2.95 inches / 75 mm	VESA 2.95 inches / 75 mm	VESA 2.95 inches / 5 mm

# More human



# More digital

For more information or to discuss a potential project, please contact Wacom for Business sales at:

**+49 211 385 48 0 /// [solutions@wacom.eu](mailto:solutions@wacom.eu)**

Wacom for Business leverages decades of leadership in digital pen technology to help organizations digitize processes that require in-person interaction. We enhance Wacom and third-party pen-enabled devices with software that stores and displays biometrically accurate digital ink. These integrations empower our global network of partners to seamlessly incorporate handwritten electronic signatures and annotation into organizational workflows.

The result: Paperless processes with a familiar yet digital pen and paper feel.

Moreover, our WILL™ 3.0 (Wacom Ink Layer Language) standard for universal ink is powering new applications that will ensure the next generation of customer experiences are more human, and more digital.

WACOM® for Business



[business.wacom.com](https://business.wacom.com)

© 2019 Wacom Europe GmbH. For more information please contact:  
Wacom Europe GmbH, Völklinger Straße 1, 40219 Düsseldorf, Germany  
[solutions@wacom.eu](mailto:solutions@wacom.eu) · +49 211 385 48 0