

Dell Monitors

for Business



Dell UltraSharp 27 4K HDR Monitor | UP2718Q Dell UltraSharp 38 Curved Monitor | U3818DW

See more, do more. Dell Monitors — the world's #1 monitor brand.*

Why choose Dell Monitors



Innovative

Expect a thoroughly engaging visual experience with innovative Dell monitors, from monitors that provide the ultimate in resolution, contrast, and color with immersive user experiences, and unrivaled usability.



Productive

Today's Dell monitors are designed to help enhance productivity, with larger workspaces and great usability, unsurpassed reliability and thin bezel design that facilitates dual monitor configurations.** All reasons to refresh your monitor today with Dell so you can simply focus on your work, and give your productivity a boost.



Award-winning

The multiple awards and positive reviews for our monitors from around the globe — from leading computing magazines, online portals and consumers alike — vouch for the quality, performance and usability of these monitors.



Reliable

With Dell monitors you get the same commitment to quality, reliability and service that you expect from Dell — demonstrated through an exhaustive testing regimen, and backed by our Premium Panel Guarantee^{***} available with Dell UltraSharp Monitors and select Dell Monitors.



Environmentally responsible

Dell monitors conform to environmental certifications and are made with environmentally-preferable materials. Built-in energy-efficient features in select monitors can help you save on power consumption, so you can be proud of the environmentallyresponsible choice you make.



See your work come alive with Dell UltraSharp monitors. Enjoy a superb view with consistent, accurate colors, outstanding color breadth and depth, and sharp high resolution image clarity. Help boost productivity with virtually borderless models great for multi-monitor setup, curved monitors and features to aid multi-tasking.

Our high performance **Dell UltraSharp Monitors with PremierColor** offer every color professional the ideal tools for their color-critical projects. See visuals that rival real life in immaculate **Ultra HD 8K** and dazzling **4K** resolution. 8K resolution provides 4x more detail than 4K, 16x more detail than Full HD. With our **4K HDR⁺ Monitor** you'll view, edit and create stunningly realistic images in HDR10⁺ with lifelike colors, exceptional clarity and striking details.

Thank you for making Dell Monitors

#1 worldwide*



UP3218K Dell UltraSharp 32 8K Monitor

Visuals that rival real life.

Viewable image size (inches / cm) Maximum resolution Aspect ratio Panel type, surface

Backlight technology Connectivity USB ports: rear/side

Design features Adjustability Other 31.5 inches / 80.01 cm 8K 7680 x 4320 at 60 Hz; 280 ppi 16 : 9 In-Plane Switching type; Anti-Reflective treatment of the front polarizer (2H) LED 2 x DP (ver 1.4), 1 x USB 3.0² port - Upstream, 4 x USB 3.0² ports - Bottom (including 1 x USB 3.0² BC1.2 charging port), Audio line-out

Height (120 mm), swivel, tilt, pivot Dell InfinityEdge virtually borderless design, ComfortView¹ with Flicker-free screen, Dell Display Manager with Easy Arrange



UP3216Q Dell UltraSharp 32 Ultra HD 4K Monitor with PremierColor

The ideal PremierColor coverage and Ultra HD clarity for every color professional.

31.5 inches / 80.1 cm 4K 3840 x 2160 at 60 Hz 16 : 9 In-plane switching

LED

HDMI 2.0/ MHL 2.0⁴ with HDCP 2.2, 4 x USB 3.0², DisplayPort, mini-DisplayPort, 6-in-1 media card reader

Height (90 mm), swivel, tilt

Dell PremierColor; additional color coverage: 99.5% Adobe RGB2, 100% sRGB, 100% REC709, and 87% DCI-P3; Single Scalar design for easier system support



UP2718Q Dell UltraSharp 27 4K HDR Monitor

View, edit and create stunningly realistic images in HDR10 $^{\dagger}.$

27 inches / 68.47 cm 3840 x 2160 at 60 Hz 16 : 9 In-Plane Switching; Anti-glare treatment of the front polarizer (3H) hard coating LED

1 x DisplayPort (ver 1.4), 1 x mDP (ver. 1.4), 2 x HDMI (ver. 2.0a), 2 x USB 3.0° upstream ports, 4 x USB 3.0° downstream ports (including 2 x USB 3.0° BC1.2 charging port), Audio line-out

Height (145 mm), swivel, tilt, pivot HDR10 capabilities¹, built-in KVM, 100% AdobeRGB, 100% sRGB, 100% Rec. 709, and 97.7% DCI-P3 and 76.9% Rec2020

ULTRA HD PREMIUM[™] logo is a trademark of UHD Alliance, Inc.



UP2516D Dell UltraSharp 25 Monitor with PremierColor

Dell PremierColor for power users — all the tools you need for color-critical projects.

25 inches / 63.44 cm QHD 2560 x 1440 at 60 Hz

16 : 9 In-plane switching

LED

HDMI 1.4/ MHL 2.0⁴ x 2, DisplayPort 1.2³ (in)/ mini-DisplayPort, DisplayPort (out), 4 x USB 3.0² ports

Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise)

Dell PremierColor; broad color coverage: 100% Adobe RGB2, 100% sRGB, 100% REC709, and 88% DCI-P3; Single Scalar design for easier system support; ultrathin bezels; built-in KVM, PIP, PBP



UP2716D Dell UltraSharp 27 Monitor with PremierColor

Dell PremierColor for power users — all the tools you need for color-critical projects.

27 inches / 68.47 cm QHD 2560 x 1440 at 60 Hz

16:9

In-plane switching LED

HDMI 1.4/ MHL 2.0 4 x 2, DisplayPort 1.2 3 (in)/ mini-DisplayPort, DisplayPort (out), 4 x USB 3.0 2 ports

Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise)

Dell PremierColor; broad color coverage: 100% Adobe RGB2, 100% RGB8, 100% REC709, and 98% DCI-P3; Single Scalar design for easier system support; ultrathin bezels; built-in KVM, PIP, PBP



UP3017 Dell UltraSharp 30 Monitor with PremierColor

Dell PremierColor for power users — all the tools you need for color-critical projects.

30 inches / 75.62 cm WQXGA 2560 x 1600 at 60 Hz 16 : 10 In-plane switching, anti-glare LED DisplayPort 1.2^s, mini-DP 1.2, DisplayPort-out. 2 x HDMI 1.4, 2x USB 3.0² upstream (KVM), 4 x USB 3.0²

Height (115 mm), swivel, tilt, pivot

Dell PremierColor; broad color coverage: 99% AdobeRGB, 99% sRGB, 99% REC709 and 99%, DCI-P3 (Delta-E <2); SDK, KVM, flicker-free, ComfortView¹

Maximum resolution Aspect ratio Panel type, surface Backlight technology Connectivity USB ports: rear/side Design features Adjustability

Viewable image size (inches / cm)

Other

U Series

Dell UltraSharp InfinityEdge Monitors

Maximize your view with Dell's InfinityEdge monitors, with super thin borders on all four sides. Open up space on your desk to work more freely and comfortably with the arm-mounted options.



U2417H Dell UltraSharp 24 InfinityEdge Monitor

Optimize your view with super thin borders on all four sides.

23.8 inches / 60.47 cm Full HD 1920 x 1080 at 60 Hz

LED HDMI 1.4 (MHL 2.04), DisplayPort 1.2³, mini-DisplayPort 1.2, DisplayPort-out, Audio line-out, 4 x USB 3.0² ports

Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise)

Virtually borderless view perfect for productivityboosting multi-monitor setups



U2717D Dell UltraSharp 27 InfinityEdge Monitor

Optimize your view with super thin borders on all four sides.

Viewable image size (inches / cm) Maximum resolution Aspect ratio Panel type, surface Backlight technology Connectivity USB ports: rear/side

Design features Adjustability

Other



U2417HA Dell UltraSharp 24 InfinityEdge Monitor with Arm

Optimize your view and workspace with super thin borders on all four sides.

23.8 inches / 60.47 cm Full HD 1920 x 1080 at 60 Hz 16 : 9

In-plane switching, anti-glare with hard coat 3H

LED

HDMI 1.4 (MHL 2.0⁴), mini-DisplayPort 1.2/ DisplayPort 1.2³, DisplayPort out (MST), Audio Line out, 5 x USB 3.0^2 ports (1 upstream, 4 downstream)

Vertical and horizontal extension and built in cablemanagement, swivel, tilt, pivot (clockwise and counterclockwise)

Virtually borderless view and mounted on an arm for more usable desk space



Dell UltraSharp 27 InfinityEdge Monitor with Arm

Optimize your view and workspace with super thin borders on all four sides. 27 inches / 6847 cm

QHD 2560 x 1440 at 60Hz

16 : 9 In-plane switching, anti-glare with hard coat 3H

HDMI 1.4 (MHL 2.0⁴), mini-DisplayPort 1.2/ DisplayPort 1.2³, DisplayPort out (MST), Audio Line out, 5 x USB 3.0² ports (1 upstream, 4 downstream)

Vertical and horizontal extension and built in cablemanagement, swivel, tilt, pivot (clockwise and counterclockwise)

Virtually borderless view mounted on an arm for more usable desk space



U2518D Dell UltraSharp 25 Monitor

Push productivity to the edge.

25 inches / 63.44 cm GHD 2560 x 1440 at 60 Hz 16 : 9 In-Plane Switching type: Anti-glare treatment of the front polarizer (3H) hard coating I FD

 $1\,\mathrm{x}$ DisplayPort $1.2^5, 1\,\mathrm{x}$ mDP (ver 1.2), DisplayPort 1.2^5 out with MST, 1 x HDMI (ver, 2.0), 1 x USB 3.0² port - Upstream, 4 x USB 3.0² ports, with 2 x USB 3.0² Eord charging capability at 2A (max), audio line-out

Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise)

Dell HDR with HDR10 viewing capabilities^{1†}, InfinityEdge screen, Dell Easy Arrange, 99% sRGB, 99% Rec709, 79% DCI-P3, TUV-Certified flicker-free screen with ComfortView¹



Dell UltraSharp 27 4K Monitor

Productivity without boundaries.

27 inches / 68.47 cm 4K 3840 x 2160 at 60Hz 16 : 9

In-Plane Switching type; Antiglare with hard-coating 3H LED

1 x DisplayPort $1.2^3,$ 1 x mDP (ver. 1.2), 1 x HDMI (ver. 2.0), 1 x USB 3.0° port - Upstream, 4 x USB 3.0° ports, including 2 x USB 3.0° BOL12 charging capability at 2A (max), audio line-out

Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise)

Dell HDR with HDR10 viewing capabilities^{1†}, InfinityEdge screen, 99.9% sRGB with Delta-E < 2 (average), 99.9% Rec 709, 80.7% DCI-P3, Dell Easy Arrange, TUV-Certified flicker-free screen with ComfortView¹

Product availability varies by country. Please contact your Dell representative for more information.

16 : 9 In-plane switching, anti-glare LED

Design features Adjustability

Connectivity

Maximum resolution Aspect ratio

Panel type, surface

Backlight technology

USB ports: rear/side

Viewable image size (inches / cm)

Other

U2717DA

LED

ize your view with super thin

27 inches / 68.47 cm QHD 2560 x 1440 at 60Hz 16 : 9

In-plane switching, anti-glare with hard coat 3H LED HDMI 1.4 (MHL 2.0⁴), mini-DisplayPort 1.2/ DisplayPort 1.2³, DisplayPort out (MST), Audio Line out, 5 x USB

Height (130 mm), swivel, tilt, pivot (clockwise and

3.0² ports (1 upstream, 4 downstream)

counter-clockwise)

Virtually borderless view perfect for productivityboosting multi-monitor setups

U Series

Dell UltraSharp Monitor with Wireless Charging Stand

Wireless charging stand for Qi and PMA-compatible phones, plus flexible viewing and connectivity add up to great performance and convenience.

Dell UltraSharp Wireless Connect Monitor

Wireless freedom — connect your mobile devices to your monitor wirelessly and edit content from both devices simultaneously with a single keyboard and mouse.



U2417HJ

Dell UltraSharp 24 Monitor with Wireless Charging Stand Wireless charging convenience.

Viewable image size (inches /
Maximum resolution
Aspect ratio
Panel type, surface
Backlight technology
Connectivity
USB ports: rear/side
Design features
Adjustability
Other

/ cm) 23.8 inches / 60.47 cm
 Full HD 1920 x 1080 at 60 Hz
 16 : 10
 In-plane switching, anti-glare with 3H hardness
 LED
 DisplayPort/ mini-DisplayPort in, DisplayPort-out, 2 x HDMI (MHL⁴), 4 x USB 3.0², Audio line-out
 Height, swivel, tilt, pivot (clockwise and counter-clockwise)

Conveniently charge your Qi and PMA compatible smartphones without wires



U2417HWi Dell UltraSharp 24 Wireless Connect Monitor

World's first monitor to allow two mobile devices to be connected wirelessly. 23.8 inches / 60.47 cm Full HD 1920 x 1080 at 60 Hz 16 : 9 In-plane switching, anti-glare with 3H hardness LED HDMI (1.4), 1 x USB 3.0² upstream, 4 x USB 3.0² downstream, Audio line-out

Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise) Wirelessly connect two mobile devices⁵ and display and edit content with one keyboard and mouse

U Series

Dell UltraSharp Curved and Ultra Wide Monitors

Enjoy a panoramic viewing experience for work, videos, movies and gaming on these ideally sized, expansive monitors, perfect for multi-tasking.



U2917W Dell UltraSharp 29 Ultra Wide Monitor

charging capability at 2A (max)

Height (130 mm), swivel, tilt

Monitor

Help boost productivity while you multitask efficiently.

Picture-by-Picture, Picture-in-Picture, Daisy Chain availability, Dell Display Manager

compatible with Easy Arrange, Remote Asset Management via Dell Command

Viewable image size (inches / cm) Maximum resolution Aspect ratio Panel type, surface Backlight technology Connectivity USB ports: rear/side

Viewable image size (inches / cm)

Maximum resolution Aspect ratio

Panel type, surface

USB ports: rear/side

Design features

Adiustability

Other

Backlight technology Connectivity

Design features Adjustability Other

28.8 inches / 73.03 cm 2560 x 1080 at 60 Hz 21:9 In-plane switching, anti-glare LED 2 x HDMI 1.4, 1 x Mini-DisplayPort, 1 x DisplayPort, 1 x DisplayPort out (MST), 1 x Audio-line out, 1 x USB 3.0° upstream, 4 x USB 3.0° downstream ports, with 2 x BC1.2



U3415W Dell UltraSharp 34 Curved Ultra Wide Monitor

Immersive panoramic view makes work comfortable and play fun.

Premium panel

34 inches / 86.5 cm WQHD 3440 x 1440 at 60 Hz 21 : 9 In-plane switching, anti-glare LED 1 x HDMI 2.0.1 x MHL⁴, 1 x mit

1 x HDMI 2.0, 1 x MHL⁴, 1 x mini-DisplayPort, 1 x DisplayPort, 1 x DisplayPort out (MST), 1 x Audio line-out, 2 x USB 3.0° upstream, 4 x USB 3.0° downstream

Height (115 mm), swivel, tilt Curved screen, 2 integrated 9W speakers; built-in KVM, PIP, PBP



U3417W

Dell UltraSharp 34 Curved Monitor

Immersive display. Immaculate performance.

34.14 inches / 86.72 cm
 WQHD 3440 x 1440 at 60 Hz
 21:9
 In-plane switching, anti-glare

LED

DisplayPort 1.2³ (HDCP 1.4), mini-DisplayPort 1.2 (HDCP 1.4), DisplayPort-out with MST (HD 1.4), 2 x HDMI 2.0 (HDCP 1.4), 1 x Analog 2.0 audio line out (3.5 mm jack) ports, 2 x USB 3.0^2 upstream, 4 x USB 3.0^2 downstream

Height (115 mm), swivel, tilt

Integrated 2 x 9W speakers, Picture-by-Picture, Picture-in-Picture, KVM (Keyboard, video, mouse)



U3818DW Dell UltraSharp 38 Curved Monitor

Envision all you can do. 37.5 inches / 95.3 cm WQHD+ 3840 x 1600 at 60Hz 21:9 In-Plane Switching type: Anti-glare with (3H) hard coating LED edgelight system 1 x DisplayPort 12³ (HDCP 2.2), 2 x HDMI 2.0 (HDCP 2.2), 2 x USB 3.0² upstream

port, 2 x USB 3.0^o Downstream port (side), 2 x USB 3.0^o Downstream port (bottom), 1 x USB Type-C (Alternate mode with DP1.2, Power Delivery of up to 100W, and USB 2.0), 1 x Analog 2.0 audio line out (3.5 mm jack)

Height (115 mm), swivel, tilt

Integrated 2 x 9W speakers, InfinityEdge screen, 99%sRGB color, built-in KVM, Dell Easy Arrange, Picture-in-Picture, Picture-by-Picture, USB Type-C connectivity

U Series



U2412M Dell UltraSharp 24 Monitor

Bridge corporate connectivity needs from analog to digital.

24 inches / 60.96 cm WUXGA 1920 x 1200 at 60 Hz 16 : 10 In-plane switching, anti-glare LED VGA, DVI-D (HDCP), DisplayPort, Audio DC out

Height (115 mm), swivel, tilt, pivot

Legacy model ideal for businesses using analog and digital connectivity



U2412MWh Dell UltraSharp 24 Monitor

Bridge corporate connectivity needs from analog to digital.

24 inches / 60.96 cm WUXGA 1920 x 1200 at 60 Hz 16 : 10 In-plane switching, anti-glare LED VGA, DVI-D (HDCP), DisplayPort, Audio DC out

Height (115 mm), swivel, tilt, pivot

Legacy model ideal for businesses using analog and digital connectivity



U2414H Dell UltraSharp 24 Monitor

Virtually borderless viewing ideal for multi-monitor setups.

23.8 inches / 60.5 cm Full HD 1920 x 1080 at 60 Hz 16 : 9 In-plane switching, anti-glare LED 2 x HDMI (MHL⁴), 4 x USB 3.0², DisplayPort 1.2³, mini-DisplayPort

Height (130 mm), swivel, tilt, pivot (90° clockwise or 90° counter-clockwise) Ultra-thin bezel great for multi-monitor set-up; DisplayPort 1.2^s supports multi-stream transport for daisychaining



U2415 Dell UltraSharp 24 Monitor

Virtually borderless viewing ideal for multi-monitor setups.

24.1 inches / 61.1 cm WUXGA 1920 x 1200 at 60 Hz 16 : 10 In-plane switching, anti-glare with hard coat 3H LED 2 x HDMI (MHL⁴), 1 x mini-DisplayPort, 1 x DisplayPort 1.2³, 1 x DisplayPort out (MST), 1 x Audio line-out, 5 x USB 3.0° ports

Height (115 mm), swivel, tilt, pivot (clockwise and counter-clockwise)

Ultra-thin bezel great for multi-monitor set-up; DisplayPort $1.2^{\rm 3}$ supports multi-stream transport for daisychaining



U2515H Dell UltraSharp 25 Monitor

Virtually borderless viewing ideal for multi-monitor setups.

25 inches / 63.44 cm QHD 2560 x 1440 at 60 Hz 16 : 9

In-plane switching, anti-glare with hard coat 3H

 $2 \times HDMI (MHL^4)$, $1 \times mini-DisplayPort$, $1 \times DisplayPort$ 1.2^3 , $1 \times DisplayPort$ out (MST), $1 \times Audio line-out$, $5 \times USB$ 3.0² ports

Height (115 mm), swivel, tilt, pivot (clockwise and counter-clockwise)

Ultra-thin bezel great for multi-monitor set-up; DisplayPort 1.2³ supports multi-stream transport for daisychaining



U2715H Dell UltraSharp 27 Monitor

Virtually borderless viewing ideal for multi-monitor setups.

27 inches / 68.5 cm QHD 2560 x 1440 at 60 Hz 16 : 9 In-plane switching, anti-glare with hard coat 3H LED

HDMI (MHL⁴), 1 x mini-DisplayPort, 1 x DisplayPort 1.2³, 1 x DisplayPort out (MST), 1 x Audio line-out, 5 x USB $3.0^2\,\text{ports}$

Height (115 mm), swivel, tilt, pivot (clockwise and counter-clockwise)

Ultra-thin bezel great for multi-monitor set-up; DisplayPort 1.2³ supports multi-stream transport for daisychaining

Viewable image size (inches / cm) Maximum resolution Aspect ratio Panel type, surface Backlight technology Connectivity USB ports: rear/side

Viewable image size (inches / cm)

Maximum resolution Aspect ratio

Panel type, surface

USB ports: rear/side

Design features

Adiustability

Other

Connectivity

Backlight technology

Design features Adjustability

Other

Dell Medical Review Monitors

Purpose-built for the healthcare market, these monitors provide accurate, consistent DICOM-ready images, are aligned with infection control initiatives, and allow for easy and efficient point of care use.



MR2217 Dell Medical Review 22 Monitor

DICOM calibrated and built for efficient point of care use.

 Viewable image size (inches / cm)
 21.5 inches / 54.61 cm

 Maximum resolution
 1920 × 1080 at 60 Hz

 Aspect ratio
 16 : 9

 Panel type, surface
 In-plane switching

 Backlight technology
 LED

 Connectivity
 VGA, DisplayPort 1.2³, I

Design features Adjustability Other 1920 x 1080 at 60 Hz 16 : 9 In-plane switching LED VGA, DisplayPort 1.2³, HDMI 1.4, USB 2.0 x 2 ports (downstream), 1 x USB 2.0 (upstream)

Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise) DICOM-ready images, matte screen, smooth, ventless design, green dot power cord, IEC60601-1 certified, active screw-on cable clip for cable security, ISO13485 certified



MR2416 Dell Medical Review 24 Monitor

Fully cleanable, DICOM calibrated, and aligned with infection reduction initiatives.

24.0 inches / 60.97 cm 1920 x 1200 at 60 Hz 16 : 10 In-plane switching LED VGA, DisplayPort 1.2³, HDMI 1.4, USB 2.0 x 2 ports (downstream), 1 x USB 2.0 (upstream)

Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise) DICOM-ready images, anti-reflective screen, Light-colored exterior, smooth, ventless design, IP32 rated to withstand strong cleaning agents, green dot power cord, IEC60601-1 certified, active screw-on cable clip for cable security, ISO13485 certified

Dell Conference Room Monitors

Communicate every detail of your presentation clearly with Dell conference room monitors ideal for rooms seating from 4 to 20 people. These large format monitors are designed for quick, easy setup and are simple to manage.

Our interactive touch monitors promote group collaboration allowing up to 20 simultaneous touch points via stylus or hand.



C5518QT Dell 55 4K Interactive Touch Monitor

Built for captivating collaboration - with Touch technology.

54.64 inch / 139.7 cm 3840 x 2160 at 60 Hz 16:9 12/7 In-Plane Switching type, 4 mm heat tempered glass, 9H

hardness, AG, AS, 5% haze White LED edgelight system 3 x HDMI 2.0, 1 x DisplayPort 1.2³, 1 x VGA, 1 x audio input, 1 x audio line-out, 3 x USB 3.02 upstream, 3 x USB 3.0² downstream, 1 x USB dedicated charging port, optional wireless connectivity via Dell Wireless Module - WR517

300 mm x 300 mm

Built-in dual 10W

Ideal size for conference room seating up to 8 people; Dell Display Manager, RS232 and RJ45 interfaces for remote management; InGlass™ touch technology allows up to 20 touch points with fingers; up to four points with stylus; Compatible with optional Dell OptiPlex Micro (integrates into back panel)



C7017T **Dell 70 Interactive Conference Room Monitor**

Collaborate on a large scale — with Touch technology.

downstream ports (including 1 power charging port), USB 2.0 for touch, Audio line-in,

IR-Technology | 10-point multi touch; Accessories: Stylus x2 + Stylus holder, Remote

Viewable image size (inches / cm) Maximum resolution Aspect ratio Duty cycle Panel type, surface Backlight technology Connectivity

Viewable image size (inches / cm)

Maximum resolution

Panel type, surface

Backlight technology

Aspect ratio Duty cycle

Connectivity

Design features

Speakers

Other

Stand/wall mount

VESA mounting support

Stand/wall mount Speakers Other



C5517H **Dell 55 Conference Room Monitor**

Brilliantly clear, ideal for small conference rooms.

54.6 inches / 138.68 cm Full HD 1920 x 1080 at 60 Hz 16:9 12/7 Vertical Alignment, anti-glare with hard coating 3H.

2% haze I FD

VGA, 2 x HDMI, 1 x DisplayPort, RS232 port, Audio Line Out Port, Audio Line In Port, 1x USB upstream port, 3x USB downstream ports, optional wireless connectivity via Dell Wireless Module - WR517

400 mm x 400 mm

Removable pedestal/Wall mount kit sold separately Built-in dual 10W

Ideal size for 4-8 person conference room; remote control with brightness and volume adjustment



C7016H **Dell 70 Conference Room Monitor**

Stunning 70" monitor elevates office collaboration.

69 513 inches / 176 56 cm Full HD 1920 x 1080 at 60 Hz 16:9 16/7 Vertical Alignment, anti-glare

I ED

VGA, 2 x HDMI (1.4 /MHL 2.04 combo), DisplayPort 1.2³, 3 x USB (including 1 power charging port), USB upstream port, Audio line-in, Audio line-out

400 mm x 400 mm RLT2 Wall Mount Kit included Built-in dual 10W Ideal size for conference room seating up to 12 people; remote control with brightness and volume adjustment, OSD menu control, power, input source selection, RS232 interface



C8618QT Dell 86 4K Interactive Touch Monitor

Built for larger-than-life Touch collaboration.

85.6 inches / 217.4 cm 3840 x 2160 at 60 Hz 16:9 12/7

In-Plane Switching type, 4 mm heat tempered glass, 9H hardness, AG, AS, 5% haze White LED edgelight system

4 x HDMI 2.0, 1 x DisplayPort 1.2³, 1 x VGA, 1 x audio line in, 1 x audio line out, 3 x USB 3.0² upstream, 3 x USB 3.0² downstream, 1 x USB dedicated charging port, optional wireless connectivity via Dell Wireless Module - WR517

600 mm x 400 mm

Built-in dual 20W

Ideal size for conference room seating up to 20 people; Dell Display Manager, RS232 and RJ45 interfaces for remote management; InGlass™ touch technology allows up to 20 touch points with fingers; up to four points with stylus; Compatible with optional Dell OptiPlex Micro (integrates into back panel)

Product availability varies by country. Please contact your Dell representative for more information.

69.513 inches / 175.56 cm Full HD 1920 x 1080 at 60 Hz 16:9 16/7 Vertical Alignment, anti-glare I FD VGA, 3 x HDMI (2 x HDMI 1.4, 1 x HDMI/MHL⁴), DisplayPort 1.2³, 4 x USB 3.0²

Audio line-out

400 mm x 400 mm

Built-in dual 10W

+ remote holder

Chief LSA1U Wall Mount Kit included

Design features VESA mounting support

Dell P Series Monitors

Dell P Series Monitors offer enhanced productivity-boosting features and outstanding usability.

With the Dell Multi-Client Monitor you can view content from four sources on one seamless 43" screen. Experience superb Ultra HD screen clarity, affordably, with Dell P Series 4K monitors.

The Dell 24 Monitor for Video Conferencing, certified for Microsoft® Skype® for Business and Windows Hello^{TM6} and **Dell 24 Touch Monitor** maximize productivity and promote collaboration.





reasonable price.

23.8 inches / 60.47 cm

16:9

LED

Ultra HD 4K 3840 x 2160 at 60Hz

Height (115 mm), swivel, tilt, pivot

In-plane switching, anti-glare



Exceptional Ultra HD screen clarity at a

1 x mini-DisplayPort, 1 x DisplayPort (in), 1 x DisplayPort

(out), 1 x HDMI (MHL4), 1 x Audio line-out, 4 x USB 3.02







P2715Q Dell 27 Ultra HD 4K Monitor Exceptional Ultra HD screen clarity at a reasonable price.

27 inches / 68.5 cm Ultra HD 4K 3840 x 2160 at 60Hz 16:9 In-plane switching, anti-glare

1 x mini-DisplayPort, 1 x DisplayPort (in), 1 x DisplayPort (out), 1 x HDMI (MHL⁴), 1 x Audio line-out, 4 x USB 3.0²

Height (115 mm), swivel, tilt, pivot



Dell 24 Monitor

See more details and get more done with QHD resolution.

23.8 inches / 60.33 cm QHD 2560 x 1440 at 60 Hz 16:9 In-plane switching, anti-glare I FD DisplayPort 1.23, HDMI 1.4, 1 x USB 3.02 port -Upstream, 2 x USB 3.0² ports (side), 2 x USB 3.0 ports (bottom)

Height (115 mm), swivel, tilt, pivot

1.77 times more details than Full HD, 3-sided ultrathin bezel, Dell Easy Arrange, TUV-Certified flicker-free screen with ComfortView¹

Viewable image size (inches / cm) Maximum resolution Aspect ratio Panel type, surface

Backlight technology Connectivity USB ports: rear/side

Design features Adjustability Other

Dell 43 Ultra HD 4K Multi-Client Monitor Simplify monitor set-up and management. 42.51 inches / 107.98 cm

Ultra HD 4K 3840 x 21607 at 60 Hz 16:9 In-plane switching with 2H hardness, anti-glare treatment on the front polarizer

VGA, HDMI 1.4/MHL⁴ combo x2, DisplayPort 1.2³, mini-DisplayPort 1.2, USB 3.0² x 4 including 1 charging port + 1 USB 3.02 upstream port; Audio-in, Headphone output,

Tilt only

LED

P4317Q

Connect up to four independent clients to a single monitor; Picture-by-Picture x 4 and Picture-in-Picture x 2 (with 4 clients), Dual integrated 8W speakers



23.8 inches / 60.47 cm

16:9

I FD

(bottom)

Full HD 1920 x 1080 at 60 Hz

Height (125 mm), swivel, tilt, pivot

ports on monitor side

RS232 input port for remote control

P2418HZ **Dell 24 Monitor for Video Conferencing** Enhanced desktop video conferencing.

In-plane switching, anti-glare with 3H hardness

1 x DisplayPort 1.2³, 1 x HDMI (ver 1.4), 1 x VGA, 1 x

Headphone-out/ Microphone-in combo jack, 1 x USB

1 x USB 3.02 BC1.2 charging port), 2 x USB 3.02 ports

2.1 Mega-pixel, Full HD image sensor and dual IR LEDs

(Omni-directional), Speakers (2 x 5.0W), TUV-Certified

with VGA infrared camera, dual digital microphone

flicker-free screen with ComfortView¹, 2 x USB 3.0²

3.0² port upstream, 2 x USB 3.0² ports (side) (including

Viewable image size (inches / cm) Maximum resolution Aspect ratio Panel type, surface Backlight technology Connectivity USB ports: rear/side/bottom

Design features Adjustability

Other



P2418HT **Dell 24 Touch Monitor** The ultimate touch experience for

Premium panel

business. 23.8 inches / 60.47 cm

Full HD 1920 x 1080 at 60 Hz

16:9 In-plane switching, anti-glare with 3H hardness I ED

1 x DisplayPort 1.2³, 1 x HDMI (ver 1.4), 1 x VGA, Bottom 1 x Analog 2.0 audio line out (3.5 mm jack), 1 x USB 3.0² port - Upstream, 2 x USB 3.0² ports - Side (including 1 x USB 3.0² BC1.2 charging port), 2 x USB 3.0² ports

Articulating stand: Swivel (-30° to 30°), extended tilt and height adjustable (-5°- 60°)

TUV-Certified flicker-free with ComfortView¹, Premium Panel Guarantee, Touch features: Type: projected capacitive system; Input: bare finger; Points: 10 touch points; Response time: 35 ms; Resolution: 4096 x 4096; Operating systems supported: Windows 10, 8.1, 7

Dell P Series Monitors



P1917S Dell 19 Monitor

Boost productivity with added user comfort and convenience.

19 inches / 48.00 cm 1280 x 1024 at 60 Hz

5:4

In-plane switching LED

DisplayPort 1.2³, HDMI 1.4, VGA, 2 x USB 3.0² (side), 2 x USB 2.0 (bottom)

Height (130 mm), swivel, tilt, pivot TUV-Certified flicker-free screen with ComfortView¹



P1917SWh Dell 19 Monitor

Boost productivity with added user comfort and convenience.

19 inches / 48.00 cm 1280 x 1024 at 60 Hz 5 : 4

In-plane switching

LED DisplayPort 1.2³, HDMI 1.4, VGA, 2 x USB 3.0² (side), 2 x USB 2.0 (bottom)

Height (130 mm), swivel, tilt, pivot TUV-Certified flicker-free screen with ComfortView¹



P2016 Dell 20 Monitor

Boost productivity with added user comfort and convenience.

19.5 inches / 49.40 cm 1440 x 900 at 60Hz 16 : 10 In-plane switching, anti-glare LED 1 x DisplayPort 1.2³, 1 x VGA, 2 x USB 2.0

Height (115 mm), swivel, tilt, pivot



P2017H Dell 20 Monitor

Boost productivity with added user comfort and convenience.

19.5 inches / 49.5 cm 1600 x 900 at 60 Hz 16 : 9 In-plane switching LED DisplayPort 1.2⁵, HDMI 1.4, VGA, 2 x USB 3.0² (side), 2 x USB 2.0 (bottom)

Height (130 mm), swivel, tilt, pivot TUV-Certified flicker-free screen with ComfortView¹



P2018H Dell 20 Monitor

More productivity than ever.

19.5 inches / 49.41 cm 1600 x 900 at 60 Hz 16 : 9 TN (Twisted Nematic) LED 1 x DisplayPort 1.2³, 1 x HDMI 1.4, 1 x VGA, 1 x USB 3.0² port - Upstream, 2 x USB 3.0² ports (side), 2 x USB 2.0 ports (bottom)

Height (130 mm), swivel, tilt, pivot TUV-Certified flicker-free screen with ComfortView¹



P2217 Dell 22 Monitor

Boost productivity with added user comfort and convenience.

22 inches / 55.9 cm 1680 x 1050 at 60 Hz 16 : 10 TN (Twisted Nematic) LED DisplayPort 1.2³, HDMI 1.4, VGA, 2 x USB 3.0² (side), 2 x USB 2.0 (bottom)

Height (130 mm), swivel, tilt, pivot TUV-Certified flicker-free screen with ComfortView¹

Maximum resolution Aspect ratio Panel type, surface Backlight technology Connectivity USB ports: rear/side/bottom Design features Adjustability Other

Viewable image size (inches / cm)

Maximum resolution

Backlight technology

USB ports: rear/side/bottom

Aspect ratio Panel type, surface

Connectivity

Design features Adjustability

Other

Viewable image size (inches / cm)

Dell P Series Monitors



P2217Wh Dell 22 Monitor

Boost productivity with added user comfort and convenience.

22 inches / 55.9 cm 1680 x 1050 at 60 Hz

16 : 10

TN (Twisted Nematic) LED

DisplayPort 1.2³, HDMI 1.4, VGA, 2 x USB 3.0² (side), 2 x USB 2.0 (bottom)

Height (130 mm), swivel, tilt, pivot TUV-Certified flicker-free screen with ComfortView¹



P2217H Dell 22 Monitor

Boost productivity with added user comfort and convenience.

21.5 inches / 54.6 cm 1920 x 1080 at 60 Hz

16 : 9

In-plane switching

LED DisplayPort 1.2³, HDMI 1.4, VGA, 2 x USB 3.0² (side), 2 x USB 2.0 (bottom)

Height (130 mm), swivel, tilt, pivot TUV-Certified flicker-free screen with ComfortView¹



Dell 23 Monitor

Boost productivity with added user comfort and convenience.

23 inches / 58.4 cm 1920 x 1080 at 60 Hz 16 : 9 In-plane switching LED DisplayPort 1.2³, HDMI 1.4, VGA, 2 x USB 3.0² (side), 2 x USB 2.0 (bottom)

Height (130 mm), swivel, tilt, pivot TUV-Certified flicker-free screen with ComfortView¹



P2317HWh Dell 23 Monitor

Boost productivity with added user comfort and convenience.

23 inches / 58.4 cm 1920 x 1080 at 60 Hz 16 : 9 In-plane switching LED DisplayPort 1.2³, HDMI 1.4, VGA, 2 x USB 3.0² (side), 2 x USB 2.0 (bottom)

Height (130 mm), swivel, tilt, pivot TUV-Certified flicker-free screen with ComfortView¹



P2417H Dell 24 Monitor

Boost productivity with added user comfort and convenience.

23.8 inches / 60.5 cm 1920 x 1080 at 60 Hz 16 : 9 In-plane switching

LED DisplayPort 1.2³, HDMI 1.4, VGA, 2 x USB 3.0² (side),

2 x USB 2.0 (bottom)

Height (130 mm), swivel, tilt, pivot TUV-Certified flicker-free screen with ComfortView¹



P2717H Dell 27 Monitor

Boost productivity with added user comfort and convenience.

27.0 inches / 68.6 cm 1920 x 1080 at 60 Hz 16 : 9 In-plane switching LED DisplayPort 1.2⁵, HDMI 1.4, VGA, 2 x USB 3.0² (side), 2 x USB 2.0 (bottom)

Height (130 mm), swivel, tilt, pivot TUV-Certified flicker-free screen with ComfortView¹

USB ports: rear/side/bottom Design features Adjustability Other

Viewable image size (inches / cm)

Maximum resolution

Panel type, surface

Backlight technology

USB ports: rear/side/bottom

Aspect ratio

Connectivity

Other

Design features Adjustability

Viewable image size (inches / cm)

Maximum resolution

Panel type, surface

Backlight technology

Aspect ratio

Connectivity

Dell E Series Monitors

Dell E Series Monitors are affordable options offering essential features that drive business productivity, with great usability, an eco-conscious design, and high reliability,



E1715S **Dell 17 Monitor**

Viewable image size (inches / cm) Maximum resolution Aspect ratio Panel type, surface

Backlight technology Connectivity Design features Adjustability

Aspect ratio

Essential features at a great value. 17 inches / 43.2 cm 1280 x 1024 at 60 Hz 5:4 TN (active matrix -TFT LCD), anti-glare

VGA, DisplayPort Tilt only

LED



E1916H **Dell 19 Monitor**

Essential features at a great value. 18.51 inches / 47.01 cm 1366 x 768 at 60 Hz 16:9 TN (active matrix -TFT LCD), anti-glare

I FD VGA, DisplayPort 1.2³

Tilt only



E1916HV **Dell 19 Monitor**

Essential features at a great value. 18.51 inches / 47.01 cm 1366 x 768 at 60 Hz 16:9 TN (active matrix -TFT LCD), anti-glare

I FD VGA

Tilt only



E2016 **Dell 20 Monitor**

Essential features at a great value. Viewable image size (inches / cm) 19.45 inches / 49.40 cm 1440 x 900 at 60 Hz Maximum resolution 16 : 10 In-plane switching Panel type, surface



E2016H **Dell 20 Monitor**

Essential features at a great value. 19.5 inches / 49.41 cm 1600 x 900 at 60 Hz 16:9 TN (active matrix -TFT LCD), anti-glare

Tilt only



E2016HV **Dell 20 Monitor**

Essential features at a great value. 19.5 inches / 49.41 cm 1600 x 900 at 60 Hz 16:9 TN (active matrix -TFT LCD), anti-glare

LED LED LED Backlight technology Connectivity VGA VGA, DisplayPort 1.2³ VGA Design features Adjustability Tilt only Tilt only

Dell E Series Monitors



E2216H **Dell 22 Monitor**

VGA, DisplayPort 1.2³

Essential features at a

great value. Viewable image size (inches / cm) 21.5 inches / 54.61 cm Maximum resolution Full HD 1920 x 1080 at 60 Hz 16:9 Panel type, surface TN (active matrix -TFT LCD), anti-glare

I ED

Tilt only

Backlight technology Connectivity Design features Adjustability Other

Maximum resolution Aspect ratio

Panel type, surface

Connectivity

Other

Design features Adjustability

Backlight technology

Aspect ratio



E2216HV **Dell 22 Monitor**

Essential features at a great value. 21.5 inches / 54.61 cm Full HD 1920 x 1080 at 60 Hz 16:9 TN (active matrix -TFT LCD), anti-glare

LED VGA

Tilt only



E2218HN **Dell 22 Monitor** Help drive office productivity.

21.5 inches / 54.61 cm Full HD 1920 x 1080 at 60 Hz 16:9 TN (active matrix -TFT LCD), anti-glare

I ED VGA, HDMI

Tilt only Flicker-free screen with ComfortView¹, wide viewing angle



E2219HN **Dell 22 Monitor**

Help drive office productivity.

21.5 inches / 54.61 cm Full HD 1920 x 1080 at 60 Hz 16:9 In-Plane Switching technology; Antiglare with 3H hardness White LED edgelight system VGA, HDMI (ver 1.4)

Tilt only Flicker-free screen with ComfortView¹, wide viewing angle



E2318H Dell 23 Monitor

Essential features, essential value in a 23" monitor.

Viewable image size (inches / cm) 23.0 inches / 58.42 cm Full HD 1920 x 1080 at 60 Hz 16:9 In-plane switching, anti-glare I ED VGA, DisplayPort 1.2³

> Tilt only Flicker-free screen with ComfortView¹. wide viewing angle



E2318HN/HR Dell 23 Monitor

Essential features, essential value in a 23" monitor.

23.0 inches / 58.42 cm Full HD 1920 x 1080 at 60 Hz 16:9 In-plane switching, anti-glare I ED VGA, HDMI

Tilt only Flicker-free screen with ComfortView¹. wide viewing angle



E2417H **Dell 24 Monitor**

Essential features, essential value in a 23" monitor.

23.8 inches / 60.47 cm Full HD 1920 x 1080 at 60 Hz 16:9 In-plane switching, anti-glare I FD

VGA, DisplayPort 1.2³

Tilt only Flicker-free screen with ComfortView¹. wide viewing angle



E2418HN **Dell 24 Monitor**

Enjoy essential features for productivity with a 23.8" monitor.

23.8 inches / 60.47 cm Full HD 1920 x 1080 at 60 Hz 16 · 9 In-plane switching, anti-glare I FD VGA, HDMI

Tilt only Response time (gray to gray): 5 ms FAST mode; 8 ms NORMAL mode; Flicker-free screen with ComfortView1 wide viewing angle.



Dell Monitors

Innovative, award-winning Dell monitors offer a broad selection to fit your needs and budget, with key features to help boost productivity, unsurpassed reliability, and the industry's most advanced monitor technologies.

† As defined by UHD Alliance (www.uhdalliance.org)

- †† Dell's HDR feature has been designed with a PC user in mind and supports specifications that are different from existing TV standards for HDR. Please review the specs carefully for further details. Dell HDR monitors require HDR10 enabled content from a compatible source like your service provider, a Blu-ray disc or a game.
- * Dell monitors are #1 worldwide for 4 consecutive years (2013 to 2016)! Source: IDC Worldwide PC Monitor Tracker (4Q16).
- ** Dual monitor configurations provide more screen real estate and can help boost productivity by as much as 18%. Source: Improving Employee Productivity with Dual Monitor, IDC InfoBrief, sponsored by Dell, November 2015.
- *** Even if only one bright pixel is found on our select range of monitors, a free panel exchange is guaranteed during the Limited Hardware Warranty period. For a copy of Limited Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see dell.com/warranty.
- 1 ComfortView feature reduces blue light emission and brightness onscreen.
- 2 USB 3.0 does not support graphics output. USB 3.0 rate of data transfer can only be achieved with a computer that supports USB 3.0.
- 3 Select Dell UltraSharp monitors support High Bit Rate 2 (HBR2) and Multi-stream transport (MST); Dell UltraSharp monitors do not support fast AUX transaction, 3D stereo transport and HBR (High data rate) audio.
- 4 MHL connectivity works with smartphones and tablets with MHL out and that are in compliance with MHL standards.
- 5 Windows laptop⁺⁺⁺ (⁺⁺⁺Supports Win 7, Win 8.1 and Win 10. Recommends i5 or i7 processor.) and Android smartphone⁺⁺⁺⁺ (⁺⁺⁺⁺Supports Android OS version 5 & above. Must support WiFi Direct, Miracast.) or tablet.
- 6 Windows Hello requires specialized hardware, including fingerprint reader, illuminated IR sensor or other biometric sensors.
- 7 4K in single screen mode; Full HD in multi-screen mode.

🗾 PremierColor