

Rittal – The System.

Faster – better – everywhere.

Stabilisation for VX IT – VX 5301.325

Date : Jun 16, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Stabilisation for VX IT – VX 5301.325

created: 16.06.2021 on www.rittal.com/com-en



Product description

Description: If required, the optional stabiliser for the VX IT may be retrofitted in situ at any time. With the front door open, simply snap onto the vertical sections of the enclosure frame and level to match the enclosure height. This enlarges the enclosure's footprint and makes it less likely to tip over when installed components are withdrawn from the enclosure or fitted in the front. It can be used as a mobile alternative if the enclosures cannot be screw-fastened to the floor or secured in an enclosure suite. After installation, simply remove the stabiliser again. The stabiliser may be used on the enclosure frame without bottom-mounting and in combination with levelling feet or a base/plinth up to 200 mm high. The striking signal-red spray-finish draws attention to this trip hazard.

Material: Sheet steel, spray finished in RAL 3001 (signal red)

Supply includes: 2 levelling stabilisers with fast, tool-free installation

Product description

To fit: Enclosure type: VX IT

Load capacity: Max. extension weight: 200 kg, point of gravity 250 mm from the enclosure front

Packs of: 2 pc(s).

Weight/pack: 6.44 kg

Copper weight (kg per piece): 0

EAN: 4028177952461

Customs tariff number: 73269098

ETIM 7.0:	EC000721
ETIM 6.0:	EC000721
eCl@ss 8.0/8.1:	27182003
eCl@ss 6.0/6.1:	27182003
Product description:	Stabiliser for VX IT. The pull-out stabiliser is quickly and easily retrofitted to the lower enclosure frame of the racks and extended only when necessary.