

OVERVIEW



1. Thunderbolt 4	5. Power button (with fingerprint reader)
2. Headphone / microphone combo jack (3.5mm)	6. Thunderbolt 4
3. Thunderbolt 4	7. Pogo pin connector *
4. E-shutter switch	

Notes:

• Items with * are only available on selected models



PERFORMANCE

Processor

Processor Family

Intel® H Series Core™ Ultra 5 / 9 Processor (Series 1)

Processor**

	Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Processor Graphics	AI Engine
	Core™ Ultra 5 125H	14 (4 P-core + 8 E-core + 2 LPE- core)	18	P-core 1.2GHz / E-core 700MHz / LPE-core 700MHz	P-core 4.5GHz / E-core 3.6GHz / LPE-core 2.5GHz	18MB	Intel® Arc™ Graphics	Intel® AI Boost
- 1	Core™ Ultra 9 185H	16 (6 P-core + 8 E-core + 2 LPE- core)	22	P-core 2.3GHz / E-core 1.8GHz / LPE-core 1GHz	P-core 5.1GHz / E-core 3.8GHz / LPE-core 2.5GHz	24MB	Intel® Arc™ Graphics	Intel® AI Boost

Operating System

Operating System**

- Windows® 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language

NPU

NPU

Intel® AI Boost integrated in Intel® Core™ Ultra processor

Graphics

Graphics

Graphics	Type	Memory	TGP	Key Features
Intel® Arc™ Graphics	Integrated	Shared	Share CPU TDP	DirectX® 12.1

Monitor Support

Monitor Support

Supports up to 4 independent displays (native display and 3 external monitors via Thunderbolt™)

• Thunderbolt™ supports up to 5K@60Hz

Chipset

Chipset

Intel® SoC (System on Chip) platform

Memory

Max Memory

- 16GB soldered memory, not upgradable
- 32GB soldered memory, not upgradable

Memory Slots

Memory soldered to systemboard, no slots, dual-channel

Memory Type[1]

LPDDR5x-8400

Notes:

[1] The Intel® platform supports up to LPDDR5x-7467 under normal specifications. Through hardware and software optimization, the memory can run as LPDDR5x-8400.

Storage

Storage Support[1]

One drive, up to 1TB M.2 2242 SSD



Storage Slot

One M.2 2242 PCIe® 4.0 x4 slot

Storage Type

Disk Type	Interface	Offering
M.2 2242 SSD	PCIe® NVMe®, PCIe® 4.0 x4	512GB / 1TB

Notes:

[1] The storage capacity supported is based on the test results with current Lenovo® storage offerings.

Removable Storage

Card Reader

No card reader

Multi-Media

Audio Chip

High Definition (HD) Audio, Realtek® ALC3306-CG codec

Speakers

Stereo speakers, 2W x2 woofers and 2W x2 tweeters, Dolby Atmos®, sound by harman/kardon, Smart Amplifier (AMP)

Microphone

Four array microphones with smart noise-cancelling

Camera

FHD 1080p + IR discrete, with E-shutter, ToF sensor, MIPI, fixed focus

Sensor

Sensors

- · Color sensor
- ToF sensor

Battery

Battery

Integrated Li-Polymer 74Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter

Max Battery Life[1]

MobileMark® 25@250nits: 12.92 hr

Local video (1080p) playback@150nits: 27.2 hr

Notes:

[1] All battery life claims are approximate maximum and based on results using the MobileMark® 2014, MobileMark® 2018, MobileMark® 25, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

Power Adapter

Power Adapter[1]

65W USB-C® slim (wall-mount) AC adapter, supports PD 3.0, 100-240V, 50-60Hz

Notes:

[1] AC adapter offerings depend on the country.

Special Features

Special Features

- Al Chip: LA3
- Modern Standby

DESIGN



Display

Display**

Siz	e Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Refresh Rate	Viewing Angle (L/R/U/D)	Key Features
13.	2.8K (2880x1920)	None	IPS ^[1]	500nits	Anti-glare	3:2	1500:1	100% sRGB	120Hz (Max)	89°/89°/89°/89°	Eyesafe® Certified 2.0, DisplayHDR™ 400, Dolby Vision®
13.	2.8K (2880x1920)	Multi- touch	IPS ^[2]	500nits	Glossy, anti- fingerprint	3:2	1500:1	100% sRGB	120Hz (Max)	89°/89°/89°/89°	Corning® Gorilla® Glass, Eyesafe® Certified 2.0, DisplayHDR™ 400, Dolby Vision®

Color Calibration

TCON (Timing Controller) color calibration

Touchscreen

- OGS (One Glass Solution) multi-touch, supports 10-point touch
- Non-touch

Notes:

[1], [2] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

Input Device

Keyboard

6-row, spill-resistant, edge-to-edge, multimedia Fn keys

Keyboard Backlight

Smart sense keyboard backlight

Touchpad**

- Buttonless glass surface multi-touch Haptic Touchpad, supports Precision TouchPad (PTP), 75 x 120 mm (2.95 x 4.72 inches)
- Buttonless glass surface multi-touch touchpad, supports Precision TouchPad (PTP), 75 x 120 mm (2.95 x 4.72 inches)

Mechanical

Dimensions (WxDxH)[1]

292.9 x 205 x 12.9 mm (11.53 x 8.07 x 0.51 inches)

Weight^[2]

Models	Weight
Magnesium models	Starting at 1 kg (2.20 lbs)
Aluminium models with touch panel	Starting at 1.23 kg (2.71 lbs)
Aluminium models with non-touch panel	Starting at 1.16 kg (2.56 lbs)

Case Color**

- Luna grey, dual-tone design
- Seashell, dual-tone design

Surface Treatment*

- · Luna grey models: aluminium unibody CNC (top, keyboard cover), aluminium stamping (bottom)
- Seashell models: painting

Case Material**

- Luna grey models: aluminium (top, keyboard cover and bottom)
- Seashell models: magnesium (top, keyboard cover and bottom)



Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

CONNECTIVITY

Network

Ethernet

No onboard Ethernet

WLAN + Bluetooth®[1]

Wi-Fi® 6E, 802.11ax 2x2 Wi-Fi® + Bluetooth® 5.1 (Bluetooth® 5.3 hardware ready)

Notes:

[1] Wi-Fi® 6E full features might be limited by country-level restrictions.

6GHz Wi-Fi® 6E operation is dependent on the support of the operating system, routers/APs/Gateways that support Wi-Fi® 6E, and the regional regulatory certifications & spectrum allocation.

Bluetooth® 5.3 operation requires Windows® 11. For more information please visit <u>General Bluetooth® Support Information on Microsoft®</u>.

Ports^[1]

Standard Ports

- 3x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 1.4
- 1x Headphone / microphone combo jack (3.5mm)

Optional Ports

1x Magic Bay (pogo pin connector)

Notes:

[1] The transfer speed of the ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

Docking

Docking

Various docking solutions supported via Thunderbolt™.

For more compatible docking solutions, please visit Docking for ThinkBook 13x G4 IMH

SECURITY & PRIVACY

Security

Security Chip

Discrete TPM 2.0, TCG certified

Fingerprint Reader

Touch style fingerprint reader on side power button, match-on-chip

BIOS Security

- Power-on password
- · Supervisor password
- Hard disk password
- Self-healing BIOS

Other Security

- IR camera for Windows® Hello (facial recognition)
- E-shutter

SERVICE



Warranty

Base Warranty**

- 1-year courier or carry-in service
- 2-year (1-yr battery) courier or carry-in service

ACCESSORIES

Bundled Accessories

Bundled Accessories[1]

- Lenovo® Magic Bay Light
- None

Notes:

[1] For more compatible accessory solutions, please visit Accessories for ThinkBook 13x G4 IMH.

OPERATING REQUIREMENTS

Operating Environment

Temperature[1]

- At altitudes up to 2438 m (8,000 ft)
 - Operating: 5°C to 35°C (41°F to 95°F)
 - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
 - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

Relative Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

ENVIRONMENTAL

Sustainability

Material

50% recycled aluminum alloy on bottom cover in luna grey models

30% PCC recycled plastic used in speaker enclosure

90% PCC recycled plastic used in standard 65W adapter

50% PCC recycled plastic used in key caps

Plastic free packaging

Wet-pressed bamboo & sugarcane fiber giftbox

FSC Certified paper in packaging

CERTIFICATIONS

Green Certifications¹¹

Green Certifications^[2]

- Carbon Neutral Certified
- ENERGY STAR® 8.0
- EPEAT™ Gold Registered^[3]
- ErP Lot 6
- ErP Lot 26
- · RoHS compliant



• TCO Certified 9.0

Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit https://compliance.lenovo.com.

[2] EPEAT™ registration and ENERGY STAR® certification are dependent on system OS. Please visit <u>epeat.net</u> and <u>energystar.gov</u> for more information.

[3] EPEAT™ is registered where applicable, please visit epeat.net for registration status by country.

Other Certifications

Mil-Spec Test

MIL-STD-810H military test passed

Other Certifications

- (Optional) Intel® Evo™ Platform
- Eyesafe® Certified 2.0
- TÜV Rheinland® Eye Comfort Certification 2.0
- TÜV Rheinland® Low Blue Light (Hardware Solution)
- Feature with ** means that only one offering listed under the feature is configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
 responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
 WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
 OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
 disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
 you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.













