Fujitsu recommends Windows 10 Pro for business.



Data Sheet

FUJITSU Workstation CELSIUS H7510


Mobility. Security. Virtual Reality.

Experience the real workstation power on the move, with the new FUJITSU CELSIUS H7510. It is a 15.6-inch mobile workstation that combines ultimate security with future technologies. While engineers and creative professionals are working with huge datasets, this machine will not weigh them down when showcasing designs in virtual reality at events or at the customer site.

Need For Speed

True workstation performance on the move

- Choose between 10th Gen Intel® Core™ processors or the powerful Intel® Xeon® W-10885M and W-10855M processors supporting ECC memory
- Windows 10 Pro for Workstations support
- Full HD anti-glare display
- Up to 128 GB DDR4 memory (ECC optional)
- Dual M.2 PCIe-SSD NVMe technology (up to 4 TB NVMe storage capacity)



No compromise in terms of connectivity, regardless of whether you are away, in a meeting or at your desk

- Mechanical port replicator: Cable-free connectivity, with charging capabilities for mobile workstation
- Full monitor connectivity support: 1x VGA and 1x HDMI

Mobility Meets Security

Data security and peace of mind

- Optional PalmSecure™, a leading-edge highly secure authentication system using biometric technology that authenticates users through vein pattern recognition
- Integrated SmartCard reader
- TPM 2.0 and Advanced Theft Protection

We are (VR) ready

Allows architects, engineers and designers to showcase their work in a real-time, fully immersive VR environment

- Powered by the latest graphics card for mobile workstations (up to NVIDIA® Quadro RTX™ 3000)
- Ideal for mobile VR showcases at the customer site or at an event
- Easy connectivity of the head-mount display to the HDMI port













Components

Base unit	CELSIUS H7510
Operating systems	
Operating system pre-installed	Windows 10 Pro for Workstations
	Windows 10 Pro High End
	Windows 10 Pro
Operating system notes	Certified for SUSE Enterprise Desktop
Processor	Intel® Xeon® processor W-10885M (8 Cores / 16 Threads, 2.4 GHz, up to 5.3 GHz, NVIDIA® Quadro RTX™ 3000)
	Intel® Xeon® processor W-10855M (6 Cores / 12 Threads, 2.80 GHz, up to 5.1 GHz, NVIDIA® Quadro® T2000)
	Intel® Core™ i9-10885H processor (8 Cores / 16 Threads, 2.40 GHz, up to 5.3 GHz, NVIDIA® Quadro RTX™ 3000)
	Intel® Core™ i7-10875H processor (8 Cores / 16 Threads, 2.30 GHz, up to 5.1 GHz, NVIDIA® Quadro® T2000)
	Intel® Core™ i7-10875H processor (8 Cores / 16 Threads, 2.30 GHz, up to 5.1 GHz, NVIDIA® Quadro® T1000)
	Intel® Core™ i7-10850H processor (6 Cores / 12 Threads, 2.70 GHz, up to 5.1 GHz, NVIDIA® Quadro® T2000)
	Intel® Core™ i7-10850H processor (6 Cores / 12 Threads, 2.70 GHz, up to 5.1 GHz, NVIDIA® Quadro® T1000)
	Intel® Core™ i5-10400H processor (4 Cores / 8 Threads, 2.60 GHz, up to 4.6 GHz, NVIDIA® Quadro® T1000)
	Intel® Core™ i5-10400H processor (4 Cores / 8 Threads, 2.60 GHz, up to 4.6 GHz, NVIDIA® Quadro® P620)
	Please note that only certain combinations of processors, graphics and displays can be ordered *with Intel® Turbo Boost Technology 2.0 (clock speed and performance will vary depending on workload and other
	variables)
Memory modules	8 GB (1 module(s) 8 GB) DDR4, 2,666 MT/s, PC4-2666, SO DIMM
	16 GB (2 module(s) 8 GB) DDR4, 2,666 MT/s, PC4-2666, SO DIMM
	16 GB (2 module(s) 8 GB) DDR4, ECC, 2,666 MT/s, PC4-2666, SO DIMM
	32 GB (2 module(s) 16 GB) DDR4, 2,666 MT/s, PC4-2666, SO DIMM
	32 GB (2 module(s) 16 GB) DDR4, ECC, 2,666 MT/s, PC4-2666, SO DIMM
	64 GB (2 module(s) 32 GB) DDR4, 2,666 MT/s, PC4-2666, SO DIMM
	64 GB (2 module(s) 32 GB) DDR4, ECC, 2,666 MT/s, PC4-2666, SO DIMM
Hard disk drives (internal)	SSD SATA III, 512 GB, M.2 module, SED
	PCIe-SSD, NVMe, 2048 GB Highend, M.2 module
	PCIe-SSD, NVMe, 1024 GB Highend, M.2 module
	PCIe-SSD, NVMe, 512 GB Highend, M.2 module, SED
	PCIe-SSD, NVMe, 512 GB Highend, M.2 module
	PCIe-SSD, NVMe, 256 GB Highend, M.2 module
	HDD SATA III, 5,400 rpm, 1000 GB
	HDD SATA III, 5,400 rpm, 500 GB
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software.
Interface add on cards/components (optional)	
3G/4G (optional)	Sierra Wireless EM7421 (Cat. 7)
Camera	Built-in webcam (Full HD) with Status LED

Base unit

Pacaunit	CELCUIC LIZE10
Base unit	CELSIUS II/S II

Intel® QM480 or WM490 (depending on CPU) Intel® vPro™ technology 8 GB 128 GB 4 SO DIMM Based on Intel® design, systems built with four DIMM slots run at 2400 MT/s. 10/100/1,000 MBit/s Intel® I219LM Intel WiFi 6 AX201 InsydeH2O BIOS On board Realtek ALC255 with MaxxAudio Stereo speakers, 2 digital microphones
Intel® vPro™ technology 8 GB 128 GB 4 SO DIMM Based on Intel® design, systems built with four DIMM slots run at 2400 MT/s. 10/100/1,000 MBit/s Intel® I219LM Intel WiFi 6 AX201 InsydeH2O BIOS On board Realtek ALC255 with MaxxAudio
8 GB 128 GB 4 SO DIMM Based on Intel® design, systems built with four DIMM slots run at 2400 MT/s. 10/100/1,000 MBit/s Intel® I219LM Intel WiFi 6 AX201 InsydeH2O BIOS On board Realtek ALC255 with MaxxAudio
128 GB 4 SO DIMM Based on Intel® design, systems built with four DIMM slots run at 2400 MT/s. 10/100/1,000 MBit/s Intel® I219LM Intel WiFi 6 AX201 InsydeH2O BIOS On board Realtek ALC255 with MaxxAudio
4 SO DIMM Based on Intel® design, systems built with four DIMM slots run at 2400 MT/s. 10/100/1,000 MBit/s Intel® I219LM Intel WiFi 6 AX201 InsydeH2O BIOS On board Realtek ALC255 with MaxxAudio
Based on Intel® design, systems built with four DIMM slots run at 2400 MT/s. 10/100/1,000 MBit/s Intel® I219LM Intel WiFi 6 AX201 InsydeH2O BIOS On board Realtek ALC255 with MaxxAudio
10/100/1,000 MBit/s Intel® I219LM Intel WiFi 6 AX201 InsydeH2O BIOS On board Realtek ALC255 with MaxxAudio
Intel WiFi 6 AX201 InsydeH2O BIOS On board Realtek ALC255 with MaxxAudio
InsydeH2O BIOS On board Realtek ALC255 with MaxxAudio
On board Realtek ALC255 with MaxxAudio
Realtek ALC255 with MaxxAudio
Stereo speakers, 2 digital microphones
V L LINU CTD 040H
Yes, selected MIL-STD-810H tests passed. MIL-STD-810H test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.
39.6 cm (15.6-inch), LED backlit, (Full HD), Anti-glare IPS display, 700 typ., 400 cd/m ²
ISO 9241-307 - Pixel class II - anti-glare level; Color Gamut: 100% sRGB
400 cd/m ²
700 typ.
160°/160°
CELSIUS H7510
up to 4,096 x 2,160 @ 60 Hz
3,840 x 2,160 pixel via DisplayPort and Type-C and 1,920 x 1,200 pixel via VGA
1x
1
2x digital array microphones
2x digital array micropriones
1x (type A) power off charge
2x (type A) 2 (USB 3.1 Con 3.110 Chinc). Thursdorholt 3. (20./40 Chinc). Pouver Politicary (15M). DB 1.4).
2 (USB 3.1 Gen2 (10 Gbps), Thunderbolt 3 (20/40Gbps), Power Delivery (15W), DP 1.4)
1x
1 v2.0b
1x
1x
1
1x (SD/SDXC, UHS-II support) SD/microSD = 2GB, SDHC/micro SDHC = 32GB, SDXC = 512GB
1x Kensington Lock support, 1x Docking connector
Keyboard w/o touchstick (spill-resistant), Keyboard w/ touchstick, Backlight keyboard w/o touchstick (spill-resistant)
Multi gesture touchpad with three mouse buttons
TouchStick (optional)
5.0
Intel WiFi 6 AX201
0,1

Power supply	
Power supply AC adaptor	10 F.V. / 220 W / 11 9 A\
AC adapter	19.5 V / 230 W (11.8 A)
Rated voltage range	100 V - 240 V (AC Input) 50 Hz - 60 Hz
Rated frequency range	
1st battery	1st Li-lon battery 8-cell, 96 Wh, 6700 mAh
Runtime 1st battery	up to 12 hours (depending on configuration)
Battery charging time	up to 80% within 1.3 hrs; up to 100% within 2.5hrs.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	380.0 x 258.0 x 31.9 mm
	14.96 x 10.16 x 1.26 inch
Weight	from 2.7 kg
Weight (lbs)	from 5.95 lbs
Weight notes	Actual weight may vary depending on configuration
Operating ambient temperature	5 - 35 °C (41 - 95 °F)
Operating relative humidity	20 - 80 % (relative humidity, non-condensing)
Compliance	
Product	CELSIUS H7510
Europe	CE Marking
USA/Canada	cULus FCC Class B part 15C/E + 22 + 24 (depending on wireless configuration)
Global	RoHS (EU & China) ENERGY STAR® 8.0 EPEAT® Silver (dedicated regions)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Additional Software	
Additional software (preinstalled)	Adobe® Reader® (pdf reader) McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial preinstalled) Fujitsu Display Manager EasyGuide online user documentation Power Saving Utility ShockSensor Utility SmartAccess Fujitsu Plugfree Network (network management utility) Intel® SBA (manageability suite for local administration) DTS® Sound Enhance Software Fujitsu Application Button Utility Fujitsu DeskUpdate (driver and utility tool) Microsoft Office (1 month trial for new Microsoft® Office 365 customers. Buy Microsoft Office.)
Additional software (optional)	Drivers & Utilities DVD (DUDVD) LTE / UMTS Connection Manager (if configured with 4G/LTE or 3G/UMTS) Workplace Protect (secure authentication solution)
Manageability	
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology/iAMT
Manageability software	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management

Manageability	
Supported standards	WMI PXE BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/solutions/high-tech/dynamic-infrastructure/solutions/workplace/manageability/feature finder.html
Security	
Physical Security	Kensington Lock support
System and BIOS Security	Advanced Theft Protection Computrace® enabled BIOS EraseDisk (optional) Write protect option for the Flash EPROM Trusted Platform Module (TPM 2.0) Credential Guard Ready and Device Guard Capable (Windows 10, v. 1809; requires 8 GB or more system RAM and SSD PCIe NVME)
User Security	Embedded fingerprint sensor (optional) Embedded PalmSecure™ sensor (optional) Separate SmartCard slot Hard disk password User and supervisor BIOS password Preboot Authentification with SystemLock 3

Warranty	
Warranty period	3 years (depending on country)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions Product Support Services - the perf	http://www.fujitsu.com/warranty fect extension
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

Recommended Accessories

CELSIUS® H780 Port Replicator Kit



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options.

S26391-F2249-L300

Privacy Filters



To use privacy filters is a must in times of increased safety requirements. Fujitsu's Privacy Filters block unauthorized views on your screen while you are sitting in an external meeting or working in a train. The front view remains clear for the user's eyes only. The filters are easy to attach and what's more: They also protect your screen from small scratches and damages.

Order Code: S26391-F6098-L215

Prestige Case 15 (2021)



The Prestige Case 15 protects notebooks with up to 15.6-inch screens. The Order Code: front compartment provides space for your power cord and office supplies. S26391-F1120-L60 The large compartment is devided for your notebook and a tablet.

Keyboard KB950 Phone



The KB950 Phone is a modern and slim line USB keyboard with integrated Skype for business features. This extremely reliable, high-speed input device is the perfect way to manage incoming and outgoing calls, even when the system is locked. Three additional keys make it easy to accept and end calls and mute your microphone during a call. Easy number dialing is assured with the numpad. The integrated 61 x 12 mm display shows the time and date, the user status and shows incoming call data in the form of the calling number and caller ID.

S26381-F950-L4** (**: Country specific variation)

Wireless Keyboard Set LX960



The Wireless Keyboard Set LX960 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set offers ambitious users more functions and better features than a conventional interface device. It even includes 2.4 GHz technology and 128-bit AES encryption.

S26381-K960-L4** (**: Country specific variation)

More information

Fujitsu products, solutions & services

In addition to the FUJITSU Workstation CELSIUS H7510, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

More information

Learn more about the FUJITSU Workstation CELSIUS H7510, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/emeia/CELSIUS

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use. html

Copyright 2020 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2021-10-06 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html
Copyright 2020 Fujitsu Technology Solutions GmbH