Overview

HP Chromebook x360 11MK G3 Education Edition



Left

- 1. Webcam LED
- 2. Webcam
- 3. Internal Microphone
- 4. Touchpad

- 5. Volume Button
- 6. Power Button
- 7. Nano Security Lock Slot (Lock sold separately)

Overview



Right

- **1.** USB 2.0 Type-C[®] (Power Delivery, Display PortTM 1.4, data)
- 2. USB 2.0 Type-A

- 3. MicroSD[™] Memory Card Reader
- 4. Stereo Headphone / Microphone Combo Jack

Overview

- Corning® Gorilla® Glass damage-resistant cover glass
- Enjoy affordable, convenient mobile productivity with MediaTek processor
- Undergoes MIL-STD810H tests¹
- Enhanced USB-C connectors to stand against daily uses of plug and unplug
- 1 USB Type-C® port (Power Delivery, Display Port[™] 1.4, data)
- Choice of up to 8 GB memory and 64GB eMMc storage
- Spill and pick resistant keyboard with Full Skirted anchored key
- Spend less time charging with HP Fast Charge technology
- Flexible 360°hinge support learning in laptop, tablet, tent and media modes
- Enjoy Android[™] Apps on Chrome OS[™]
- Your Chromebook boots up within 10 seconds and you can be browsing online and working in Google Apps just moments later
- Qualcomm® 2x2 AC WLAN with MU-MIMO and HP Extended Range Wireless LAN for stable connection in dense environment
- Keyboard that can be repeatedly wiped down with common household cleaning wipes
- Easy for small hands to grip and handle with Unique textured surface

1. MIL-STD 810H is not intended to demonstrate fitness of U.S. Department of Defense contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Pack.

NOTE: See important legal disclosures for all listed specs in their respective features sections.

PRODUCT NAME

HP Chromebook x360 11MK G3 Education Edition

OPERATING SYSTEM

Preinstalled Chrome OSTM

PROCESSORS

MediaTek MT8183 (2.0 GHz base frequency, 1 MB L2 cache, 8 cores) 1,2

Processor Family Mediatek Processor

1. Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload ar your hardware and software configurations. MediaTek's numbering, branding and/or naming is not a measurement of higher performance.

2. Processor speed denotes maximum performance mode; processors will run at lower speeds in battery optimization mode.

CHIPSET

Chipset is integrated with processor

GRAPHICS

Integrated ARM[®] MaliTM-G72 MP3 Graphics ³

3. HD content required to view HD images.

DISPLAY

Technical Specifications

Touch

29.5 cm (11.6") diagonal, HD (1366 x 768), touch, IPS, BrightView, Corning® Gorilla® Glass 3, 220 nits, 69% NTSC^{4,5,6}

- 4. Resolutions are dependent upon monitor capability, and resolution and color depth settings.
- 5. FHD/HD content required to view FHD/HD images.
- 6. Actual brightness will be lower with touchscreen or Sure View.

STORAGE AND DRIVES

Primary Storage 32 GB eMMC 5.0⁷ 64 GB eMMC 5.0⁷

7. For storage drives, GB = 1 billion bytes. Actual formatted capacity is less. Up to 9 GB is not user available.

MEMORY

Maximum Memory 8 GB LPDDR4-4266 SDRAM⁸ Memory 8 GB LPDDR4-4266 SDRAM⁸ 4 GB LPDDR4-4266 SDRAM⁸

Memory Slots Memory soldered on board

8. All slots are non-accessible / non-upgradeable.

NETWORKING/COMMUNICATIONS

WLAN

Qualcomm[®] Atheros 802.11b/g/n/a/ac (2x2) and Bluetooth[®] 4.2 combo⁹ MU-MIMO supported HP Extended Range Wireless LAN supported

Chromecast Chromecast Support

9. Wireless access point and internet service required and sold separately. Availability of public wireless access points limited. Wi 5 (802.11 ac) is backwards compatible with prior 802.11 specs.

AUDIO/MULTIMEDIA

Audio HD audio Dual 2W stereo speakers Integrated single microphone

Camera 720p HD camera ¹⁰

10. HD content required to view HD images.

KEYBOARDS/POINTING DEVICES/BUTTONS & FUNCTION KEYS

Keyboard

Full-size island-style Chrome keyboard, spill resistant with HP Full-Skirted Anchored Key

Pointing Device

Touchpad with multi-touch gesture support Taps enabled as default

SOFTWARE AND SECURITY

Preinstalled Software HP Classroom Manager ¹¹

Manageability Features Chrome Education Upgrade ^{12,13}

Security Management

Titan C security chip Nano lock slot (Lock sold separately)

11. HP Classroom Manager is sold separately. Control and device locking from the teacher's desktop requires purchase of HP Classroom Manager.

12. Sold separately.

13. Chrome Education Upgrade requires one-time setup, subscription, Google Admin Console, and your organization's domain. Please see https://support.google.com/a/answer/60216.

POWER

Power Supply

HP Smart 45 W USB Type-C AC power adapter

Primary Battery

HP Long Life 2-cell, 47 Wh Li-ion polymer¹⁴ HP Fast Charge Technology (90% in 90 minutes)¹⁵

Battery Life

Up to 16 hours¹⁶

Power Cord 3-wire plug - 1m

14. Actual battery Watt-hours (Wh) will vary from design capacity. Battery capacity will naturally decrease with shelf life, time, usage, environment, temperature, system configuration, loaded apps, features, power management settings and other factors. 15. Recharges up to 90% within 90 minutes when the system is off or in standby mode when used with the power adapter provided with the notebook. After charging has reached 90% capacity, charging speed will return to normal. Charging time may +/-10% due to System tolerance.

16. Testing conducted by HP using Google Chrome OS power_LoadTest. Battery life will vary and the maximum capacity of the battery will naturally decrease with time and usage. See http://www.chromium.org/chromium-os/testing/power-testing for tes details. Full charge battery life will decrease after Adaptive Battery Optimizer activation.

WEIGHTS & DIMENSIONs

Product Weight Starting at 3.13 lb ¹⁷ Starting at 1.42 kg ¹⁷

Product Dimensions (w x d x h)

11.61 x 8.08 x 0.82 in 29.5 x 20.53 x 2.09 cm

17. Weight will vary by configuration.

PORTS/SLOTS

1 USB 2.0 Type-C[®] (Power Delivery, Display Port[™] 1.4, data) 1 USB 2.0 Type-A 1 Stereo headphone/microphone combo jack

Expansion Slots

1 Micro SD multi-format digital media reader Supports SD, SDHC, SDXC

SERVICE AND SUPPORT

Technical Specifications

1-year warranty and 90 day software limited warranty options depending on country. Batteries have a default one year limited warranty. Refer to http://www.hp.com/support/batterywarranty/ for additional battery information. On-site service and extended coverage is also available. HP Care Pack Services are optional extended service contracts that go beyond the standard limited warranties. To choose the right level of service for your HP product, use the HP Care Pack Services Lookup Tool at: http://www.hp.com/go/cpc. ¹⁸

18. HP Care Packs are sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit http://www.hp.com/go/cpc. HP services are governed by the applicable HP terms and conditions of service provided or indicate to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and suc rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

SYSTEM UNIT

Stand-Alone Power Requirements (AC Power)	USB-C 45W adapter
Nominal Operating Voltage	15V
Average Operating Power	<45W
Integrated graphics	Yes
Discrete Graphics	N/A
Max Operating Power	UMA < 45W
Temperature	
Operating	32° to 95° F (0° to 35° C)
Non-operating	41° to 95° F (5° to 35° C)
Relative Humidity	10% to 90%
Operating	5% to 95%
Non-operating Shock	570 10 9570
Operating	40 G, 2 ms, half-sine
Non-operating	240 G, 2 ms, half-sine
Random Vibration	
Operating	1.043 grms
Non-operating	3.5 grms
Altitude (unpressurized)	
Operating	-50 to 10,000 ft (-15.24 to 3,048 m)
Non-operating	-50 to 40,000 ft (-15.24 to 12,192 m)
Planned Industry Standard Certifications	
UL	Yes
CSA	No
FCC Compliance	Yes
ENERGY STAR®	Yes ¹⁹
EPEAT	EPEAT 2019 Silver in United States ²⁰
ICES	Yes
Australia /	Yes
NZ A-Tick Compliance	Yes
	No
Japan VCCI Compliance KC	Yes
-	Yes
BSMI	Yes Yes
CE Marking Compliance BNCI or BELUS	Yes No

No
Yes
Yes
Yes
No

19.Configurations of the HP Chromebook x360 11MK G3 EE that are ENERGY STAR[®] certified are identified as HP Chromebook x360 11M G3 EE ENERGY STAR on HP websites and on http://www.energystar.gov.

20. Based on US EPEAT[®] registration according to IEEE 1680.1-2018 EPEAT[®]. Status varies by country. Visit http://www.epeat.net femore information.

DISPLAYS

1. Actual brightness will be lower with touchscreen or sure view.

Note: all specifications represent the typical specifications provided by hp's component manufacturers; actual performance may vary either higher or lower.

11.6 inch HD (1366x768) BrightView WLED UWVA 50percent	Outline Dimensions (W x H x D)	284.85 X 189.84 (mm)
	Active Area	256.125 x 144.0 (mm)
cg 220nits eDP 1.2 w/o PSR slim	Weight	320 g max
TOP+ OBZ	Diagonal Size	11.6 (inch)
	Thickness	4.2 max w PCBA
	Interface	eDP 1.2
	Surface Treatment	BrightView
	Touch Enabled	yes
	Contrast Ratio	800:1 (typical)
	Refresh Rate	60HZ
	Brightness	220nit typical (Panel Only) ¹
	Pixel Resolution	1366x768 (HD)
	Format	RGB
	Backlight	LED
	Color Gamut Coverage	50%
	Color Depth	6 bit
	Viewing Angle	UWVA 85/85/85/85

STORAGE

Drive Weight eMMC 5.0 0.2g **Rotation speed** 32GB/64GB **Cache Buffer** Height 1.4mm Width 11.5x13mm Interface MMC protocol **Transfer Rate** Up to 250 MB/s Seek Time Up to 70 MB/s Logical Blocks 32GB(31,268,536,320 Bytes)/64GB(62,537,072,640 Bytes) **Operating Temperature** 0 to 70 **Security Features** HS400

For storage drives, GB = 1 billion bytes. Actual formatted capacity is less. Up to 9 GB is not user available.

Technical Specifications

NETWORKING WLAN dual-band 802.11a/b/g/n/ac (2x2) and Bluetooth® 4.2 Combo ¹	Wireless LAN Standards	IEEE 802.11a IEEE 802.11b IEEE 802.11g IEEE 802.11n IEEE 802.11ac
	Interoperability	QCA6174A passed Google AVL tests for Wi-Fi/BT
	Frequency Band	IEEE 802.11a/b/g/n/ac (2.4GHz and 5GHz)
	Data Rates	802.11b: 1, 2, 5.5, 11 Mbps 802.11a/g: 6, 9, 12, 18, 24, 36, 48, 54 Mbps 802.11n: MCS 0 ~ MCS 15, (20/40/80 MHz) 802.11ac: MCS 0 ~ MCS 9, (20/40/80 MHz), 1x1/2x2
	Modulation	CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM 256QAM for OFDM in 11ac mode and VHT (20/40) mode
	Security ³	 IEEE and WiFi compliant 64 / 128 bit WEP encryption for a/b/g mode only AES-CCMP: 128 bit in hardware 802.1x authentication WPA, WPA2: 802.1x. WPA-PSK, WPA2-PSK, TKIP, and AES. IEEE 802.11i
	Network Architecture Models	Infrastructure (Access Point Required)
	Roaming	IEEE 802.11 compliant roaming between access points
	Output Power ²	 802.11b : +17dBm minimum 802.11g : +14dBm minimum 802.11a : +9dBm minimum 802.11a : +9dBm minimum 802.11n HT20(2.4GHz) : +14dBm minimum 802.11n HT40(2.4GHz) : +14dBm minimum 802.11n HT20(5GHz) : +7dBm minimum 802.11n HT40(5GHz) : +7dBm minimum 802.11ac HT20(5GHz) : +6dBm minimum 802.11ac HT40(5GHz) : +5dBm minimum 802.11ac HT80(5GHz) : +5dBm minimum
	Power Consumption	Transmit: 2.0 W (max) Receive: 1.6 W (max) Idle mode: 60 mW
	Power Management	Clock gating on idle or inactive blocks Voltage scaling on specific blocks in certain states Fast start and settling circuits to reduce Tx; Active duty cycles, processor frequency scaling, and other techniques to optimize power consumption across all operating states.
	Receiver Sensitivity ⁴	802.11b, 11Mbps : -84dBm maximum 802.11g, 54Mbps : -70dBm maximum 802.11a, 54Mbps : -70dBm maximum 802.11n 2.4g,HT20 : -69dBm maximum 802.11n 2.4g,HT40 : -67dBm maximum 802.11n 5g, HT20 : -68dBm maximum 802.11n 5g, HT40 : -66dBm maximum 802.11n 5g, HT20 : -63dBm maximum 802.11n 5g, HT40 : -59dBm maximum 802.11n 5g, HT80 : -56dBm maximum

Technical Specifications

Antenna type	High efficiency antenna with spatial diversity, mounted in the display enclosure Two embedded 2.4 GHz antennas are provided to the card to support WLAN and Bluetooth communications (Support Dual antenna or Single antenna, depend on platform requirement)	
Form Factor	SDIO M.2 type 1216	
Dimensions	Type 1216 : 12 >	< 16 mm
Weight		
Operating Voltage	3.3v +/- 5%	
Temperature	Operating Non-operating	-10° to 70° C -40° to 85° C
Humidity	Operating Non-operating	Should be under 85% RH Should be under 95% RH

Integrated Module with Bluetooth 4.2 Wireless Technology

Bluetooth Specification Frequency Band Number of Available Channels	BT5.0/4.2+HS , BLE and be backwards compatible with BT1.2,2.x+EDR. 2402 to 2480 MHz Legacy : 0~79 (1 MHz/CH) BLE : 0~39 (2 MHz/CH)
Data Rates and Throughput	Legacy : 3 Mbps data rate; throughput up to 2.17 Mbps BLE : 1 Mbps data rate; throughput up to 0.2 Mbps Legacy : Synchronous Connection Oriented links, 64 kbps, voice channels Legacy : Asynchronous Connection Less links 2178.1 kbps/177.1 kbps asymmetric (3-DH5) or 864 kbps symmetric (3-EV5)"
Transmit Power	Typical:+6dBm (Class1) (Note: platform side can based on BT class requirement to configure BT power level via BT nvm setting)

1. Wireless access point and internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 5 (802.11 ac) is backwards compatible with prior 802.11 specs.

2. The FCC has declared as of September 1, 2014 products that utilize passive scanning on channel 12/13 and are capable of transmitting must fully comply with requirements of 15.247 or otherwise disable those channels.

3. Check latest software/driver release for updates on supported security features.

4. Receiver sensitivity is measured at a packet error rate of 8% for 802.11b (CKK modulation) and a packet error rate of 10% for 802.11a/g (OFDM modulation).

POWER

Technical Specifications

45W PD adapter	Dimensions	3.74 x 1.69 x 1.08 in (9.5 x 4.3 x 2.75 cm)
	Weight	0.45 lbs (200g) max
		(Not including power cord. Power cord varies by country.)
	Input	100 to 240 VAC
	Input Efficiency	Average Efficiency of 25%, 50%, 75%, 100% load condition with
		115Vac/230Vac Spec:
		5V:81.5%
		9V:86.7%
		12V : 87.41% 15V : 87.8%
	Input frequency range	47 ~ 63Hz
	Input AC current	Max. 1.4 A at 90 Vac
	Output	5V/9V/12V/15V
	-	45W
	Output power	5V/9V/12V/15V
	DC output	
	Hold-up time	5ms at 115 Vac input
	Output current limit	<5.0A
	Connector	USB Type-C
	Operating temperature	32°F to 95°F (0°to 35°C)
	Non-operating (storage)	-4°F to 185°F (-20° to 85°C)
	temperature	
	Altitude	0 to 16,400 ft (0 to 5000m)
	Humidity	20% to 95%
	Storage Humidity	10% to 95%
	EMI and Safety Certifications	Eg:
		*CE Mark - full compliance with LVD and EMC directives
		* Worldwide safety standards - IEC60950, EN60950, UL60950, Class1,
		SELV; Agency approvals - C-UL-US, NORDICS, DENAN, EN55022 Class B,
		FCC Class B, CISPR22 Class B, CCC, NOM-1 NYCE. * MTBF - over 200,000 hours at 25°C ambient condition.
		MIDE - OVER 200,000 HOUIS dt 25 C dHIDIEHL COHUILION.

ENVIRONMENTAL DATA

Eco-Label Certifications &
declarationsThis product has received or is in the process of being certified to the following approvals and may be
labeled with one or more of these marks:

- IT ECO declaration
- US ENERGY STAR®
- US Federal Energy Management Program (FEMP)
- EPEAT? Gold registered in the United States. See http://www.epeat.net for registration status in your country.
- TCO 8.0
- China Energy Conservation Program (CECP)
- China State Environmental Protection Administration (SEPA)
- Taiwan Green Mark
- Korea Eco-label
- Japan PC Green label*

Sustainable Impact Specifications

- Ocean-bound plastic in (part(s))
- 2.72% post-consumer recycled plastic
- External Power Supply 90% Efficiency
- Low halogen

Technical Specifications

- Outside Box and corrugated cushions are 100% sustainably sourced and recyclable
- Molded Paper Pulp Cushion inside box is 100% sustainably sourced and recyclable
- Recycled Plastic cushions
- Bulk packaging available

System Configuration

The configuration used for the Energy Consumption and Declared Noise Emissions data for the Notebook model is based on a "Typically Configured Notebook"?.

Energy Consumption (in accordance with US ENERGY STAR® test			
method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Sort idle)	2.652 W	2.796 W	2.676 W
Normal Operation (Long idle)	0.612 W	0.684 W	0.612 W
Sleep	0.30 W	0.336 W	0.30 W
Off	0.192 W	0.228 W	0.192 W

Note:

Energy efficiency data listed is for an ENERGY STAR[®] compliant product if offered within the model family. HP computers marked with the ENERGY STAR[®] Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR[®] specifications for computers. If a model family does not offer ENERGY STAR[®] compliant configurations, then energy efficiency data listed is for a typically configured PC featuring a hard disk drive, a high efficiency power supply, and a Microsoft Windows[®] operating system.

Heat Dissipation* Normal Operation (Short idle)	115VAC, 60Hz 8 BTU/hr	230VAC, 50Hz 9 BTU/hr	100VAC, 50Hz 8 BTU/hr
Normal Operation (Long idle)	2 BTU/hr	2 BTU/hr	2 BTU/hr
Sleep Off	1 BTU/hr 1 BTU/hr	1 BTU/hr 1 BTU/hr	1 BTU/hr 1 BTU/hr

*NOTE: Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour.

Declared Noise Emissions	Sound Power	Sound Pressure
(in accordance with	(L _{WAd} , bels)	(L _{pAm} , decibels)
ISO 7779 and ISO 9296)		
Typically Configured - Idle	2.3	23.9
Fixed Disk - Random writes	2.3	23.9
Optical Drive - Sequential	2.3	23.9
reads		

Longevity and Upgrading T

This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the spare parts are available throughout the warranty period and or for up to "5"? years after the end of production.

Additional Information

- This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC.
- This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive 2002/96/EC.
- This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986).
- This product is in compliance with the IEEE 1680 (EPEAT) standard at the Gold level, see www.epeat.net

Technical Specifications

- Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043.
- This product is 2.72% recycle-able when properly disposed of at end of life.

Packaging Materials	External:	PAPER/Corrugated	186 g
		PAPER/Corrugated	40 g
	Internal:	PAPER/Molded pulp	121 g
RoHS Compliance	The corrug HP Inc. com the restrictio Directive to	plies fully with materials regulations	t 100% recycled content. ains at least 35.6% recycled content. We were among the first companies to extend riction of Hazardous Substances (RoHS) HP GSE. HP has contributed to the
	wide elimina substances-	ation of substances of concern. We h	blay an important role in promoting industry- ave supported the inclusion of additional hthalates-in future RoHS legislation that
	requirement	s for virtually all relevant products by	vide compliance with the new EU RoHS July 2013, and we will continue to extend the icted substances as regulations continue to
	To obtain a	copy of the HP RoHS Compliance S	tatement, see HP RoHS position statement.
Material Usage	To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position statement. This product does not contain any of the following substances in excess of regulatory limits (refer t the HP General Specification for the Environment at http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html): Asbestos Certain Azo Colorants Certain Brominated Flame Retardants - may not be used as flame retardants in plastics Cadmium Chlorinated Hydrocarbons Chlorinated Paraffins Bis(2-Ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) Dibutyl phthalate (DBP) Dibutyl phthalate (DBP) Formaldehyde Halogenated Diphenyl Methanes Lead carbonates and sulfates Lead and Lead compounds Mercuric Oxide Batteries Nickel - finishes must not be used on the external surface designed to be frequently handled of carried by the user. Ozone Depleting Substances Polybrominated Biphenyl Oxides (PBBEs) Polybrominated Biphenyl Oxides (PBBEs) Polybrominated Biphenyl Oxides (PBBEs) Polybrominated Biphenyl (PCB) Polychlorinated Biphenyl (PCT) Polychlorinated Biphenyl (PCT) Polyvinyl Chloride (PVC) - except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. Radioactive Substances Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)		

Technical Specifications

Packaging Usage

age HP follows these guidelines to decrease the environmental impact of product packaging:

- Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials.
- Eliminate the use of ozone-depleting substances (ODS) in packaging materials.
- Design packaging materials for ease of disassembly.
- Maximize the use of post-consumer recycled content materials in packaging materials.
- Use readily recyclable packaging materials such as paper and corrugated materials.
- Reduce size and weight of packages to improve transportation fuel efficiency.
- Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.

End-of-life Management and Recycling	HP offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.
	The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers . These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.
HP, Inc. Corporate Environmental Information	For more information about HP's commitment to the environment:
	Global Citizenship Report
	http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html
	Eco-label certifications
	http://www8.hp.com/us/en/hp-information/environment/ecolabels.html
	ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf
footnotes	 Percentage of ocean-bound plastic contained in each component varies by product Recycled plastic content percentage is based on the definition set in the IEEE 1680.1- 2018 standard.
	 External power supplies, WWAN modules, power cords, cables and peripherals excluded.
	 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.
	 Fiber cushions made from 100% recycled wood fiber and organic materials.

• Plastic cushions are made from >90% recycled plastic.

COUNTRY OF ORIGIN

China

Options and Accessories (sold separately and availability may vary by country)

Category	Description	Part Number	
Cases	HP Always On Black 11.6 Case	1D3D0AA	
	HP Prelude Pro Recycle Backpack	1X644AA	
	HP Prelude Pro Recycle Top Load	1X645AA	
Docking	HP USB-C/A 120W Universal Dock G2	5TW13AA,5TW13UT,5TW13ET	
-	HP USB-C Travel Dock G2	7PJ38AA,7PJ38UT,7PJ38ET	
Input/Output	HP USB-C to HDMI 2.0 Adapter	2PC54AA,1WC36UT,1WC36AA	
	HP USB-C to RJ45 Adapter	V8Y76AA, V7W66UT	
	HP USB-C to USB 3.0 Adapter	N2Z63AA, N2Z63UT	
	HP USB-C to VGA Adapter	P7Z54A, N9K76AA, ,N9K76UT	
	HP 320M Wired Mouse	9VA80AA, 9VA80UT, 9VA80ET	
	HP Comfort Grip USB Wireless Mouse	H2L63AA, H2L63UT	
	HP Fingerprint Reader USB Mouse	4TS44AA, 4TS44UT, 4TS44ET	
	HP Laser 3 Button USB Mouse	H4B81AA, H4B81ET	
	HP Premium USB Mouse	1JR32AA, 1JR32UT	
	HP Presenter Bluetooth Mouse	2CE30AA, 2CE30UT, 2CE30ET	
	HP Travel Bluetooth Mouse	6SP30AA, 6SP30UT, 6SP30ET	
	HP Travel USB Mouse	G1K28AA, G1K28ET	
	HP USB Premium Wireless Mouse	1JR31AA, 1JR31UT	
	HP X4000 Bluetooth Wireless 2.4GHz Mouse	H3T50AA, H3T50UT	
	HP WL USB Keyboard	T6U20AA,T6U20UT	
	HP Slim Wireless Keyboard and Mouse	T6L04AA,T6L04UT	
	HP Wireless USB Premium Keyboard	Z9N41AA,Z9N41AT	
	HP Wireless Rechargeable 950MK Mouse and Keyboard	3M165AA, 3M165UT	
	HP Wired Desktop 320MK Mouse and Keyboard	9SR36AA,9SR36UT,9SR36ET	
	HP 235 WL Mouse and Keyboard Combo	1Y4DOAA, 1Y4DOUT	
	HP 125 Wired Keyboard	266C9AA, 266C9UT	
	HP 225 Wired Mouse and Keyboard Combo	286J4AA, 286J4UT	
Power	HP 45W USB-C G2 AC Power Adapter	1HE07AA,1HE07UT	
	HP 45W USB-C LC AC Power Adapter	1MZ01AA	
	HP 65W USB-C AC Power Adapter	1HE08AA,1HE08UT	
	HP 65W USB-C Slim Travel AC Power Adapter	X7W50AA, 3PN48AA, 3PN48UT	
Security	HP Nano Cable Lock	1AJ39AA,1AJ39UT	
	HP SureKey Standard/Nano/Wedge Cable Lock	6UW42AA,6UW42UT	
UCC	HP Stereo 3.5mm Headset	T1A66AA	
	HP Wired USB-A Stereo Headset	T1A67AA	

Summary of Changes

Date of change:	Version History:	Updated	Description of change:
February 10, 2021	V1 to V2	Add	Environmental Data
February 18, 2021	V2 to V3	Update	Environmental Data
March 10, 2021	V3 to V4	Add	Battery Life
	V4 to V5		

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. USB Type-C[®] and USB-C[®] are registered trademarks of USB Implementers Forum. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. © 2021Google LLC All rights reserved. Google and the Google Logo are registered trademarks of Google LLC.