

Rittal – The System.

Faster – better – everywhere.

Comfort handle AX for compact enclosures AX with locking rod – AX 2435.200

Date : Aug 10, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Comfort handle AX for compact enclosures AX with locking rod – AX 2435.200

created: 10.08.2021 on www.rittal.com/com-en



Product description

Design:	with lock insert E1
Description:	The unlocked handle folds out forwards, and the lock is opened by swivelling. Prepared for the installation of profile half-cylinders and lock inserts (to DIN 18 252). ASSA and KESO/KABA version prepared for profile half-cylinders.
Material:	Die-cast zinc
Surface finish:	Powder-coated
Supply includes:	Supplied without key
Note:	Only for use with VW, Audi, SEAT, SkodaAuto

Product description

To fit:	Enclosure type: AX with 3-point lock system Enclosure type: TE Enclosure type: TP pedestals
Packs of:	1 pc(s).
Weight/pack:	0.58 kg
Copper weight (kg per piece):	0
EAN:	4028177938175

Customs tariff number:	83024110
ETIM 7.0:	EC000327
ETIM 6.0:	EC000327
eCl@ss 8.0/8.1:	27409217
eCl@ss 6.0/6.1:	27409217
Product description:	AX Comfort handle, for AX with locking rod, with lock insert E1
Approvals	
Approvals:	DNV-GL UL + C-UL