



CROMO Slim High Speed HDMI Cable with Ethernet, 0.5m

Part No.: 41670

Description

- Ultra flexible, light cable with low profile, slimline HDMI connectors
- 24K gold plated contacts with chrome plated connector hoods, fully shielded cable and strain relief
- HDMI 2.0 compliant, supporting Ultra HD up to 4K 2160p60 and 4K 3D
- Supports 3D 1080p and HDCP
- 10 year warranty

The CROMO® Slim High Speed HDMI Cable with Ethernet is an affordable, high quality cable featuring gold plated contacts for better conductivity and resistance to corrosion and tarnishing.

This super thin and flexible HDMI cable has been specially designed for connection to devices in confined spaces or with restricted access to the HDMI ports. The slim form factor also reduces the weight of the cable by around 80% compared to the standard CROMO® cables making it perfect for connecting to awkwardly placed devices in a rack or to displays mounted close to a wall.

HDMI ATC (Authorised Test Centre) certified for High Speed Category 2 compliance. Ethernet support allows compatible devices to connect to the internet

Technical details

Connectors

- Connector A: HDMI Type A Male
- Connector B: HDMI Type A Male
- Housing Material: Chrome plated, ABS
- Connector Plating: Gold Plating
- Pin Construction: Phosphor bronze
- Pin Plating: 15µm Gold
- Dimensions (approx.)
- WxDxH: 19x16x7mm (0.75x0.63x0.28in)
- 21x16x7mm (0.83x0.63x0.28in) for connector with chipseT

Cable Construction

- Length: 0.5m
- Standard: High Speed HDMI with Ethernet
- Colour: Grey
- Type: Round
- Jacket Diameter: 3.2mm (0.13in)
- Jacket Material: PVC
- Conductor Material: Tinned Copper
- Conductor Gauge: 36AWG
- Shielding: Copper Braid, 85%

Specifications

- Supported Bandwidth: 18 Gbps
- Maximum Resolution: 3840x2160@60Hz 4:4:4 8bit
- Nominal Attenuation: 0.5Mhz 5.1Ghz < 25db
- Minimum Bend Radius: 32mm (1.26in)
- Operating Temperature: -10°C 80°C (14°F 176°F)
- Storage Temperature: -10°C 80°C (14°F 176°F)
- · ATC Approved: Yes