FAST AND EFFICIENT MULTIFUNCTIONAL BLACK AND WHITE LASER PRINTERS



i-SENSYS MF440 series

Get your small or medium-sized business up to speed with these compact and multifunctional black and white laser printers













Workflow efficiency

Meet ambitious business demands with a robust and reliable printer with fast production times. This series delivers prints at speeds of up to 38ppm in A4 and offers double-sided printing as standard. Double-sided single-pass scanning will keep your workflow at a premium too.

Tailor-made

Tighten efficiency with the Application Library. On-screen buttons automate and speed up everyday tasks, including printing stored forms, scanning to email and copying documents so that they can be accessed with just a single tap of a button. The standby display can also be customised to suit you and your business needs.

Seamless connectivity

Take control on the move with smooth mobile connectivity. Print wirelessly from smartphones or tablets with the Canon PRINT Business app or get printing straightaway without an app thanks to AirPrint (iOS) and Mopria (Android) compatibility.

Security and control


Put security first with secure PIN print, which restricts people from viewing confidential documents. Even greater security is offered via the Universal Login Manager (ULM) with MF446x and MF449x, which provides user authentication for greater privacy.

High quality

Whether you are printing a sales presentation or a small document for internal use, this series ensures prints are always high-quality thanks to improved toner cartridges, which now come with Auto Seal Removal.



RANGE FEATURE STEP UP CHART



OPTIONAL ACCESSORIES

Cassette Feeding Module AH1

 Additional 550 sheet paper cassette, 1 unit can be added to main unit

Telephone 6 Kit (available on MF445dw & MF449x)

• Optional telephone handset for fax function

Barcode Printing Kit-E1E (available on MF446x & MF449x)

 Installs barcode fonts for barcode printing. This kit, which is delivered electronically, includes a license access certificate for activation

Send PDF Security Feature Set-E1 (available on MF446x & MF449x)

 Send encrypted PDF and add digital device signature to PDF files. This kit, which is delivered electronically, includes a license access certificate for activation.



TECHNICAL SPECIFICATIONS

i-SENSYS MF440 Series

Machine type Available functions Mono Laser All-In-One

MF443dw/MF446x: Print, Copy, Scan MF446x/MF449x: Print, Copy, Scan and Fax

PRINTER

Print speed

Printing method Print resolution

Print quality with Image Refinement Technology Warm-up time

First Print Out Time Printer languages

Fonts

Toner saver mode

Print margins

Advanced printing features

CODIED Copy speed

First Copy Output Time (FCOT)

Copy resolution Copy modes

Double sided copying

Multiple copy Reduction / Enlargement

Other features

SCANNED Type

Scan resolution

Scan speed

Colour scanning depth Grevscales

Compatibility Max. scan width

Scan to E-mail

Scan to PC

Scan to USB memory key Scan to FTP

Scan to Cloud iFAX

Modem speed

Receive mode Fax resolution

FAX memory Speed dials

Group dials/destinations Sequential broadcast

Single sided : Up to 38 ppm (A4) Up to 63.1 ppm(A5-Landscape) Double sided : Up to 31.9 ipm (A4)

Monochrome laser beam printing

iqb 000 x 000 Up to 1200 x 1200 dpi

Approx. 14 seconds or less from power on

Approx: 5.5 seconds or less

MF443dw: UFRII, PCL 5c1, PCL6 MF445dw / MF446x / MF449x: UFRII, PCL 5c1, PCL6, Adobe PostScript

MF443dw: 45 PCL fonts

MF445dw: 45 PCL fonts 136 PostScript fonts MF446x/MF449x: 93 PCL fonts 136 PostScript fonts

5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope)

Yes MF443dw/MF445dw:

Fire 43 GW Pire 43 GW.
Secure Print
Print from USB memory key (JPEG/TIFF/PDF)
Google Cloud Print Ready
iOS: AirPrint, Canon PRINT Business app
Android; Mopria certified, Canon PRINT Business app,
Canon Print Service Plug-in

MF446x/MF449x:

MF446x/MF449x: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Barcode Print² Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon PRINT Business app, Canon Print Service Plug-in

Single sided (A4): Up to 38 ppm Double sided (A4): Up to 30.3 ipm

ADF (A4): Approx. 6.6 seconds or less Platen (A4): Approx. 6.4 seconds or less

Up to 600 x 600 dpi

Text, Text/Photo (Default), Text/Photo (High Quality),

2-sided to 2-sided (Automatic) Up to 999 copies

25-400% in 1% increments

Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy

Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi Single sided mono: 38ipm (300x600dpi)

Single sided colour: 13ipm (300x600dpi)
Double sided mono: 70ipm (300x600dpi)
Double sided colour: 26ipm (300x600dpi)

24 bit/24 bit (input/output) 256 levels

TWAIN, WIA, ICA 216mm

MF443dw/MF445dw: TIFF/JPEG/PDF/Compact PDF/Searchable PDF

MF446x/449x: TIFF/JPEG/PDF/Compact PDF/Searchable PDF/ Encrypted PDF³/PDF (Digital signature)³

TIFE/JPEG/PDE/PNG4

ITU-T.37

MF445dw/MF449x only

33.6 Kbps (Up to 3 seconds/page⁵)

Fax only, Fax/Tel Auto Switch, Answer Mode, Manual

Standard: 200 x 100 dpi Fine: 200 x 200 dpi Super fine: 200 x 400 dpi Ultra fine: 400 x 400 dpi

Up to 512 pages⁵ Up to 281dials

Max. 299 dials / Max. 299 destinations

Max 310 destinations

Memory backup

Double sided faxing Other features

MEDIA HANDLING Scanner type

Paper input (Standard)

Paper input (Option) Paper output Media types

Media sizes

Permanent fax memory backup (Backup with flash memory) Yes (Transmit and Receive)

Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only) DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management

Platen, 2-sided ADF (single pass)

250-sheet cassette 100-sheet multi-purpose tray 50-sheet ADF

550-sheet cassette

150-sheet

Plain paper, Recycled paper, Heavy Paper, Thin paper, Label, Post card, Envelope

Cassette (Standard and optional):
A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Custom sizes: Min. 105 x 148 mm Max. 216.0 x 355.6 mm.

Multi-purpose tray: A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Indexcard, Envelope (COM10, Monarch, C5, D1), Custom sizes: Min 76.2 x 127 mm Max. 216.0 x 355.6 mm.

A4, A5, A6, B5, Legal, Letter, Statement, Custom sizes: Min. 105 x 128 mm Max 215.9 x 355.6 mm

Cassette (standard and optional): 60 to 120 g/m²

Multi-purpose tray: 60 to 163 g/m²+AC5. ADF: 50 to 105 g/m²

A4, Legal, Letter, OFFICIO, B-OFFICIO, M-OFFICIO, GLGL, Foolscap Double sided printing

GLGL, Foolscap Custom size - Min. 210 x 279.4 mm Max. 216.0 x 355.6 mm 60 to 120 g/m²

INTERFACE & SOFTWARE

Interface type

Software and printer

Operating System compatibility

Media weights

Network Protocol

USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection

Windows* 10 / Windows* 8.1 / Windows* 7 / Server* 2019 / Server* 2016 / Server* 2012 / Server* 2008 Mac OS X version 10.9.5 & up / Mac OS 10.14 & up

Linux^t

Print: LPD, RAW, Port9100, IPP, IPPS, WSD (IPv4,IPv6)

Scan:
Email, SMB, WSD-Scan(IPv4, IPv6), FTP-Scan, iFAX Email, SMB, WSD-Scan(IPv4, IPv6), FTP-Scan, iFA) TCP/IP Application Services:
Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4,IPv6)
DHCP, ARP+PING, Auto IP, WINS (IPv4)
DHCPv6 (IPv6)
Management:
SMMPv1, SNMPv3 (IPv4,IPv6)
Security (wired):
IP/Mac address filtering, IEEE802.IX, SNMPv3, SSL (HTTPS, IPPS)
Security (wirelss):
WEP(64/128 bit), WPA-PSK(TKIP/AES),
WPA2-PSK(AES)
Infrastructure Mode:
INFORMATION (INFORMATION OF THE PROPERTY OF THE P

Access Point Mode: WPA2-PSK(AES)

MF443dw/MF445dw

MF443dw/MF445dw:
MF Scan Utility,
Remote User Interface (RUI),
Department ID Management,
Toner Status Tool,
iW Management Console: Server-based software for
centralised management of a fleet of devices
eMaintenance: embedded RDS allows remote
eMaintenance services such as meter capture, automatic
consumables management and remote diagnostics
Application Library

MF446x/MF449x

MF446x/MF449x.
MF Scan Utility,
Remote User Interface (RUI),
Department ID Management,

Department ID Management, Toner Status Tool, IW Management Console: Server-based software for centralised management of a fleet of devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics. Universal Log-in Manager / uniFLOW online / uniFLOW online Express / uniFLOW Compatibility Application Library

GENERAL FEATURES

Duty cycle

Processor Speed

Recommended Monthly Print Volume

750 - 4,000 pages per month

Max, 80,000 pages per month⁷ 800MHz x 2



TECHNICAL SPECIFICATIONS

i-SENSYS MF440 Series

Control panel

Dimensions with trays (W x D x H)

Installation space (W x D x H)

Power Source

Weight

Operating environment

Power Consumption

Approx. 17.2 Kg

Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation)

220-240V(±10%) 50/60Hz (±2Hz)

12.7 cm I CD Colour Touch Screen

453 mm x 464 mm x 392 mm

682 mm x 1 083 mm x 895 mm

Maximum: Approx. 1,370 W
Standby: Approx. 9.4 W
Sleep mode: Approx. 0.9 W
Typical Electricity Consumption (TEC): 1.0 kWh/week
(230V)¹² For detailed information relating to Lot26
regulation, please go to: http://www.canon-europe.com/
For_Work/Lot26/index.aspx

Noise Levels

Sound Pressure⁸: Active: 53 dB Standby: Inaudible⁹

Sound Power⁸: Active: 72.2 dB Standby: Inaudible⁹

CONSUMABLES

Cartridges

Cartridge 057 (3,100 pages ¹⁰)¹¹ Cartridge 057H (10,000 pages ¹⁰)¹¹

ACCESSORIES/ OPTIONS

Items

MF443dw: CST.Feeding Module-AH1 (550-sheet cassette) MF445dw:

MF445dW: CST.Feeding Module-AH1 (550-sheet cassette) TEL 6 Kit Long Cord (Telephone handset)

MF446x:
CST.Feeding Module-AHI (550-sheet cassette)
Barcode Printing Kit-EIE
MiCard Multi (Card reader for identification with RFID or
magnetic cards with uniFLOW)
Micard Plus (Card reader for identification with RFID or
magnetic cards with uniFLOW)
MiCard Attachment Kit-BI
Send PDF Security Feature Set-EI

MF449x

MF449x:
CST.Feeding Module-AHI (550-sheet cassette)
TEL 6 Kit Long Cord (Telephone handset)
Barcode Printing Kit-E1E
MiCard Multi (Card reader for identification with RFID or
magnetic cards with uniFLOW)
Micard Plus (Card reader for identification with RFID or
magnetic cards with uniFLOW)
MiCard Attachment Kit-BI
Send PDF Security Feature Set-E1

- $^{\scriptsize{ ext{II}}}$ A Canon PCL5e driver is not supplied, however PCL5e commands are supported on the device.
- [2] Accessory Barcode Printing Kit-E1E is required
- [3] Accessory Send PDF Security Feature Set-E1 is required
- [4] Scan by MF Scan Utility or Canon PRINT Business app
- [5] Based on ITU-T Standard Chart No. 1
- ^[6] Linux support both printing and scanning Available from December 2019.
- Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product
- [8] Declared noise emission in accordance with ISO 9296
- Inaudible means that the emission sound pressure level for a bystander is lower than absolute standard for background noise in accordance with ISO 7779
- [10] Based on ISO/IEC 19752
- [11] Printer ships with Cartridge 057 (3,100 pages)
- [12] As per US ENERGY STAR* version2.0.



FAST AND EFFICIENT MULTIFUNCTIONAL BLACK AND WHITE LASER PRINTERS

Get your small or medium-sized business up to speed with these compact and multifunctional black and white laser printers



PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS MF443dw	3514C008AA	4549292133738
i-SENSYS MF445dw	3514C007AA	4549292133721
i-SENSYS MF446x	3514C006AA	4549292133714
i-SENSYS MF449x	3514C005AA	4549292133707

ACCESSORIES:

Mercury Code	EAN Code
0732A033AA	4549292092769
4784B001AA	4960999679686
5140B002AA	4549292027228
5145B001AA	4960999780269
5146B002AA	4549292027235
5143B002AA	N/A (e-delivery)
9594B002AA	N/A (e-delivery)
0752A054AA	4960999453910
	4784B001AA 5140B002AA 5145B001AA 5146B002AA 5143B002AA 9594B002AA

CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 057	3009C002AA	4549292136258
Cartridge 057 H	3010C002AA	4549292136289



Canon Inc. canon.com

Canon Europe

canon-europe.com

English edition © Canon Europa N.V.,2019

