



# Delock USB 3.2 Gen 2 Hub with 4 USB Type-A Ports

## Description

This solid USB hub by Delock with **metal housing** can be connected to a computer via the USB Type-A interface. It expands the computer by **4 USB Type-A ports**. Different USB devices such as USB flash memory, card reader, external enclosure etc. can be connected.

## Supports SuperSpeed USB 10 Gbps

A maximum data transfer rate of up to USB 3.2 Gen 2 - 10 Gbps can be reached.

#### Inclined design

Due to the specially adapted inclination, the hub is ideal for the home or office desk. This makes it easy to plug in USB devices.

#### Secure stand

The **rubber pads** on the bottom prevent the hub from slipping when, e.g. a USB stick or USB cable is plugged in.

### Small sturdy helper

Due to its **small dimensions and its sturdy housing**, this Delock Hub is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.



## **Specification**

- · Connectors:
- 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) Type-A female >
- 4 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) Type-A female
- 1 x 5 V DC jack (optional for power supply)
- Data transfer rate up to:
- SuperSpeed USB 10 Gbps,
- SuperSpeed USB 5 Gbps,
- Hi-Speed 480 Mbps,
- Full-Speed 12 Mbps,
- Low-Speed 1.5 Mbps
- LED indicator
- Robust metal housing
- Power supply: Self-powered
- Dimensions (LxWxH): ca. 97 x 67 x 25 mm
- · Colour: grey
- Plug & Play

### System requirements

- · Chrome OS
- Linux Kernel 5.11 or above
- Mac OS 11.2.3 or above
- Windows 8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-A port

## Package content

- Hub USB 3.2 Gen 2
- 1 x cable USB 3.2 Gen 2 Type-A male to USB 3.2 Gen 2 Type-A male, length ca. 80 cm
- User manual

## Item no. 64181

EAN: 4043619641819

Country of origin: China

Package: Retail Box





## Images













General	
Function:	Plug & Play
Supported operating system:	Chrome OS
	Windows 10 32-bit
	Windows 10 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Windows 11
	Linux Kernel 5.11 or above
LED indicator:	1 x
Interface	
Connector 1:	1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) Type-A female
Connector 2:	4 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) Type-A female
connector 3:	1 x DC jack
Technical characteristics	
Data transfer rate:	10 Gbps
Physical characteristics	
Cable length:	80 cm
Length:	97 mm
Width:	67 mm
Height:	25.0 mm
Colour:	grey