



APC NetShelter SX Server Rack Gen 2, 42U, 1991H x 600W x 1200D mm, with Sides, Black

AR3300B2

## **Overview**

Lead time

#### Main

Product or component type	Rack enclosure
Number of rack unit	42U
Provided equipment	Baying hardware Key(s) Keyed-alike doors and side panels Leveling feet Mounting hardware Pre-installed casters Side panels

## **Physical**

_		
Height	1991 mm	
Width	600 mm	
Depth	1200 mm	
Net weight	131.04 kg	
Colour	Black	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	
Maximum mounting depth	104.8 cm	
minimum mounting depth	19.05 cm	
Rack width	19"	
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 18 gauge rear door 18 gauge roof 18 gauge side panels	
Permanent permissible load	1020.6 kg dynamic 1814.4 kg static	

#### **Conformance**

Standards UL 2416 EIA-310E

## **Packing Units**

Unit Type of Package 1 PCE

Rates duty January 2016

Number of Units in Package 1	1
Package 1 Height	212.8 cm
Package 1 Width	74.8 cm
Package 1 Length	132.3 cm
Package 1 Weight	149.09 ka

# **Contractual warranty**

Warranty 5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1215
Environmental Disclosure	Product Environmental Profile

#### **Use Better**

Packaging made with recycled cardboard	No	
Packaging without single use plastic	No	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
REACh Regulation	REACh Declaration	

#### **Use Again**

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

# **Product datasheet**

## AR3300B2

**Technical Illustration** 

## **Dimensions**



Image of product / Alternate images

#### **Alternative**







