HP P27h G5 FHD Monitor

Technical Specifications

HP P27h G5 FHD Monitor




1. Power Button

Front 2. LED Power



Technical Specifications

HP P27h G5 FHD Monitor



Back

- 1. Joypad OSD button
- 2. Security Cable Slot
- 3. Power Connector

- **4.** DisplayPort[™] 1.2
- 5. HDMI 1.4 Port
- 6. VGA Port



Technical Specifications

Model: 64W41AA

Panel Specifications	Display Size (Diagonal)	27 inch
	Panel Technology	IPS
	Max Refresh Rate	75 Hz
	Native Resolution	FHD (1920 x 1080)
	Panel Bit Depth	8 bit (6 bit + FRC)
	Aspect Ratio	16:9
	Brightness (Typical)	250nits
	Contrast Ratio (Static)	1000:1
	Dynamic Contrast Ratio	8M:1
	Flicker Free	Yes (TÜV certified)
	Pixel Pitch	0.311 x 0.311 mm
	Pixels Per Inch (PPI)	82 PPI
	Display Colors	Up to 16.7 million colors supported
	Backlight Lamp Life Minimum (To Half	30k
	Brightness - In Hours)	
	Backlight Type	Edge-lit
	Screen Treatment	Anti-glare
	Hardness	3H
	Haze	25%
	Response Time (Typical)	5ms GtG (with overdrive)
	Horizontal Viewing Angle	1700
	(Typical Cr>10)	178°
	Vertical Viewing Angle (Typical Cr>10)	178°
	Panel Active Area Metric (W x H)	59.79 x 33.63 cm
	Panel Active Area Imperial (W x H)	23.54 x 13.24 in
	-	he typical specifications provided by HP's component
	manufacturers; actual performance may vary o	
Color	NTSC	72%
Color Management	Color Space/ Subsampling Support	RGB 4:4:4, YCBCR 4:4:4, YCBCR 4:2:2
	RGB Channel Adjust	Yes, Gain
	Default Color Temperature	Standard (6500K)
Monitor Specifications	Bezel Type	3-sided borderless
	Color Of Stand	Black
	Color Of Head	Black
	Tilt	-5 to +20°
	Height Adjust Range	100 mm
	Vesa Mounting	100 mm x 100 mm
	Security Lock	Standard Security Lock Slot
	Detachable Stand	Yes
	Warranty	3/3/0 for LA, NA, EMEA, APJ
	•	(3/3/3 in select APJ Countries)
	Low Blue Light	Yes (TÜV certified)
	Speaker Output Power	2 x 2 W
	Management Software	HP Display Center, HP Display Manager*

recinical specifica	LIUIIS	
		*Host PC requires Windows 10. HP Display Center is available on the Microsoft store.
On Screen Display (OSD)	On Screen Display	Brightness+, Color, Image, Input, Power, Menu, Management, Information, Exit
	Native Resolution	FHD (1920 x 1080)
		NOTE: DisplayPort 1.2 & HDMI 1.4 required to drive panel at its native resolution.
		The video card of the connected PC must be capable of supporting 1920x1080 at 60 Hz with 8-bit color using one HDMI or VGA.
	Maximum Resolution	1920 x 1080 (FHD)
	Preset Graphic Modes/Supported	720 x 400 @ 70Hz
	Resolutions	640 x 480 @ 60Hz
		640 x 480 @ 75Hz (Digital port only)
		800 x 600 @ 60Hz
		800 x 600 @ 75Hz (Digital port only)
		1024 x 768 @ 60Hz
		1024 x 768 @ 75Hz (Digital port only)
		1280 x 720 @ 60 Hz
		1280 x 800 @ 60 Hz
		1280 x 1024 @ 60 Hz
		1280 x 1024 @ 75 Hz (Digital port only)
		1440 x 900 @ 60 Hz
		1600 x 900 @ 60 Hz
		1680 x 1050 @ 60 Hz
		1920 x 1080 @ 60 Hz
		1920 x 1080 @ 75 Hz
	Minimum Vertical Scan Rate	48Hz
	Maximum Vertical Scan Rate	75Hz
	Minimum Horizontal Scan Rate	30KHz
	Maximum Horizontal Scan Rate	86KHz
	Maximum Pixel Clock	180MHz
	User Programmable Modes	Yes,10
	User-Assignable Function Buttons	Yes, 4 (7 options)
	Audio	Built-in speakers
		11 (English, French, German, Italian, Dutch, Spanish,
	Languages	Japanese, Portuguese, Russian, Traditional Chinese, and Simplified Chinese)
Connector Types	DisplayPort™	1 DisplayPort™ 1.2
	HDMI	1 HDMI 1.4
	HDCP	Yes, DisplayPort and HDMI
	VGA	1 VGA
Special Features	SWITCH	Monitor Power button
		Next Active Input / Up button
		Brightness / Down button Information / Left button
		Color / Right button
		Menu / Enter button

HP P27h G5 FHD Monitor

	User Presets	11 (VGA)/ 16 (HDMI and DP)
Power & Operating	Power Supply	Internal
Specs	Power Source	100 – 240 VAC 50/60 Hz
	Power Consumption- Max	35W
	Energy Saving/Stand By Mode	0.5W
	Power Consumption - Typical	21W
Energy Star Data	Operational Mode at 100 VAC	16W
	Operational Mode at 115 VAC	16W
	Operational Mode at 230 VAC	16W
EU Energy Efficiency Class (ErP LOT-5)	On-mode Power Consumption for Standard Dynamic Range (SDR)	16W
	ErP LOT5 Energy Efficiency Class for Standard Dynamic Range (SDR)	
Operating Conditions	Operating Temperature - Celsius	5° – 35°C
operating conditions	Operating Temperature - Fahrenheit	41° – 95°F
	Non-Operating Temperature - Celsius	- 40° – 65°C
	Non-Operating Temperature -	-40° – 149°F
	Fahrenheit	
	Operating Humidity	20 – 80% Relative Humidity (non-condensing)
	Non-Operating Humidity	5 – 95%
	Operating Altitude	0 – 5,000 m (16,400 ft.)
	Non-operating Altitude	0 – 12,192 m (40,000 ft.)
Certifications and	Low Halogen	Yes*
Compliances		*External power supplies, WWAN modules, power cords,
		cables and peripherals excluded.
	Agency Approvals and Certifications	WW application
		CE/CB/EUP Lot 6 and Lot 26/Erp/RoHS/TUV-
		Bauart/cTUVus/FCC/ ICES/ CEC/Energy Star/TCO/TCO
		Edge /China CCC/CEL/CECP/SEPA/Korea KC/Korea
		KCC/Korea e-Standby/VCCI/PSE/RCM/Australia
		MEPS/India BIS/Taiwan BSMI/Mexico NOM/Mexico
		energy/South Africa NRCS LoA and energy/Argentina S-
		Mark/Singapore PSB/Cambodia ISC/EAC/EAEU
		RoHS/UAE/UAE RoHS/ ISO 9241-307/Low blue light/
		Flicker Free/Vietnam MEPS/Ukraine Energy/ Ukraine CoC
	Microsoft WHQL Certification	Win 11, Win 10, Win 8, Win 7
	ENERGY STAR [®] Certified	Yes
	EPEAT® Registered Regions need to verify by country	EPEAT [®] registered*
	- ,	*Based on US EPEAT [®] registration according to IEEE
		1680.1–2018 EPEAT [®] . Status varies by country. Visit
		http://www.epeat.net for more information.
	China Energy Label	CEL Grade 1
	TCO Certified Edge	Yes
	-	



rechnical Specificat	10113		
	TCO Certified	Yes	
	SmartWay Transport Partnership - NA only	Yes (NA sku)	
Contains Recycled Plastics	Contains Recycled Plastics Recyclable Packaging (Box, packing materials)	85% ITE-derived closed loop *Recycled plastic content per definition set in the IEEE 168 Molded Paper Pulp Cushion sustainably sourced and rec *100% outer box packaging made from sustainably sour fibers.	rcentage is based on the 80.1-2018 standard. inside box is 100% yclable* and corrugated cushions
		<u>Metric</u>	<u>Imperial</u>
Unit Product/Package Specifications	Product Dimensions (Unpacked with stand) (W x D x H)	61.1 x 20.23 x 50.97 cm	24.06 x 7.96 x 20.07 in
	Product Dimensions (Packed) (W x D x H)	68.5 x 14.1x 42.5 cm	26.97 x 5.55 x 16.73 in
	Display Head Dimensions (Unpacked without stand) (W x D x H)	61.1 x 5.71 x 36.56 cm	24.06 x 2.25 x 14.39 in
	Base Area Footprint (w x d mm)	182 x 194 mm	7.17x 7.64 in
	Bezel Measurements (Unpacked with stand) (W x D x H)	Bottom 21.7 mm	Bottom 0.85 in
	Product Weight (Unpacked with stand)	5.75 kg	12.68 lb
	Product Weight (Packed)	8.03 kg	17.70 lb
	(Packed) Product Weight (Head Only)	4.49 kg	9.9 lb
Pallet Information	Pallet Dimensions (L x W x H mm)	Slip Sheet: 1153 x 700 x 2141 mm (20ft & 40ft & 40HQ) Pallet: 1150 x 700 x 2269 mm (20ft & 40ft & 40HQ)	Slip Sheet: 45.39 x 27.56 x 84.29 inch (20ft & 40ft & 40HQ) Pallet: 45.28 x 27.56 x 89.33 inch (20ft & 40ft & 40HQ)
	Pallet Total Weight	Slip Sheet: 325 kg (20ft & 40ft & 40HQ) Pallet: 345kg (20ft & 40ft & 40HQ)	Slip Sheet: 717 lb (20ft & 40ft & 40HQ) Pallet: 761 lb (20ft & 40ft & 40HQ)
	Pallet Layers	8 layers per pallet	
	Pallet Product per Layer	5 per layer (slip sheet & pall	et)
	Total Products per Pallet	40 sets (slip sheet & pallet)	
	Container Load, 20-Foot	640 sets and 640 sets (slip s	-
	Container Load, 40-Foot	1360sets and 1360 sets (slip	
	Container Load, 40-Foot HighQ	1360 sets and 1360 sets (sli	p sheet and pallet)

Swedish (SV), Thai (TH), Turkish (TR), Ukrainian (UK),

Vietnamese (VI)

What's in the box?	AC power cord (1.83m) 6 ft VGA cable (1.8m) 5.9 ft (Japan Only) DP cable (1.8m) 5.9 ft ((Japan and EMEA HDMI cable (1.8m) 5.9 ft QUICK SETUP POSTER Doc kit Warranty card	AF SKUs Only)
User Guide and Warranty Languages	User Guide Languages Warranty Languages	Arabic, Bahasa Indonesia, Bulgarian, Chinese-S, Chinese- T, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Kazakh, Korean, Latvian, Lithuanian, Norwegian, Polish, Portuguese (Brazilian), Portuguese (Iberian), Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkey, Ukrainian English US (EN), English AP (EN-AP), English LA (EN-LA), English UK (EN-GB), Arabic (AR) -17x, Bahasa Indonesia (ID), Bosnian (BS), Bulgarian (BG), Chinese-S (CN), Chinese-T (TW), Croatian (HR), Czech (CS), Danish (DA), Dutch (NL), Estonian (ET), Finnish (FI), French Canadian (FC), French European (FR), German (DE), Greek (EL), Hebrew (HE), Hungarian (HU), Italian (IT), Japanese (JA), Kazakh (KK), Korean (KO), Latvian (LV), Lithuanian (LT), Norwegian (NO), Polish (PL), Portuguese, Brazilian (BR), Portuguese, Iberian (PT), Romanian (RO), Russian (RU), Serbian (SR), Slovak (SK), Slovenian (SL), Spanish, Castilian (ES-ES), Spanish, Latin America (ES-MX),



Technical Specifications

ENVIRONMENTAL DATA

 beled with one or more of IT ECO declaration US ENERGY STAR[®] US Federal Energy EPEAT[®] Gold regission status in your could the statu	of these marks: n y Management Program (FE stered in the United States. intry. e servation Program (CECP) onmental Protection Admin rk ibel* loop plastic ted cushions are 100% sust on inside box is 100% sust s	See http://www.epeat.net for registration istration (SEPA) ainably sourced and recyclable inably sourced and recyclable nd Declared Noise Emissions data for the
'5% recycled metal .ow halogen Dutside Box and corruga Aolded Paper Pulp Cushi <u>Recycled Plastic cushions</u> e configuration used for	ted cushions are 100% sust on inside box is 100% susta s r the Energy Consumption a	inably sourced and recyclable nd Declared Noise Emissions data for the
Nolded Paper Pulp Cushi Recycled Plastic cushions e configuration used for	on inside box is 100% susta <u>s</u> r the Energy Consumption a	inably sourced and recyclable nd Declared Noise Emissions data for the
115446 604-		1001/00 5011-
	-	100VAC, 50Hz
		12.21 W
		12.21 W
		0.15 W 0.11 W
ote: ergy efficiency data liste mily. HP computers mar vironmental Protection mily does not offer ENEF r a typically configured F	ed is for an ENERGY STAR® c ked with the ENERGY STAR® Agency (EPA) ENERGY STAR RGY STAR® compliant config PC featuring a hard disk driv	compliant product if offered within the model ⁹ Logo are compliant with the applicable U.S. [®] specifications for computers. If a model jurations, then energy efficiency data listed is
115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
41.6 BTU/hr	41.3 BTU/hr	41.8 BTU/hr
41.6 BTU/hr	41.3 BTU/hr	41.8 BTU/hr
0.5 BTU/hr	0.6 BTU/hr	0.5 BTU/hr
0.4 BTU/hr	0.4 BTU/hr	0.4 BTU/hr
	ergy efficiency data list mily. HP computers mar vironmental Protection mily does not offer ENEF r a typically configured F crosoft Windows® opera 115VAC, 60Hz 41.6 BTU/hr 41.6 BTU/hr 0.5 BTU/hr 0.4 BTU/hr	12.16 W12.09 W12.16 W12.09 W0.15 W0.17 W0.11 W0.13 Wte:ergy efficiency data listed is for an ENERGY STAR® cmily. HP computers marked with the ENERGY STAR®vironmental Protection Agency (EPA) ENERGY STAR®mily does not offer ENERGY STAR® compliant configr a typically configured PC featuring a hard disk drivcrosoft Windows® operating system.115VAC, 60Hz230VAC, 50Hz41.6 BTU/hr41.3 BTU/hr0.5 BTU/hr0.6 BTU/hr0.4 BTU/hr0.4 BTU/hrOTE: Heat dissipation is calculated based on the me



Longevity and Upgrading	This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the			
	Spare parts are available throughout the warranty period and or for up to "5" years after the end of production.			
Additional Information	 This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC. This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive – 2002/96/EC. This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986). This product is in compliance with the IEEE 1680 (EPEAT) standard at the Gold level, see www.epeat.net Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043. This product is 97.2% recycle-able when properly disposed of at end of life. 			
Packaging Materials	External:	PAPER/Corrugated	827 g	
		PAPER/Molded Pulp	1406 g	
	Internal:	PLASTIC/EPE (Expanded Polyethylene)	30 g	
		PLASTIC/LDPE(Polyethylene low density)	16 g	
		backaging material contains at least 0.0% recycled conter		
RoHS Compliance	-	ted paper packaging materials contains at least 90% recy		
	 HP Inc. complies fully with materials regulations. We were among the first companies to extend the restrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive to our products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam. We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances—including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products. 			
We met our voluntary objective to achieve worldwide compliance with the new E requirements for virtually all relevant products by July 2013, and we will continu scope of the commitment to include further restricted substances as regulations To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position s			vill continue to extend the egulations continue to evolve.	
Material Usage	the HP Gener http://www.l Asbo Cert Cert Cadu Chlo Chlo Bis(i Ben: Dibu	does not contain any of the following substances in excess al Specification for the Environment at app.com/hpinfo/globalcitizenship/environment/supplycha estos ain Azo Colorants ain Brominated Flame Retardants – may not be used as fl mium prinated Hydrocarbons prinated Paraffins 2-Ethylhexyl) phthalate (DEHP) zyl butyl phthalate (BBP) utyl phthalate (DBP) obutyl phthalate (DIBP)	in/gen_specifications.html):	

	 Formaldehyde Halogenated Diphenyl Methanes Lead carbonates and sulfates Lead and Lead compounds Mercuric Oxide Batteries Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. Ozone Depleting Substances Polybrominated Biphenyls (PBBs) Polybrominated Biphenyl Ethers (PBBEs) Polybrominated Biphenyl Oxides (PBBOs) Polychlorinated Biphenyl (PCB) Polychlorinated Terphenyls (PCT)
	 Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. Radioactive Substances Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
Packaging Usage	 HP follows these guidelines to decrease the environmental impact of product packaging: Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials. Eliminate the use of ozone-depleting substances (ODS) in packaging materials. Design packaging materials for ease of disassembly. Maximize the use of post-consumer recycled content materials in packaging materials. Use readily recyclable packaging materials such as paper and corrugated materials. Reduce size and weight of packages to improve transportation fuel efficiency. Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.
End-of-life Management and Recycling	HP offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner. The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.
HP, Inc. Corporate Environmental Information	For more information about HP's commitment to the environment: Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Eco-label certifications http://www8.hp.com/us/en/hp-information/environment/ecolabels.html ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf

Technical Specifications

footnotes	Percentage of ocean-bound plastic contained in each component varies by product
	 Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.
	• External power supplies, WWAN modules, power cords, cables and peripherals excluded.
	 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.
	• Fiber cushions made from 100% recycled wood fiber and organic materials.
	 Plastic cushions are made from >90% recycled plastic.
	 Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams.

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.



Summary

Change Log		
	V1 to V2	

