




DELL 55 4K INTERACTIVE TOUCH MONITOR | C5522QT

# Elevate your collaboration space.



## BRINGING TEAMS TOGETHER

Actively engage with your teammates whether they are in the room or at a remote location with this brilliant 4K 55" monitor with 20-point touch, built-in dual 10W speakers and dual-tip stylus.



## CONVENIENT CONNECTIVITY, SETUP AND MANAGEMENT

Comprehensive connectivity options including USB-C®, easy installation and network manageability.



## EXCLUSIVE TO DELL. INCLUSIVE FOR ALL.

Exclusive Dell Screen Drop feature, designed to improve reachability for users working from different heights.



## TRUSTED RELIABILITY

Dell monitors — World's number 1 monitor company\*, backed by renown reliability.

# Connect. Present. Collaborate.



## BRINGING TEAMS TOGETHER

**Captivate audiences anywhere:** Actively engage your audience whether they are in the room or at remote location with this brilliant 4K interactive touch monitor. Expect consistent image quality from virtually anywhere in the room, thanks to the wide viewing angle enabled by In-Plane Switching (IPS) technology. Plus, integrated, dual 10W speakers deliver great sound for video and audio playback.

**Striking clarity:** Dell monitor technology optimizes fonts so visuals appear sharp and text is crisp while anti-glare and anti-smudge coatings reduce distracting reflections and fingerprints.

**Easy on the eyes:** Dell ComfortView reduces blue light emission to optimize eye comfort.



## COLLABORATION AT YOUR FINGERTIPS

**Instant engagement:** With InGlass™ 20-point touch capability, multiple users can interact with the screen at the same time.

**Natural touch:** Annotate with your fingers, write with a stylus, or even erase written content with the palm of your hand — with virtually zero lag.

**Improved stylus:** Mimicking a more natural writing tool, the included stylus has an ergonomic, easy-grip design, a fine writing tip and a precise eraser.<sup>1</sup> It also magnetically attaches to the side of the display for safekeeping.

**Co-create content:** Touch functionality is compatible with most industry-standard software, such as included FlatFrog Board collaboration software.

**Write naturally:** Palm rejection allows users to rest their hands naturally onscreen without the unwanted marks for a more natural whiteboarding experience.



## INCLUSIVE FOR ALL

**Exclusive Dell Screen Drop:** Improve reachability for users of different heights using Dell Screen Drop, the world's first accessibility feature\*\*. Buttons at the side of the panel enable users to lower the displayed images to 3 different height settings so it's within easy reach.



## SEAMLESS DESIGN

**The power of USB-C:** Get up to 90W of power delivery on your type-c port for uninterrupted charging of your devices.

**All-in-one convenience:** Seamlessly integrate an optional Dell OptiPlex Micro PC into the back panel and easily upload your preferred corporate image for a display solution that adheres to your company's security and service standards.

**Simplify IT management:** IT can solve issues and manage the display remotely thanks to a range of tools, including RS232, RJ45, HDMI CEC ports and the TCP/IP command set.



## TRUSTED RELIABILITY

**Minimize downtime:** Your monitor comes with a 3-year Advanced Exchange Service<sup>2</sup> so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.<sup>3</sup> You can also extend your coverage up to 5 years.

**Get a higher level of support:** Upgrade to 24x7, in-region technical phone support from qualified engineers with the ProSupport option.<sup>4</sup>

# Features & Technical Specifications

## Monitor

Diagonal Viewing Size	1387.87 mm (54.64 in.)
Maximum Resolution	3840 x 2160 at 60Hz
Aspect Ratio	16:9
Pixel Pitch	0.315 mm x 0.315 mm
Brightness	350 cd/m <sup>2</sup> (typical)
Color Support	Color Gamut (typical): 72% (CIE1931) Color Depth: 1.07 billion colors
Contrast Ratio	1300: 1 (typical)
Viewing Angle (Vertical/Horizontal)	178°/178°
Response Time	9 ms typical (Gray to Gray)
Touch Technology	FlatFrog InGlass™
Panel Technology	IPS
Backlight Technology	LED
Surface Treatment	Anti-Smudge, Anti-Glare
Dell Display Manager Compatibility	Yes
ComfortView	Yes

## Connectivity

Connectors	1 x DP 1.2 1 x USB Type-C® (Alternate mode with DisplayPort 1.2, Power Delivery up to 90W) 3 x HDMI 2.0 3 x Super speed USB 5Gbps (USB 3.2 Gen1) downstream port 1 x USB BC1.2 charging capability at 2 A (Maximum) downstream port 3 x Super speed USB 5Gbps (USB 3.2 Gen1) upstream port 1 x Analog 2.0 audio line out (3.5 mm jack) 1 x RJ45 1 x RS232
Remote Asset Management	1 x RS232 input 1 x RJ45 (TCP-IP Command Set, Crestron Roomview Express Certified, Extron driver support)

## Design features

Port for Security Cable Lock	Yes for PC box holder to house OptiPlex MFF
Speakers	Integrated Speaker (10W x 2)
VESA Mount Point (Wall/Stand)	400 x 300 mm

## Power

AC input voltage/frequency/current	100-240 VAC / 50 or 60 Hz ± 3 Hz / 5.5 A (maximum)
Energy Efficiency Class (A to G scale)	F
Power Consumption	0.3 W (Off Mode) <sup>5</sup> 0.5 W (Standby Mode) <sup>5</sup> 85 W (On Mode) <sup>5</sup> 300 W (Maximum) <sup>6</sup>
Duty Cycle	12/7 (typical)



## Dimensions

Height	769.78 mm (30.31 in.)
Width	1298.98 mm (51.14 in.)
Depth	78.7 mm (3.10 in.)

## Weight

Weight (Panel only)	34.5 kgs (76.06 lb)
Weight (with Packaging)	41.7 kgs (91.93 lb)

## Standard Service Plan

3 Years Advanced Exchange Service<sup>2</sup> & Limited Hardware Warranty<sup>3</sup>

## Optional Service Plan

Dell ProSupport<sup>4</sup>

## Environmental Compliance

ENERGY STAR® certified monitor, EPEAT® registered<sup>7</sup>, UL certified, China Energy Label (CEL), WEEE, ErP (EuP) Standards, Mercury-free for the panel only

## What's in the box?

### Components

- Monitor
- 1 x Remote Control
- 1 x Remote holder
- 2 x Passive stylus
- 2 x Passive stylus nib
- 3 x wire saddle
- 3 x camera wire saddle
- 1 x OptiPlex MFF PC box holder
- 2 x AAA Batteries

### Cables


- Power cord (varies by country)
- Power cable for connecting an optional OptiPlex system to the display (1m)
- USB 3.1 upstream cable (3m)
- DP cable (DP to DP) (3m)
- HDMI cable (3m)
- USB Type-C cable (1.8m)

### Documentation

- FlatFrog Board software download instruction
- Safety, Environmental and Regulatory Information
- Quick Setup Guide

# Connectivity and Accessories

DELL 55 4K INTERACTIVE TOUCH MONITOR | C5522QT



## RECOMMENDED ACCESSORIES



### OPTIPLEX 7080 MICRO

Dell OptiPlex Micro enables an all-in-one like experience when combined with conferencing software. It allows video conferencing, whiteboarding, presentations and other applications to be run directly on the monitor or a very easy-to-use meeting experience.



### LOGITECH MEETUP CONFERENCE CAMERA

A 120° field of view and integrated audio makes this all-in-one conference camera perfect for small conference rooms or huddle spaces.



### CHIEF LARGE FUSION LSA1U FIXED WALL DISPLAY MOUNT

This robust mount with quick installation features secures heavy displays to protect user investments. Plumb adjustment helps vertically align the display.

\* Dell monitors are #1 Worldwide for 7 consecutive years (2013, Q2 to 2020, Q3)! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3, 2020.

\*\* Based on Dell internal analysis, November 2018. Available on select monitors only.

1 Two passive styluses included. Functionality depends on the software used.

2 Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See [dell.com/servicecontracts/global](http://dell.com/servicecontracts/global).

3 For a copy of the Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see [Dell.com/warranty](http://Dell.com/warranty).

4 Availability varies, please visit [www.dell.com/support](http://www.dell.com/support) for details.

5 As defined in EU 2019/2021 and EU 2019/2013.

6 Maximum brightness and contrast setting with maximum power loading on all USB ports.

7 EPEAT registered where applicable. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country.

8 The audio line-out port does not support headphones

[Dell.com/largeformatmonitors](http://Dell.com/largeformatmonitors)

Product availability varies by country. Please contact your Dell representative for more information.

© 2021 Dell Inc. All rights reserved.

Trademarks or trade names may be used in this document to refer to either the entities claiming the marks and names of their products. Other trademarks may be trademarks of their respective owners. USB Type-C<sup>®</sup> and USB-C<sup>®</sup> are registered trademarks of USB Implementers Forum.

