

Classic Battery Cabinet, IEC, 1000mm wide, Config A2, Galaxy VS/VL and Easy UPS 3-Phase Modular

GVSCBC10A2

Overview

Presentation	Battery cabinet that includes batteries and battery breaker.
Lead time	

Main

Product or component type	Battery cabinet
Range compatibility	Galaxy VS
Battery type	VRLA
Range of product	Galaxy VS

Batteries & Runtime

Number of battery free slots	48
Number of battery filled slots	0
Device mounting	Enclosed battery cabinet

Physical

Colour	White
Height	190 cm
Width	101 cm
Depth	84.5 cm
Net weight	1260 kg
Surface finish	Gloss level 85%

Environmental

Ambient air temperature for operation	040 °C
Relative humidity	095 % non-condensing
Ambient air temperature for storage	-1540 °C
Storage Relative Humidity	1080 % non-condensing

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	190 cm

Package 1 Width	84.5 cm	
Package 1 Length	101 cm	
Package 1 Weight	1260 kg	

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure

Product Environmental Profile

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	7547f066-9302-46d9-96e9-461928dd6901
REACh Regulation	REACh Declaration
[™] Energy efficiency	
Energy Efficiency Optimized	Energy efficient product

Use Again

○ Repack and remanufacture	
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Product datasheet

GVSCBC10A2

Image of product / Alternate images

Alternative





GVSCBC10A2

