



Item No. 62793

Delock External USB 3.1 Gen 1 Hub USB Type- $C^{TM} > 4 \times USB$ Type- $A + 1 \times USB$ Type- C^{TM} PD

Description

The USB hub by Delock is the mobile companion for laptops or tablets with USB Type-CTM connection. Up to 4 USB Type-A devices can be connected to the hub. The hub has a USB Type-CTM Power Delivery port to connect the laptop or tablet to charge it. In addition it also supplies the USB Type-A females with power.



Note

The hub can also be used without a power supply. Due to the low power supply, it can't be guaranteed that all four ports can operate simultaneously.

Specification

- · Connector:
- 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male >
- 3 x SuperSpeed USB (USB 3.1 Gen 1) Type-A female
- 1 x SuperSpeed USB (USB 3.1 Gen 1) Typ-A female Battery Charging specification BC1.2
- 1 x USB Type-CTM Power Delivery female (optional for power supply)
- Chipset: VIA VL813
- Data transfer rate up to:

SuperSpeed USB 5 Gbps,

Hi-Speed 480 Mbps,

Full-Speed 12 Mbps,

Low-Speed 1.5 Mbps

- USB cable directly on the hub (length ca. 7 cm)
- Dimensions (LxWxH): ca. 92 x 39 x 12 mm
- Plug & Play

System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Windows 10 Mobile, Linux ex Kernel 3.17.x / Kernel 4.x.x, Mac OS 10.11.4, Android 6.0.1
- Laptop or tablet with a USB Type-C™ or Thunderbolt™ 3 port

Package content

- Hub USB
- User manual

Additional Information

EAN: 4043619627936

Country of origin: China

Package: Retail Box







Images







function: Plug & Play Specification: USB 3.0 Supported operating system: Mac 10.11.4 Android 6.0.1 Linux ex Kernel 3.17 Linux ex Kernel 4.x.x Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit
Supported operating system: Mac 10.11.4 Android 6.0.1 Linux ex Kernel 3.17 Linux ex Kernel 4.x.x Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 10 32-bit Windows 10 64-bit Windows 10 64-bit
Android 6.0.1 Linux ex Kernel 3.17 Linux ex Kernel 4.x.x Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit
Linux ex Kernel 3.17 Linux ex Kernel 4.x.x Windows 7 32-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit
Linux ex Kernel 4.x.x Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit
Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit
Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit
Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit
Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit
Windows 10 32-bit Windows 10 64-bit
Windows 10 64-bit
Windows 10 Mobile
Interface
connector 1: 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male
connector 2: 4 x SuperSpeed USB (USB 3.1 Gen 1) Type-A female
connector 3: 1 x USB Type-C TM Power Delivery female
Technical characteristics
Chipset: VIA VL813
Data transfer rate: 5 Gbps
Physical characteristics
Length: 92 mm
Width: 39 mm
Height: 12 mm
Colour: black