



Models may vary from the image shown

Easily-to-clean watertight corded keyboard

CHERRY KC 1068 meets the requirements of IP 68 protection class and is protected against dust, dirt and liquids. It provides CHERRY quality in design, reliability and function for all hygiene-critical areas.

Key Benefits

- IP 68 tested - protected against dust, dirt and liquids (up to a depth of 1 m)
- Standard keyboard in heat-sealed protective case
- Resistant to water, detergent, isopropyl alcohol and diesel
- Info: Keyboard can be disinfected
- Up to 10 million keystrokes
- Ultra flat for optimal comfort - a marked improvement in typing comfort compared to traditional IP 68 keyboards
- Whisper keystroke technology - creates less typing noise,
- e.g. with many busy typists
- Tactile key response
- Easy to install with Plug & Play using the USB connection

Technical Data

Layout (country or language):

Product dependant, see table „Models"

Housing Color:

Product dependant, see table „Models "

Weight (Product):

ca. 574 g

Total weight (with packaging):

ca. 746 g

Storage temperature:

-20 °C to 50 °C max. 85 % humidity

Operating temperature:

0 °C to 50 °C max. 85 % humidity

Current consumption:

max. 50 mA

Connection:

USB

Cable length:

Ca. 1,80 m

Product approvals:

- CE
- C-tick
- cULus
- FCC
- BSMI
- TÜV-Süd / GS
- China RoHS
- UKCA
- Windows Hardware Compatibility

System requirements:

USB-connection

Windows 11, 10, 8 or 7

Delivery volume:

Keyboard

Operating manual

Dimensions of product:

Keyboard: 460 x 172 x 23 mm

Dimension of packaging:

ca. 475 x 220 x 28 mm

Keyboard:

- Key technology: LPK
- Protection class: IP 68
- Service life, standard key: > 10 million key operations
- Number of keys: product dependant, see table
- Number of additional keys: 4

Packing unit:

Number of products in master package: 6

Number of master packages per pallet: 32

Cleaning the protective film

You can disinfect the protective film with conventional disinfectants as specified by the manufacturer. The resistance of the protective film was tested with the following disinfectants and a 5-minute exposure time:

- Isopropyl alcohol
70 %
- Dentavon liquid
- Incidin liquid
- Kohrsolin FF
- Sterillium
- Desomed Rapid
AF
- Dismozon

Use disinfectant according to the instructions and do not leave isopropyl alcohol 70% or dentavon liquid to act for too long. The deformations do not damage the structure or the disinfectability of the protective film and regress after a few hours.

Warranty:

3-year limited manufacturer's guarantee

For the first two years after delivery, the statutory warranty applies. In the third year after delivery, CHERRY voluntarily grants an additional warranty according to the following conditions ("extended warranty"). In the event of a defect, please contact the seller of your CHERRY product. Do not carry out any repairs on your own and do not open the product. There is no warranty if unauthorized changes to the product cause a defect.

Conditions for the extended warranty:

In the case of a defect after the first 2 years after delivery of the CHERRY product, CHERRY grants its customers for the additional period of one year the right to assert claims for cure, i.e. demand that the defect is remedied or a thing free of defects is supplied. The extended warranty is to be asserted against the seller of the CHERRY product upon presentation of the original invoice, proof of purchase or a comparable proof of the time of purchase.

CHERRY, and the seller of the CHERRY product, where applicable, shall remedy the defect in the event the customer has justified claims for cure under the terms of the extended warranty.

Excluded from the extended warranty are damages caused by improper use, in particular by the effects of chemical substances, other damages caused by external influences, as well as normal wear and tear and optical changes, in particular discoloration or abrasion of shiny areas. Also excluded from the extended warranty are accessories and other parts which are not an integral part of the purchased item.

Errors, technical changes and delivery possibilities excepted.
Technical information refers only to the specifications of the products. Features may differ from the information provided.

Models

(possible country/layout versions, others available on request)

	Product name	Order number	EAN Code	Layout (Country or language)	Housing color	Number of keys
1	CHERRY KC 1068	JK-IP1068BE-0	4025112108693	Belgium	pale-grey	105+4
2	CHERRY KC 1068	JK-IP1068BE-2	4025112108709	Belgium	black	105+4
3	CHERRY KC 1068	JK-IP1068CH-0	4025112108716	Switzerland	pale-grey	105+4
4	CHERRY KC 1068	JK-IP1068CH-2	4025112108723	Switzerland	black	105+4
5	CHERRY KC 1068	JK-IP1068DE-0	4025112108747	Germany	pale-grey	105+4
6	CHERRY KC 1068	JK-IP1068DE-2	4025112108754	Germany	black	105+4
7	CHERRY KC 1068	JK-IP1068ES-0	4025112108761	Spain	pale-grey	105+4
8	CHERRY KC 1068	JK-IP1068ES-2	4025112108778	Spain	black	105+4
9	CHERRY KC 1068	JK-IP1068EU-0	4025112108785	US-english with EURO Symbol	pale-grey	104+4
10	CHERRY KC 1068	JK-IP1068EU-2	4025112108792	US-english with EURO Symbol	black	104+4
11	CHERRY KC 1068	JK-IP1068FR-0	4025112108808	France	pale-grey	105+4
12	CHERRY KC 1068	JK-IP1068FR-2	4025112108815	France	black	105+4
13	CHERRY KC 1068	JK-IP1068GB-0	4025112108822	UK	pale-grey	105+4
14	CHERRY KC 1068	JK-IP1068GB-2	4025112108839	UK	black	105+4
15	CHERRY KC 1068	JK-IP1068IT-0	4025112108853	Italy	pale-grey	105+4
16	CHERRY KC 1068	JK-IP1068IT-2	4025112108846	Italy	black	105+4
17	CHERRY KC 1068	JK-IP1068PN-0	4025112108860	Pan Nordic	pale-grey	105+4
18	CHERRY KC 1068	JK-IP1068PN-2	4025112108877	Pan Nordic	black	105+4
19	CHERRY KC 1068	JK-IP1068CS-2	4025112108730	Czech Republik	black	105+4

Please contact your local CHERRY service and support teams or your CHERRY sales partners for versions available in your country.