## Rittal – The System.

Faster – better – everywhere.

■ Baying connector for VX IT, TS IT – VX 5301.312

Date: Jun 24, 202



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

## Baying connector for VX IT, TS IT - VX 5301.312

created: 24.06.2021 on www.rittal.com/com-en



**Description:** For baying enclosures in the VX IT series to VX/TS/TS IT.

Material: Sheet steel

Surface finish: zinc-plated

**Supply includes:** 4 baying connectors, external

2 baying connectors, internal

Baying seal, 8 m Assembly parts

**Note:** The maximum achievable IP protection category to IEC 60 529 is IP 54.

To achieve protection category IP 54, the item "baying cover, top for VX, TS" should

additionally be used, and a sealing strip applied.

## **Product description**

**To fit:** Enclosure type: TS

Enclosure type: TS IT Enclosure type: VX Enclosure type: VXIT

Packs of: 6 pc(s).

Weight/pack: 1.16 kg

Copper weight (kg per piece):

0

**EAN**: 4028177950818

© Rittal 2021

Customs tariff number:	76169990
ETIM 7.0:	EC002622
ETIM 6.0:	EC002622
e Cl@ss 8.0/8.1:	27189263
eCl@ss 6.0/6.1:	27189234
Product description:	Baying connector, for VX, VX IT/TS, TS IT, 4 baying connectors, external, 2 baying connectors, internal, baying seal, 8 m

© Rittal 2021 2