

# Product datasheet

Specifications



## Easy Rack PDU, Basic, Vertical, 1 Phase, 3.7kW, 230V, 16A, 20 x C13 and 4 x C19 outlets, IEC60309 PLUG

SEP6117G

### Main

|                           |                     |
|---------------------------|---------------------|
| Colour                    | Black               |
| Product or component type | PDU                 |
| PDU type                  | Basic               |
| Number of cables          | 1                   |
| Provided equipment        | Installation manual |

### Complementary

|                          |                  |
|--------------------------|------------------|
| Height                   | 56 mm            |
| Width                    | 56 mm            |
| Output Voltage           | 230 V            |
| Depth                    | 900 mm           |
| Product weight           | 1.9 kg           |
| Mounting location        | Side             |
| Mounting preference      | No preference    |
| Mounting mode            | Rack-mounted     |
| Rack units               | 0U               |
| Mounting position        | Vertical         |
| Network frequency        | 50/60 Hz         |
| Outlet type and quantity | 24 IEC 60320 C13 |

### Environment

|                        |              |
|------------------------|--------------|
| Product certifications | CE           |
| Operating altitude     | 0...10000 ft |

### Packing Units

|                              |            |
|------------------------------|------------|
| Unit Type of Package 1       | PCE        |
| Number of Units in Package 1 | 1          |
| Package 1 Height             | 12.600 cm  |
| Package 1 Width              | 17.000 cm  |
| Package 1 Length             | 106.000 cm |
| Package 1 Weight             | 2.744 kg   |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                                               |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                       | 716 kg CO2 eq.                                |
| Carbon footprint of the manufacturing phase [A1 to A3] | 27 kg CO2 eq.                                 |
| Carbon footprint of the distribution phase [A4]        | 15 kg CO2 eq.                                 |
| Carbon footprint of the installation phase [A5]        | 0.1 kg CO2 eq.                                |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 669 kg CO2 eq.                                |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 5 kg CO2 eq.                                  |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |

## Use Better



### Materials and Substances

|                                        |                                                                                        |
|----------------------------------------|----------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | Yes                                                                                    |
| Packaging without single use plastic   | Yes                                                                                    |
| EU RoHS Directive                      | <a href="#">Compliant By Exemption</a>                                                 |
| REACH Regulation                       | <a href="#">Reference contains Substances of Very High Concern above the threshold</a> |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                                 |                                         |
|---------------------------------|-----------------------------------------|
| Recyclability potential, in %   | 52                                      |
| End of life manual availability | <a href="#">End of Life Information</a> |

Image of product / Alternate images

Alternative

---



