

PIXMA TS6250

A COMPACT, CONNECTED AND FAMILY- FRIENDLY ALL-IN-ONE PRINTER


Work smart with this compact All-in-One printer. Ideal for the home, enjoy wireless scanning and printing via smart devices and the cloud* with the Canon PRINT app. With 5 individual inks, auto 2-sided printing and borderless printing for sizes from 3.5x3.5 inches to A4, expect fast, premium results.



- Print, copy, scan and connect to the cloud* via the Canon PRINT app
- Enjoy cost savings with Canon XL and XXL inks**
- Customise and create with Canon media and apps
- 7.5cm (3-inch) touchscreen for intuitive use
- Superb colour photos and crisp documents

*Scan to cloud and scan to email only available for users of genuine Canon ink

**Subject to availability in your region



PRODUCT RANGE



PIXMA TS6250 Series

PIXMA TS6250 Series
PIXMA TS9550 Series
PIXMA TS8250 Series



PIXMA TS9550 Series



PIXMA TS8250 Series



Live for the story_

*Scan to cloud and scan to email only available for users of genuine Canon ink

TECHNICAL SPECIFICATIONS

PIXMA TS6250

GENERAL SPECIFICATIONS

Model Numbers
Functions
 PIXMA TS6250 (BLACK)
 Wireless, Print, Copy, Scan, Cloud Link

PRINTER SPECIFICATIONS

Print Resolution
Print Technology
Mono Print Speed
Colour Print Speed
Photo Print Speed
Borderless Printing
Two Sided Printing
 Up to 4800^[1] x 1200 dpi
 5 Individual Ink Tanks (PGBK, BK, C, M, Y)
 ChromaLife100 inks
 Approx. 15.0 ipm^[2]
 Approx. 10.0 ipm^[2]
 Borderless 10x15cm : Approx. 21 seconds^[3]
 Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm, 10x10cm)
 Auto Duplex Print (A4, A5, B5, Letter - plain paper)

CARTRIDGES AND YIELDS

Standard Ink Cartridges
Optional XL Ink Cartridges
Optional XXL Ink Cartridges
Cartridge Yield (Plain paper)
Cartridge Yield (Photo print)
 5 individual ink tanks
 PGI-580PGBK (Pigment Black)
 CLI-581BK (Black)
 CLI-581C (Cyan)
 CLI-581M (Magenta)
 CLI-581Y (Yellow)
 High yield XL ink tanks
 PGI-580PGBK XL (Pigment Black)
 CLI-581BK XL (Black)
 CLI-581C XL (Cyan)
 CLI-581M XL (Magenta)
 CLI-581Y XL (Yellow)
 High yield XXL ink tanks
 PGI-580PGBK XXL (Pigment Black)
 CLI-581BK XXL (Black)
 CLI-581C XXL (Cyan)
 CLI-581M XXL (Magenta)
 CLI-581Y XXL (Yellow)
 A4 Colour Document^[4]
 Pigment Black: 200 pages
 Pigment Black XL: 400 pages
 Pigment Black XXL: 600 pages
 Black: 1505* pages
 Black XL: 3120* pages
 Black XXL: 6360* pages
 Cyan: 256 pages
 Cyan XL: 515 pages
 Cyan XXL: 820 pages
 Magenta: 237 pages
 Magenta XL: 474 pages
 Magenta XXL: 760 pages
 Yellow: 257 pages
 Yellow XL: 514 pages
 Yellow XXL: 824 pages
 * Estimated supplemental yield
 10x15cm photo^[5]
 Pigment Black: 1448* photos
 Pigment Black XL: 3373* photos
 Pigment Black XXL: 5500* photos
 Black: 231* photos
 Black XL: 520* photos
 Black XXL: 858* photos
 Cyan: 83 photos
 Cyan XL: 170 photos
 Cyan XXL: 282 photos
 Magenta: 108 photos
 Magenta XL: 225 photos
 Magenta XXL: 367 photos
 Yellow: 99 photos
 Yellow XL: 199 photos
 Yellow XXL: 322 photos
 * Estimated supplemental yield

PAPER SUPPORT

Paper Types
Maximum Paper Input
Paper Sizes
Paper Weight
 Plain Paper
 Canon High Resolution Paper (HR-101N)
 Canon Pro Platinum (PT-101)
 Canon Plus Glossy II (PP-201)
 Canon Pro Luster (LU-101)
 Canon Plus Semi-gloss (SG-201)
 Canon "Everyday Use" (GP-501)
 Canon Matte (MP-101)
 Envelopes
 Removable Photo Stickers(RP-101)
 Magnetic Photo Paper(MG-101)
 Rear Tray: Max. 20 sheets (photo paper) or Max. 100 sheets (plain paper)
 Front Cassette: Max. 100 sheets (plain paper)
 Rear Tray:
 A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/13x13cm/8.9x8.9cm/10x10cm, Envelopes(DL,COM10)
 [Custom size] width 55mm - 215.9 mm, length 89mm - 676mm
 Front Cassette: A4, A5, B5, LTR
 [Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm
 Rear Tray: Plain paper 64 - 105 g/m², Canon photo paper up to 300 g/m²
 Front Cassette: Plain Paper: 64-105 g/m²

SCANNER SPECIFICATIONS

Scanner Type
Scanner Resolution (Optical)
Scanning Depth (Input / Output)
Maximum Document Size
 CIS flatbed photo and document scanner
 1200 x 2400 dpi^[6]
 Colour: RGB each 16bit/8bit
 Greyscale: 16 bit / 8 bit
 216 x 297 mm

COPIER SPECIFICATIONS

Copy Speed
Multiple Copy
Copy Functions
Copy Zoom
 sFCOT: Approx. 19sec^[8]
 sESAT: Approx. 6.5ipm^[8]
 max. 99 pages
 Document Copying, Photo Copying, Borderless copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy, ID copy
 25 - 400% (in 1% increments)
 Fit to page
 A5 to A4, B5 to A4, A4 to A5 and A4 to B5

INTERFACE

Display Type & Size
Display Languages
Interface Type - PC / Mac
Interface Type - Other
 7.5cm LCD (TFT colour/Touch)
 33 Languages Selectable: Japanese/English (mm & inch)/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/Croatian/Vietnamese
 Hi-Speed USB (B Port)
 Wi-Fi: IEEE802.11 b/g/n
 Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password
 Wireless LAN Frequency Band: 2.4GHz
 Bluetooth
 Message In Print app
 PIXMA Cloud Link
 Canon PRINT Inkjet/SELPHY app
 Canon Print Service Plugin (Android)
 Google Cloud Print
 Apple AirPrint
 Wireless Direct
 Access Point Mode
 WLAN PictBridge
 Mopria (Android)



TECHNICAL SPECIFICATIONS

PIXMA TS6250

SOFTWARE

Supported Operating Systems

Windows 10, Windows 8.1, Windows 7 SP1
Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.
.NET Framework 4.5.2 or 4.6 is required
OS X 10.10.5~OS X 10.11, macOS 10.12~macOS 10.13

Supported Mobile Systems

iOS, Android, Windows 10 Mobile

Minimum System Requirements

Windows: 3.1GB disk space, Internet Explorer 8
Mac: Internet connection, 1.5GB disk space, Safari 5
Display: 1024 x 768 XGA

Software Included

MP Driver including Scanning Utility
Easy-WebPrint EX (download)^[9]

PHYSICAL FEATURES

Weight

approx. 6.2kg

Dimensions (W x D x H)

approx. 372 x 315 x 139 mm

Acoustic Noise Levels

approx. 49dB(A)^[10]

Recommended Operating Environment

Temperature: 15-30°C
Humidity: 10-80%RH (no dew condensation)

Power Source

AC 100-240V, 50/60Hz

Power Consumption

Off: Approx. 0.2W
Standby (connected to PC via USB): Approx. 0.8W (scanning lamp off)
Standby (all ports connected): Approx. 1.7W (scanning lamp is off)
Time to enter Standby mode: 10min 56sec
Copying: Approx. 14W^[11]

Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
[2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
[3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
[4] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
[5] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.
[6] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
[7] Colour document scan speed is measured with ISO/IEC 29183 Target A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
[8] Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard.
[9] Easy-WebPrint EX requires Internet Explorer 8 or later
[10] When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.
[11] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
[12] Some colours may not be available in your region.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



A COMPACT, CONNECTED AND FAMILY-FRIENDLY ALL-IN-ONE PRINTER

PIXMA TS6250

Work smart with this compact All-in-One printer. Ideal for the home, enjoy wireless scanning and printing via smart devices and the cloud* with the Canon PRINT app. With 5 individual inks, auto 2-sided printing and borderless printing for sizes from 3.5x3.5 inches to A4, expect fast, premium results.



Sales Start Date: Sep 2018

PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA TS6250 BK EUR	2986C006AA	4549292116076	<Please fill in RRP>

CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
Standard size			
PGI-580 PGBK	2078C001AA	4549292087062	<Please fill in RRP>
CLI-581 BK	2106C001AA	4549292087079	<Please fill in RRP>
CLI-581 C	2103C001AA	4549292087086	<Please fill in RRP>
CLI-581 M	2104C001AA	4549292087093	<Please fill in RRP>
CLI-581 Y	2105C001AA	4549292087116	<Please fill in RRP>
XL size			
PGI-580XL PGBK	2024C001AA	4549292086980	<Please fill in RRP>
CLI-581XL BK	2052C001AA	4549292086997	<Please fill in RRP>
CLI-581XL C	2049C001AA	4549292087017	<Please fill in RRP>
CLI-581XL M	2050C001AA	4549292087024	<Please fill in RRP>
CLI-581XL Y	2051C001AA	4549292087031	<Please fill in RRP>
XXL size			
PGI-580XXL PGBK	1970C001AA	4549292086836	<Please fill in RRP>
CLI-581XXL BK	1998C001AA	4549292086874	<Please fill in RRP>
CLI-581XXL C	1995C001AA	4549292086898	<Please fill in RRP>
CLI-581XXL M	1996C001AA	4549292086928	<Please fill in RRP>
CLI-581XXL Y	1997C001AA	4549292086959	<Please fill in RRP>



Live for the story_

*Scan to cloud and scan to email only available for users of genuine Canon ink

A COMPACT, CONNECTED AND FAMILY-FRIENDLY ALL-IN-ONE PRINTER

PIXMA TS6250

Work smart with this compact All-in-One printer. Ideal for the home, enjoy wireless scanning and printing via smart devices and the cloud* with the Canon PRINT app. With 5 individual inks, auto 2-sided printing and borderless printing for sizes from 3.5x3.5 inches to A4, expect fast, premium results.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS6250 BK EUR	2986C006AA	Individual	1	446	212	457.9	8.1	6.2
		Pallet (Upper)	20	1,070	897	920.3	161.9	160.6
		Pallet (Bottom)	30	1,070	897	1378.2	242.6	240.9

What's in the box?

- All-In-One printer - PIXMA TS6250 Series
- Set-up ink tanks
- Power cord
- Set-up CD-ROM
- Manuals and other documents

Canon

Live for the story_

*Scan to cloud and scan to email only available for users of genuine Canon ink