PIXMA TS705a

COMPACT AND PRODUCTIVE WI-FI PRINTER FOR THE HOME OR OFFICE

Big in features but small in size, Canon's smallest-ever 5-ink single function printer has a 350-sheet plain paper capacity to deliver smart documents and photos with seamless connectivity - and all for an affordable price.







- · Seamless wireless connectivity with Ethernet compatibility
- Large 350-sheet plain paper capacity for high-volume printing
- 5 single inks with optional XL or XXL cartridges
- Remote monitoring of ink and usage via Management Information Base (MIB)
- Creative apps and media for limitless personalisation













PRODUCT RANGE



PIXMA TS705a





PIXMA iP110



PIXMA iX6850



TECHNICAL SPECIFICATIONS

PIXMA TS705a

GENERAL SPECIFICATIONS

Functions

PRINTER SPECIFICATIONS Print Resolution

Print Technology

Mono Print Speed Colour Print Speed

First Page Out Time (approx.) Photo Print Speed

Borderless Printing Two Sided Printing Direct Disc Printing

CARTRIDGES AND YIELDS Standard Ink Cartridges

Optional XL Ink Cartridaes

Optional XXL Ink Cartridaes

Cartridge Yield (Plain paper)

Cartridge Yield (Photo print)

Up to 4800 ^[1] x 1200 dpi

5 Individual Ink Tanks (PGBK, BK, C, M, Y) ChromaLife 100 inks

Approx. 15.0 ipm [2] Approx. 10.0 ipm [2] Mono: 8 sec (ready) [2] Colour: 10 sec (ready)

Borderless 10x15cm : Approx. 21 seconds [3] Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm, 10x10cm)

Auto Duplex Print (A4, A5, B5, Letter - Plain Paper)

5 individual ink tanks PGI-580PGBK (Pigment Black) CLI-581BK (Black)

CLI-581C (Cyan) CLI-581M (Magenta) CLI-581Y (Yellow)

High yield XL ink tanks

PGI-580PGBK XL (Pigment Black) CLI-581 BK XL (Black) CLI-581 C XL (Cyan) CLI-581 M XL (Magenta) CLI-581Y XL (Yellow)

High yield XXL ink tanks PGI-580PGBK XXL (Pigment Black) CLI-581BK XXL (Black)

CLI-581C XXL (Cyan) CLI-581M XXL (Magenta) CLI-581Y XXL (Yellow) A4 Colour Document [4] Pigment Black: 200 pages Pigment Black XL: 400 pages Piament Black XXL: 600 pages

Black XL: 3998* pages Black XXL: 8162* pages Cyan: 257 pages Cyan XL: 515 pages Cyan XXL: 822 pages Cyan XXL: 822 pages Magenta: 236 pages Magenta XL: 474 pages Magenta XXL: 766 pages Yellow: 257 pages Yellow XL: 512 pages Yellow XXL: 813 pages
* Estimated supplemental yield

10x15cm photo [5] Pigment Black: 1518* photos Pigment Black XL: 4310* photos

Piament Black XXL: 7060* photos Black: 240* photos
Black XL: 538* photos Black XXL: 892* photos Cyan: 85 photos Cyan XL: 173 photos Cyan XXL: 288 photos Cyan XXI: 288 photos
Magenta: 111 photos
Magenta XI: 231 photos
Magenta XXI: 379 photos
Yellow: 101 photos Yellow XL: 203 photos Yellow XXL: 328 photos
* Estimated supplemental v

PAPER SUPPORT Paper Types

Maximum Paper Input

Paper Sizes

Paper Weight

Canon High Resolution Paper (HR-101N) Canon Pro Platinum (PT-101) Canon Plus Glossy II (PP-201)

Canon Pro Luster (LU-101) Canon Plus Semi-gloss (SG-201) Canon "Everyday Use" (GP-501) Canon Matte (MP-101)
Envelopes
Other Fine Art Papers

Printable Discs Removable Photo Stickers (RP-101)

Magnetic Photo Paper (MG-101) Rear Tray: Max. 20 sheets (photo paper) or Max. 100

cassette: Max. 250 sheets (plain paper)
Cassette: Max. 250 sheets (plain paper)
Multi-purpose Tray: Printable Nail Stickers (NL-101)/1

printable CD, DVD or Blu-Ray Disc

Rear Tray: A4, A5, B5, LTR, LGL, 4"x6", 5"x7", 7"x10",

8"x10", Envelopes(DL, COM10), Square (5" x 5",

4"x4",89x89mm), Card Size(91 x 55mm) [Custom size] width 55mm - 215.9 mm, length 89mm -676mm

Cassette: A4, A5, B5, LTR [Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm

Rear Tray: Plain paper: 64 - 105 g/m² Canon photo paper: up to 300 g/m²

Cassette: Plain paper: 64 - 105 g/m²

INTERFACE Display Type & Size Display Languages

Interface Type - PC / Mac

Interface Type - Other

Full dot LCD display

32 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/Portug uese/Norwegian/Swedish/Danish/Finnish/Russian/ Czech/Hungarian/Polish/Slovene/Turkish/Greek/ Simplified Chinese/Traditional Chinese / Korean/ Indonesian/Slovakian/Estonian/Latvian/Lithuanian/ Ukrainian/Romanian/Bulgarian/Croatian/ Vietnamese

Hi-Speed USB (B Port)

Hi-Speed USB (B Port) Ethernet: 10/100Mbps (auto switchable) Wi-Fi: IEEE802.11 b/g/n/a Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password Wireless LAN Frequency Band: 2.4GHz

Canon PRINT Inkjet/SELPHY app Easy-PhotoPrint Editor Nail Sticker Creator app PIXMA Cloud Link

Canon Print Service Plugin (Android)

Google Cloud Print Apple AirPrint Wireless Direct Access Point Mode LAN/WLAN PictBridge Mopria (Android)



TECHNICAL SPECIFICATIONS

PIXMA TS705a

SOFTWARE

Supported Operating Systems

Windows 10, Windows 8.1, Windows 7 SP1

Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.

Printer driver and IJ Network Device Setup Utility are available with following OS.

Windows Server 2008 R2 SP1, Windows Server 2012 R2, Windows Server 2016

OS X 10.10.5~OS X 10.11, macOS 10.12~macOS 10.14 iOS, Android, Windows 10 Mobile Supported Mobile Systems

Windows: 2.0GB or more

Mac: 1.0GB or more

Mac: 1.0GB or more
Note: for bundled software installation. The
necessary amount of hard disk space required.
Display: 1024 x 768 XGA

Printer Driver LI Printer Assistant Tool

approx. 5.4 kg

Easy-PhotoPrint Editor (download)

PHYSICAL FEATURES

Minimum System

Software Included

Requirements

Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity Power Source

Power Consumption

Typical Electricity Consumption

10-90%RH (no dew condensation) AC 100-240V, 50/60Hz

Approx. 372 x 365 x 158 mm

Off: Approx. 0.3W

approx. 50.5dB(A) [7]

Standby (USB connection to PC): Approx. 0.9W Standby (all ports connected): Approx. 1.6W Time to enter Standby mode: 10 minute 57sec Printing: Approx. 23W [9] 0.2 kWh [8]

Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- 28 A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- 131 Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- 14) Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- [5] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 chart and continuous printing simulation with the replacement after initial setup.
- [7] Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.
- [8] Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.
- 191 Print:When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

Standard disclaimers

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield

All brand and product names are trademarks of their respective companies. Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

> canon-europe.com Canon Europa NV 2022

Canon Inc. canon.com Canon Europe

English edition



COMPACT AND CONNECTED PRINTER FOR THE HOME OR OFFICE

PIXMA TS705a

Big in features but small in size, Canon's smallest-ever 5-ink single function printer has a 350-sheet plain paper capacity to deliver smart documents and photos with seamless connectivity - and all for an affordable price.

Sales Start Date: TBC



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price	
PIXMA TS705a EUR	3109C026AA	4549292198423	<please fill="" in="" rrp=""></please>	

CONSUMABLES:

Product Name	Mercury Code	Mercury Code EAN Code			
Standard size					
PGI-580 PGBK	2078C001AA	4549292087062	<please fill="" in="" rrp=""></please>		
CLI-581 BK	2106C001AA	4549292087079	<please fill="" in="" rrp=""></please>		
CLI-581 C	2103C001AA	4549292087086	<please fill="" in="" rrp=""></please>		
CLI-581 M	2104C001AA	2104C001AA 4549292087093 <			
CLI-581 Y	2105C001AA	2105C001AA 4549292087116			
XL size					
PGI-580XL PGBK	2024C001AA	4549292086980	<please fill="" in="" rrp=""></please>		
CLI-581XL BK	2052C001AA	2052C001AA 4549292086997 <please< td=""></please<>			
CLI-581XL C	2049C001AA	4549292087017	<please fill="" in="" rrp=""></please>		
CLI-581XL M	2050C001AA	4549292087024	<please fill="" in="" rrp=""></please>		
CLI-581XL Y	2051C001AA	4549292087031	<please fill="" in="" rrp=""></please>		
XXL size					
PGI-580XXL PGBK	1970C001AA	1970C001AA 4549292086836 <piec< td=""></piec<>			
CLI-581XXL BK	1998C001AA	1998C001AA 4549292086874 <please fill="" in<="" td=""></please>			
CLI-581XXL C	1995C001AA	4549292086898	<please fill="" in="" rrp=""></please>		
CLI-581XXL M	1996C001AA	4549292086928	<please fill="" in="" rrp=""></please>		
CLI-581XXL Y	1997C001AA	4549292086959	<please fill="" in="" rrp=""></please>		



COMPACT AND CONNECTED PRINTER FOR THE HOME OR OFFICE

PIXMA TS705a

Big in features but small in size, Canon's smallest-ever 5-ink single function printer has a 350-sheet plain paper capacity to deliver smart documents and photos with seamless connectivity - and all for an affordable price.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS705a EUR	3109C026AA	EA	Individual	1	462	224	470	7.4	5.2
			Pallet (Upper)	20	1,137	938.5	943.5	153.3	140.5
			Pallet (Bottom)	30	1,137	938.5	1,413	160.7	146.9

What's in the box?

- Canon PIXMA TS705a
- Set-up ink tanks
- · Power cord
- Set-up CD-ROM
- Manuals and other documents



