



Part No	90NX08E1-M009Y0
Sales Model Name	P3405CVA-LY0267X
EAN Code	4711636026925
UPC Code	199291026926
WEEE	
BASE UNIT	VSNX08E1-BU111B
Operating System	Windows 11 Pro
Office	1-month trial for new Microsoft 365 customers. Credit card required.
LCD cover-material	Aluminum
LCD cover-color	Misty Grey
Top case-material	Aluminum
Top case-color	Misty Grey
Bottom case-material	Aluminum
Bottom case-color	Misty Grey
Military grade	US MIL-STD 810H military-grade standard
Panel Size	14.0-inch
Backlit	LED Backlit
Brightness	300nits
Resolution	WUXGA (1920 x 1200) 16:10
Glare	Anti-glare display
Color gamut	NTSC: 45%
View angle(H/V)	170/170
Response time(Typ/Max) (ms)	20/25
Refresh rate	60Hz
Contrast (Typ)	1000:1
Touch Panel	Non-touch screen
Screen-to-body ratio	84 %
IPS-level	Wide view
Processor	Intel® Core™ i7-13620H Processor 2.4 GHz (24MB Cache, up to 4.9 GHz, 10 cores, 16 Threads)
Chipset	N/A
Discrete/Share	Share
Integrated GPU	Intel® UHD Graphics
VRAM	N/A
How to upgrade memory	Upgradable; Need to remove bottom/top case

Expansion Slot(includes used)	2x DDR5 SO-DIMM slots 1x M.2 2230 PCIe 4.0x4 1x M.2 2280 PCIe 4.0x4
DIMM Memory	16GB DDR5 SO-DIMM *2
Total System Memory	DDR5 32GB
Storage	1TB M.2 2280 NVMe™ PCIe® 4.0 SSD SSD Housing for storage expansion
Front-facing camera	1080p FHD camera With privacy shutter
Wireless	Wi-Fi 6(802.11ax) (Dual band) 2*2 + Bluetooth® 5.4 Wireless Card
NumberPad	N/A
FingerPrint	FingerPrint
Keyboard type	Backlit Chiclet Keyboard
I/O ports	2x USB 3.2 Gen 1 Type-A 2x USB 3.2 Gen 2 Type-C support display / power delivery 1x HDMI 2.1 TMDS 1x 3.5mm Combo Audio Jack 1x RJ45 Gigabit Ethernet
Audio	Audio by Dirac Smart Amp Technology Built-in speaker Built-in array microphone
Battery	63WHrs, 3S1P, 3-cell Li-ion
AC Adapter	TYPE-C, 65W AC Adapter, Output: 20V DC, 3.25A, 65W, Input: 100~240V AC 50/60Hz universal
Dimension (WxHxD)	31.51 x 22.68 x 1.79 ~ 1.80 cm (12.41" x 8.93" x 0.70" ~ 0.71")
Weight (with Battery)	1.45 kg (3.20 lbs)
Weight (w/o Battery)	1.23 kg (2.71 lbs)
Security	Fingerprint sensor integrated with Power Key Kensington Nano Security Slot™(6x 2.5mm) McAfee® 30 days free trial BIOS Booting User Password Protection BIOS Integrity Measurement Support BIOS Protection Support BIOS Self Recovery BIOS setup user password CSME BIOS Redundancy Assistance Enhanced Password Strength HDD User Password Protection and Security Intel CSME Firmware Resilience Intel® BIOS Guard Intel® Boot Guard Microsoft Secured-core PC Microsoft Security Level 2 Support Absolute Persistence 2.0 (Computrace) Trusted Platform Module (TPM) 2.0 N/A
Antivirus	McAfee® 1 year
MyASUS feature	System diagnosis Battery health charging Fan Profile Splendid Tru2Life Function key lock WiFi SmartConnect AppDeals Link to MyASUS
Built-in Apps	MyASUS AI ExpertMeet (AI features need devices with 12GB RAM or more)

Disclaimer for Built-in Apps	Built-in Apps vary from OS SKU. *MyASUS/McAfee don't support in Pure OS/without OS/G sku/Win SE/Windows on ARM/Linux OS (ex. Endless, Kylin, Ubuntu)
Reparability Index (for France)	9.4
Ecolabels & Compliances	Energy star 8.0 FSC Recycled REACH RoHS
Base Warranty	2Y Pick up/ return
Recommended Warranty	ACX10-004011NX//1Y International Extention
Package Part number//Extension and/or upgrade service from base warranty	ACX13-00699BNX//1Y Extension; 3Y OnSite Service(Next Business Day)*upgrade *If you would like to know the details, please contact your sales teams.
Battery warranty	Commercial NB P series Battery warranty follow system warranty.
Sustainable Material_Top cover(A part)	30% PCR recycled plastic(cover or inner frame) 30% PIR recycled aluminum
Sustainable Material_Keyboard frame (C part)	30% PCR recycled plastic(cover or inner frame) 30% PIR recycled aluminum
Sustainable Material_Bottom cover (D part)	30% PCR recycled plastic(cover or inner frame) 30% PIR recycled aluminum
Sustainable Material_Battery	30% PCR recycled plastic
Sustainable Material_Keyboard	50% PCR recycled plastic cap 50% PIR recycled aluminum bracket
Sustainable Material_Speaker	45% PCR + 5% OBP PCR recycled plastic enclosure
Sustainable Material_Total PCR recycled plastic	25%

