

Delock USB 2.0 Card Reader USB Type-C™ male 5 Slots

Description

The card reader by Delock can be used for reading and writing memory cards and can be connected to the USB-C™ interface of e.g. PCs, laptops, MacBooks, Chromebooks or smartphones.



Specification

- Connectors:
 - 1 x USB Type-C™ 2.0 male >
 - 1 x SD / MMC slot
 - 1 x Micro SD slot
 - 1 x xD slot
 - 1 x MS slot
 - 1 x CF slot
- Chipset: MA8168
- Supports memory: up to 2 TB SD 3.0 (UHS-I), MS
- Data transfer rate up to 480 Mbps
- LED indicator blue for read and write process
- Android devices: data medium can only be used in FAT32 and exFAT format
- It can only be used one storage medium, not several at the same time
- No external power supply needed
- Plug & Play
- Dimensions (LxWxH): ca. 101.5 x 27 x 15 mm
- Cable length incl. connector: ca. 15 cm
- Colour: black

- Supports following memory cards:

Slot 1 Secure Digital / Multi Media Card

SD, SDHC, SDXC, Extreme SD, Extreme II SD, Extreme III SD, Ultra SD, Ultra II SD, Ultra II SD P Plus, SD Ultra-X, Ultra Speed SD, SD Pro, SD Elite Pro, HS SD, MMC, MMC 4.0

Slot 2 Micro SD

MicroSD, Micro SDHC, Micro SDXC

Slot 3 xD

xD, xD 1.21

Slot 4 MS

MS, MS Pro Duo, MS MG Pro, MS MG Pro Duo, HS MS MG Pro Duo, HS MS Pro Duo

Slot 5 CF

CF I, CF II, CF 3.0, CF 4.0, Extreme III CF, Extreme CF, Ultra II CF, HS CF, XS-XS CF, CF Elite Pro, CF Pro, CF Pro II

System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Android ex 6.0, Mac OS ex 10.12
- Device with a free USB Type-C™ port

Item no. 91739

EAN: 4043619917396

Country of origin: China

Package: Retail Box



Package content

- Card reader
- User manual

Images



General

Function: Plug & Play

Supported operating system:

- Android ex 6.0
- Windows 7 32-bit
- Windows 7 64-bit
- Windows 8.1 32-bit
- Windows 8.1 64-bit
- Windows 10 32-bit
- Windows 10 64-bit
- ex Mac OS 10.12

Supported memory card:	Micro SD
	Micro SDHC
	Micro SDXC
	SD
	Extreme SD
	SDHC
	SDXC
	CF I
	CF II
	MMC
	MS
	MS PRO Duo
	MMC 4.0
	Extreme II SD
	Extreme III SD
	Ultra SD
	Ultra II SD
	Ultra II SD P Plus
	SD Ultra-X
	Ultra Speed SD
	SD Pro
	SD Elite Pro
	HS SD
	xD
	xD 1.21
	MS MG Pro
	MS MG Pro Duo
	HS MS MG Pro Duo
	HS MS Pro Duo
	CF 3.0
	CF 4.0
	Extreme III CF
	Extreme CF
	Ultra II CF
	HS CF
	XS-XS CF
	CF Elite Pro
	CF Pro
	CF Pro II

Interface

Output:	1 x xD slot
	1 x CF slot
	1 x Micro SD slot
	1 x SD / MMC slot
	1 x MS slot

Input:	1 x USB Type-C™ male
--------	----------------------

Technical characteristics

Chipset:	MA8168
----------	--------

Data transfer rate:	480 Mbps
---------------------	----------

Physical characteristics

Cable length incl. connector:	15 cm
-------------------------------	-------

Length:	101.5 mm
---------	----------

Width:	27.0 mm
--------	---------

Height:	15 mm
---------	-------

Colour:	black
---------	-------