



**DisplayPort to DVI-D Cable, 1m** Part No.: 41490

# Description

- Connects a DisplayPort equipped device to a DVI display
- Supports resolutions up to 1920x1200@60Hz
- Supports video mirroring and extended desktop modes
- Male to male connections for a secure direct connection
- 2 year warranty

The Lindy DisplayPort to DVI Cable is ideal for connecting a DisplayPort equipped source such as a PC or laptop to an DVI display. It supports high definition video resolutions up to 1920x1200@60Hz.

This cable can also be used to add another display to extend the available desktop workspace and increase productivity, great for use in residential or workplace office setups.

## **Technical details**

#### Connectors

- Connector A: DisplayPort Male
- Connector B: DVI-D Male
- Housing Material:
  - DisplayPort: ABS
  - DVI: PVC
- Connector Plating: Gold plated
- Pin Construction: Copper
- Pin Plating: Gold plated
- Dimensions (approx.) WxDxH:

- DisplayPort: 42x22x9.4mm (1.65x0.87x0.37in)
- DVI: 46x39.8x15.9mm (1.81x1.57x0.63in)

### Cable Construction

- Length: 1m (3.28ft)
- Standard: DVI-D (Single Link), DisplayPort 1.1
- Colour: Black
- Type: Round
- Jacket Diameter: 5.5mm (0.22in)
- Jacket Material: PVC
- Conductor Material: Tinned Copper
- Conductor Gauge: 30AWG
- Shielding: Aluminum Braid 85%

### Specifications

- Supported Bandwidth: 1.65Gbps
- Maximum Resolution: 1920x1200@60Hz
- Nominal Attenuation:
  - ∘ 300KHz-825MHz <5dB
    - 825MHz-2.475GHz <5dB <12dB
- Minimum Bend Radius: 60mm (2.36in)
- Operating Temperature: 0°C 45°C (32°F 113°F)
- Storage Temperature: -10°C 80°C (14°F 176°F)

#### Miscellaneous

- Packaging Type: Polybag
- Warranty (Years): 2
- Certificated: CE, FCC, RoHS, REACH, UL & California Proposition 65

**Purchasing Information** 

- No.: 41489
- EAN: 4002888414890

This product is also available in other lengths

- 41489 0.5m (1.64ft)
- 41490 1m (3.28ft)
- 41491 2m (6.56ft)
- 41492 3m (9.84ft)
- 41493 5m (16.44ft)

© LINDY 2021