

TAROX Workstation E9151CT

WITH Intel® Xeon E-2134

c

SPECIFICATIONS

P/N	2000698
Manufacturer	TAROX

CHASSIS

Chassis	TAROX Midi Tower MT380C
Formfactor	ATX, µATX, Mini-ITX
Width	198 mm
Heights	435 mm
Depth	495 mm
Colour	black
ODD Bay (5.25")	4
FDD Bay (3.50")	1
HDD Bay (3.50")	4

FRONT INTERFACES

USB 3.2 Gen1	2
USB 2.0	2
Line in	yes
Line Out	yes

PSU

Power	350W
Efficiency	80 Plus Bronze

OPERATION SYSTEM

Operation System	Microsoft® Windows® 10 Pro 64 bit
Languages	German

MAINBOARD

Mainboard	Fujitsu D3644-B µATX
-----------	----------------------

SYSTEM

CPU Socket	1151
Chipset	Intel C246 Express
Audio Chipset	Realtek ALC671 5.1CH HD Audio
GPU	-
LAN Chipset	Intel i219LM
PXE	yes
Wake on Lan (WoL)	yes
Intel® Active Management	-
Trusted Platform Module	yes
Formfactor	µATX
Memory Support	DDR4
max. Memory	64GB
max. Memory-Modules	4

REAR INTERFACES

USB 3.2 Gen 2	2
USB 3.2 Gen 1	2
USB 2.0	2
RS232	1
LPT	-
Displayport	2
HDMI	-
DVI	1x DVI-D
D-Sub	-
RJ-45	1
Line In	yes
Line Out	yes
Microphone	yes

INTERNAL INTERFACES

PCI Express x16	1
PCI Express x16 (@x4)	1
PCI Express x1	2
USB 3.2 Gen 2	1
USB 3.2 Gen 1	1
USB 2.0	1
RS232 (Header)	-
LPT (Header)	-
Trusted Platform Module	-
S-ATA Controller	6

PROCESSOR(S)

Processor(s)	Intel® XEON® E-2134
Base Clock	3.50 GHz
Turbo Clock	4.50 GHz
Cores	4
Cache	8 MB
Intel® VT	yes
Hyperthreading	yes
TDP	71
Socket	1151

MEMORY

Capacity	8192 MB
Memory Type	DDR4
Memory-Modules (install 1	

HDD / SSD

Capacity	250 GB
Solid State Disk (SSD)	yes

ODD

DVD+-R/RW	yes
Cardreader	yes

GPU

GPU	AMD RadeonPro WX5100
Memory	8GB
Interface	AMD RadeonPro WX5100
Connections	4x DP 1.4
Cooling	active
Dual-Slot	-
Triple-Slot	-
max. Resolution	5120x2880 @60Hz
DirectX	12.0
Open CL T	2.0
VulkanT	1.0
OpenGL	4.5

CERTIFICATES

Decleration of Conformity	yes
Production in Germany	
according to ISO9001	yes
WEEE-Reg.-Nr. DE 992679	yes

INPUT DEVICES

Keyboard	Cherry Stream JK-8500DE-2
Mouse	TAROX Pro Optical Wheel USB

SERVICE

Warranty	36 month
Service	optional