



# Verbatim Sync & Charge USB-C to USB-C Cable with Display

PN: 31849

## Description

Power up your devices and productivity with Verbatim's Sync & Charge 240W USB-C to USB-C USB4 Cable. Designed to meet the demands of high-performance devices, this cable combines industry-leading charging power, lightning-fast data transfer, and superior durability.

### Key Features:

- 240W Power Delivery (PD 3.1): Charge laptops, gaming systems, and power-hungry devices faster than ever, ensuring maximum efficiency.
- 40Gbps Data Transfer: Transfer large files, 4K/8K videos, and more in seconds with cutting-edge USB4 technology.
- Durable Aramid Fiber Construction: Reinforced for exceptional strength and longevity, standing up to everyday wear and tear. Passed 30,000 Bend Test: Built to withstand rigorous daily use while maintaining peak performance.
- Universal Compatibility: Perfect for the latest USB-C devices, including laptops, smartphones, external drives, and high-resolution monitors.
- LED Charging Display: Monitor your charging power instantly with the integrated LED display, ensuring optimal performance.
- Future-Ready Performance: USB4 ensures you're equipped for the next generation of connectivity, supporting Thunderbolt 3/4 devices.

Elevate your connectivity game with Verbatim's Sync & Charge 240W USB-C to USB-C USB4 Cable – the perfect blend of power, speed, and reliability. Whether charging, transferring, or streaming, this cable delivers top-tier performance to keep you ahead of the curve.



DuPont™ Kevlar®  
Inside



PD 3.1 Charging  
up to 240W



30,000x  
Bend Test Passed



Data Transfer  
up to 40Gbps



PN: 31849

## Specifications

- Connectors: USB-C® to USB-C®
- Length: 120cm
- Diameter: 5.1mm
- Materials: Aluminium, nylon, TPE, \*DuPont™ Kevlar® inner fibres
- Data Transfer Speed: Up to 40Gbps
- Max Power Output: 240W
- Charging Standards: PD 3.1

\* DuPont™ and Kevlar® are trademarks or registered trademarks of affiliates of DuPont de Nemours, Inc.

## Pack Contents

- Verbatim USB-C to USB-C cable 120cm
- Quick Start Guide

## Languages

Front of pack: English

Back of pack: English, French, German, Dutch, Italian, Spanish, Portuguese, Polish, Russian, Czech, Hungarian, Serbian, Croatian, Traditional Chinese, Simplified Chinese, Korean, Japanese

## Quick Installation Languages

English, German, French, Traditional Chinese + Technical support text in English, French, German, Dutch, Italian, Spanish, Portuguese, Polish, Russian, Czech, Hungarian, Serbian, Croatian, Traditional Chinese, Simplified Chinese, Korean, Japanese



| PN    | Charging Power    | Data Transfer |
|-------|-------------------|---------------|
| 31849 | Up to 240W PD 3.1 | 40Gbps        |

# Verbatim Sync & Charge USB-C to USB-C Cable with Display



| Reorder No. | Description  | Tariff Code | Barcode      | EAN-128  | EAN-14                           |
|-------------|--|-------------|--------------|--|----------------------------------|
| 31849       | Verbatim Sync & Charge Cable USB-C to USB-C<br>240W 40 Gbps Display 120 cm | 85444290    | 023942318491 | (02)00023942318491(37)10(91)847<br>(02)00023942318491(37)40(91)847 | 20023942318495<br>50023942318496 |

| Reorder No.                           | 31849               |
|---------------------------------------|---------------------|
| Product Length                        | 1200 mm             |
| Product Weight                        | 46.5 g              |
| Units per Pack                        | 1                   |
| Pack Dimensions L x W x H             | 141 x 101.5 x 28 mm |
| Pack Weight                           | 78.3 g              |
| Units per Inner Carton ( <b>MOQ</b> ) | 10                  |
| Inner Carton Dimensions L x W x H     | 223 x 180 x 114 mm  |
| Inner Carton Weight                   | 803 g               |
| Units per Outer Carton                | 40                  |
| Outer Carton Dimensions L x W x H     | 385 x 243 x 258 mm  |
| Outer Cartons Weight                  | 3572 g              |
| Outer Cartons per Layer               | 9                   |
| Layers per Pallet                     | 4                   |
| Units per Pallet                      | 1440                |

