HP Engage Flex Pro Retail System



Do more in your store and beyond

Efficiently manage your retail business from the store floor to the back office with the HP Engage Flex Pro, our stable, secure, and highest-performing retail platform that delivers maximum flexibility for a range of deployments.



*Product image may differ from actual product

Build your best solution

 Configure the perfect fit for your users and environment, whether it's point of sale, video surveillance, processing/controlling, digital signage or OEM with flexible connectivity, graphics, and networking options and a suite of retail peripherals.²

Poised to perform and expand with your business

Tackle every retail challenge with a powerful 8th Gen Intel® processor³ and Intel® Optane™ memory.⁴ Adjust capacity as your needs change with endless storage options like an Intel® Optane™ SSD, SATA or M.2—up to five total drives per system.²

Secure, manageable, and reliable out of the box

 Reduce the cost and complexity of managing your platforms and secure your critical assets with innovative, integrated, and proactive security and manageability features for your system and its data.

Featuring

- Stick with an OS you know with your choice of Windows 10 Pro, Windows IoT or FreeDOS.
- Get hardware-enforced self-healing protection from HP Sure Start Gen4, manage your system across the OS with HP Manageability Integration Kit, maintain critical OS processes with HP Sure Run, and restore your image over a network with HP Sure Recover.^{5,6,7,8}
- Minimize downtime with a design that goes the distance. It passes HP's Total Test Process and has a steel chassis and gold-plated connectors that are tested to withstand temperatures up to 40° C. Extend lifespan with an optional dust filter.^{9,2}
- Deploy quickly with HP Configuration Services. Plan ahead with a five-year lifecycle that lets you roll out on your schedule. Get the reassurance of a three-year worldwide limited warranty, and extend protection with optional HP Care services.^{2,11}

HP Engage Flex Pro Retail System Specifications Table







*Product	image r	mav differ	from	actual	product

*Product image may differ from actual product			
Available Operating Systems	Windows 10 Pro 64 ¹ Windows 10 IoT Enterprise 2019 LTSC 64 ¹ Windows 10 IoT Enterprise 2016 LTSC 64 ¹ FreeDOS 2.0		
Processor family ³	8th Generation Intel® Core™ i3 processor; 8th Generation Intel® Core™ i5 processor; 8th Generation Intel® Core™ i7 processor; Intel® Celeron® processor; Intel® Pentium® processor		
Available Processors ^{4,5,6,7}	Intel® Celeron® G4900 with Intel® UHD Graphics 610 (3.1 GHz base frequency, 2 MB L3 cache, 2 cores); Intel® Core™ i3-8100 with Intel® UHD Graphics 630 (3.6 GHz base frequency, 6 MB L3 cache, 4 cores); Intel® Core™ i3-8100T with Intel® UHD Graphics 630 (3.1 GHz base frequency, 6 MB L3 cache, 4 cores); Intel® Core™ i5-8500 with Intel® UHD Graphics 630 (3.0 GHz base frequency, up to 4.1 GHz with Intel® Turbo Boost Technology, 9 MB L3 cache, 6 cores), supports Intel® VPro® Technology; Intel® Core™ i5-8500T with Intel® UHD Graphics 630 (2.1 GHz base frequency, up to 3.5 GHz with Intel® Turbo Boost Technology, 9 MB L3 cache, 6 cores), supports Intel® VPro® Technology, 9 MB L3 cache, 6 GHz with Intel® Turbo Boost Technology; Intel® Core™ i7-8700 with Intel® UHD Graphics 630 (3.2 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 6 cores), supports Intel® vPro® Technology; Intel® Pentium® Gold G5400 with Intel® UHD Graphics 610 (3.7 GHz base frequency, 4 MB L3 cache, 2 cores)		
Chipset	Intel® Q370		
Form factor	Small form factor		
Maximum memory	64 GB DDR4-2666 SDRAM ^{8,9} Transfer rates up to 2666 MT/s.		
Memory slots	4 DIMM		
Internal storage	500 GB up to 2 TB 7200 rpm SATA ¹⁰ 128 GB up to 512 GB 5400 rpm SATA SSHD ¹⁰ up to 256 GB SATA SSD SED 0pal 2 ¹⁰ 128 GB up to 1 TB M.2 SATA SSD ¹⁰		
Available Graphics	Integrated: Intel® UHD Graphics 630; Intel® UHD Graphics 610 Discrete: NVIDIA® Quadro® P400 (4 GB GDDR5 dedicated)		
Expansion slots	1 half-height PCIe x16 (x4); 2 full-height PCIe (x1); 2 half-height PCIe x4 ¹⁸		
Ports and Connectors	Rear: 1 headset connector; 1 RJ-45; 2 USB 2.0; 2 configurable video ports; 1 DisplayPort™ 2.0; 1 SuperSpeed USB Type-A 5Gbps signaling rate (charging); 2 SuperSpeed USB Type-A 5Gbps signaling rate; 1 PS/2 combo port; Front: 2 SuperSpeed USB Type-A 5Gbps signaling rate ¹¹ ; (Additional optional ports include up to 6 RS-232 (5/12V), up to 6 12V USB, 1 24V USB, 1 RJ-12 cash drawer.)		
Communications	LAN: Intel® I210-T1 PCIe® GbE; Intel® I219-LM GbE ¹² ; WLAN: Intel® Dual Band Wireless-AC 9260 802.11ac (2x2) and Bluetooth® 5 M.2, vPro™;		
Drive Bays	One 5.25"; Two 3.5"; Two M.2		
Environmental	Operating temperature: 0 to 40°C; Operating humidity: 20 to 85% RH;		
Software	Buy Office; HP ePrint Driver; HP Recovery Manager; HP Support Assistant; Absolute Persistence module; HP Hotkey Support; HP Wireless Wakeup; HP ePrint Driver + JetAdvantage; Buy Office; HP ePrint Driver; HP Recovery Manager; HP Support Assistant; Absolute Persistence module; HP Hotkey Support; HP Velocity; HP Wireless Wakeup; HP ePrint Driver + JetAdvantage ¹⁴		
Security management	Power-on password (via BIOS); Setup password (via BIOS); Trusted Platform Module TPM 2.0 Embedded Security Chip; USB enable/disable (via BIOS); Serial enable/disable (via BIOS); DriveLock; HP BIOSphere; HP Password Manager; HP Power On Authentication; Intel® Identity Protection Technology (Intel® IPT); RAID configurations; Removable media write/boot control; SATA port disablement (via BIOS); Support for chassis padlocks and cable lock devices; HP Sure Start Gen 4; Solenoid lock and hood sensor; HP Sure Run; Parallel enable/disable (via BIOS); Front USB enable/disable (via BIOS); HP BIOSphere Gen4; HP Sure Recover; HP Sure Sense; Multi-factor Authentication; HP Sure Click; HP Secure Erase; HP Client Security Manager; HP Multi-Factor Authenticate; HP Sure Click (Standard); HP Sure Sense (Standard); HP Sure Recover (via network); HP Sure Admin; Device Guard Enablement; Self Encrypting Drives; 15,16,17,18,19,20,21,22,26,27,28		
Management features	HP BIOS Config Utility (download); HP Client Catalog (download); HP Driver Packs (download); HP System Software Manager (download); Update BIOS via Cloud or Network (BIOS feature); HP Management Integration Kit for Microsoft System Center Configuration Management Gen 2		
Power	250 W internal power adapter, up to 90% efficiency, active PFC ²³		
Dimensions	13.27 x 14.96 x 3.94 in; 33.7 x 38 x 10 cm		
Weight	6.44 kg; (Exact weight depends on configuration.)		
Ecolabels	ENERGY STAR® certified configurations available and EPEAT® registered configurations available ²⁴		
Certification and compliance	IEC 60601-1-2		
Sustainable impact specifications	Low halogen ²⁵		
Warranty	3 year (3-3-3) limited warranty and service offering includes 3 years of parts, labor and on-site repair. Terms and conditions vary by country. Certain restrictions and exclusions apply.		

HP Engage Flex Pro Retail System

Accessories and services (not included)

HP L7014 14-inch Retail Monitor



Complete your retail solution with the HP L7014 Monitor, a modern, virtually borderless widescreen display that delivers easily readable transaction data to customers and associates. Use it as a customer-facing display with your HP RP9, or as a standalone display with any HP Retail System.

Product number: T6N31AA

HP 5 year Next Business Day Onsite Solution Support for RPOS



Receive 5 years of next business day onsite HW Support from an HP-qualified technician for your computing device, if the issue cannot be solved remotely.

Product number: U1PW1E

HP Engage Flex Pro Retail System

Messaging Footnotes

- Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.
- Subject to this process of the control of the contr Multi-Core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel® numbering, branding and/or naming is not a measurement of higher performance.
 Intel® Optane™ memory system acceleration does not replace or increase the DRAM in your system and requires configuration with an optional Intel® Core™ i(5 or 7)+ processor.
 HP Sure Start Gend is available on the HP Engage Flex Pro equipped with 8th generation Intel® processors.
 HP Manageability Integration Kit can be downloaded from Intel® processors.
 HP Sure Runi is available on the HP Engage Flex Pro equipped with 8th generation Intel® processors.
 HP Sure Recover is available on the HP Engage Flex Pro with 8th generation Intel® processors.
 HP Sure Recover is available on the HP Engage Flex Pro with 8th generation Intel® processors and requires an open, wired network connection. Not available on platforms with multiple internal storage drives or Intel® Optane™. You must back up important files, data, photos, videos, etc. before using HP Sure Recover to avoid loss of data.
 HP Total Test Process testing is not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Pack.

Technical Specifications Footnotes

- Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com/.

 3 NOTE: Your product does not support Windows 8 or Windows 7. In accordance with Microsoft's support policy, HP does not support the Windows 7 operating system on products configured with Intel® and AMD 7th generation and forward processors or provide any Windows® 8 or Windows 7 over Windows 8 over Windows 7 over Windows 7 over Windows 7 over Windows 8 over Windows 9 over Wind

- Eintel® Optane™ memory system acceleration does not replace or increase the DRAM in your system and requires configuration with an optional Intel® Core™ i(5 or 7)+ processor
- In Ites | Optane | memory system acceleration does not replace or increase the DRAM in your system and requires configuration with an optional Intel | Core | (5 or 7) + processor.

 1 See functionality of this technology, such as Intel Active management technology and Intel Virtualization technology is dependent on 3rd party software in order to run. Availability of future 'virtual appliances' applications for Intel vPro technology is dependent on 3rd party software providers. Compatibility of this generation of Intel vPro technology and Intel Virtualization technology, beared hardware with with future 'virtual appliances' is yet to be determined.

 8 For systems configured with more than 3 GB of memory and a 32-bit operating system, all memory may not be available due to system resource requirements. Addressing memory above 4 GB requires a 64-bit operating system. Memory modules support data transfer rates up to 2 133 MT/s; actual data rate is determined by the system's configured processor. See processor specifications for supported memory slots are customer accessible / upgradeable.

 9 All memory slots are customer accessible / upgradeable.

 10 For hard drives and solid state drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 16 GB (for Windows 7) and 36 GB (for Windows 8.1/10) of system disk is reserved for the system recovery software.

 1 (2) USB 3.1 (GB 11 G GB)s signaling data rate. Actual throughput may vary): allows for wake from \$4/5 with keyboard/mouse when connected and enabled in BIOS.

 1 Intel | 21 OF 11 PCIe | CBC: Sold separately or as an optional feature.

- 1 C2 DSB 3.1 GEN 1 to 50/5 signaling data rate. Actual throughput may vary, allows for water rorm 34/55 with responsibility of the notebook to communicate with other 802.11 ac WLAN devices.

 13 Wrieless access point and internet service required. Availability of public wireless access points is limited. The specifications for the 802.11 ac WLAN are draft specifications and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the notebook to communicate with other 802.11 ac WLAN devices.

 14 HP Sune Recover is available on the HP Engage Flex Pro with 8th generation Intel® processors and requires an open, wired network connection. Not available on platforms with multiple internal storage drives or Intel® Optane™. You must back up important files, data, photos, videos, etc. before using HP Sure Recover to avoid loss of data.

 14 HP Sune Recover is available on the HP Engage Flex Pro with 8th generation intel® processors and requires an open, wired network connection. Not available on platforms with multiple internal storage drives or Intel® Optane™. You must back up important files, data, photos, videos, etc. before using HP Sure Recover to avoid loss of data.

 14 HP Sunes feed Rel Requires Internet Explorer or Chrome or FireFox. Some websites and applications may not be supported. User may need to enable or allow the add-on / extension in the internet browser.

 18 HP Sune Start Gen4 is available on the HP Engage Flex Pro equipped with 8th generation intel® processors.

 19 Intel® Identity Protection Technology (Intel® IPT) Models configured with Intel® Core™ processors have the ability to utilize advanced security protection for online transactions. Intel® Identity Protection Technology (Intel® IPT), used in conjunction with participating web sites, provided souble identity authentication by adding a hardware component in addition to the usual user name and password. Intel® Identity Protection Technology (Intel® IPT) is initialized through an HP Client Secur

- External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.
 HB Sure Sense currently available as an HP Softpack. HP Sure Sense will also be included in the image starting February 17, 2020.
 HB Sure IC ick, sonly supported on Intel Core 31, 51, 73, and 91 processors.
 HP Sure Click, Sure Run, Sure Recover & Sure Sense is supported on Win 10 Pro & Win 10 IoT Enterprise 2019 LTSC; but not on Win 10 IoT Enterprise 2016 LTSB.

Sign up for updates hp.com/go/getupdated

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Intel, Xeon, Core, Thunderbolt, Optane and Intel WPro are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. Bluetooth is a trademark of its proprietor and used by HP Inc. under license. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. AMD and Radeon are trademarks of Advanced Micro Devices, Inc. NVIDIA. The NVIDIA logo and Quadro are trademarks and/or registered trademarks of NVIDIA Corporation in the U.S. and other countries

