

## 10m USB 3.0 Hub, 4 Ports

Part No.: 43389



### Description

- High performance hub with active cable that provides an extended 10m connection between a computer and up to 4 USB devices
- Connects 2 USB Type A and 2 Type C peripherals to a computer's USB Type A Port
- Supports the USB 3.2 / 3.1 Gen 1 / USB 3.0 SuperSpeed bandwidth for speeds of 5Gbps
- USB Bus powered, with DC socket for external power supply (not included)
- 2 year warranty

The Lindy 10m USB 3.0 Hub uses built-in active electronics to extend the cable length of up to four USB devices by an additional 10m. It provides 2 USB Type A and 2 USB Type C SuperSpeed ports for connecting up to 4 peripherals such as storage devices, printers or webcams to a USB Type A equipped computer at longer distances, while also ensuring flexible positioning. Capable of data transfer speeds of up to 5Gbps, the hub is also backwards compatible with USB 2.0 and 1.1.

The hub is powered by the USB Bus, while it also features a DC socket for connecting an external 5VDC power supply (not included) when using USB peripherals which have higher power requirements. With 'Plug and Play' installation, no drivers are required, therefore this hub can be installed with minimum difficulty.

### Information about USB 3.0, 3.1 & 3.2

USB 3.0, USB 3.1 and USB 3.2 PCs, cables and devices are all compatible with each other, when using either a USB Type A or USB Type C host interface.

USB 3.0, USB 3.1 Gen 1 and USB 3.2 Gen 1 all support data transfer rates up to 5 Gbps.

USB 3.1 Gen 2 and USB 3.2 Gen 2 both support data transfer rates up to 10 Gbps.

## Technical details

### Specifications

- USB Standard: USB 3.2 / 3.1 Gen 1 / USB 3.0
- Supported Bandwidth: 5 Gbps
- Chipset: VL817-Q7
- Compatibility: USB Type A equipped computers
- Special Features: -

### Connectors

- Inputs: 1 x USB Type A (Male)
- Outputs: 2 x USB Type A (Female), 2 x USB Type C (Female)
- Power: 3.5/1.35mm DC socket

### Physical Properties

- Dimensions WxDxH: 52.5x52.5x14mm (2.07x2.07x0.55in)
- (Fixed) Cable Length: 10m (32.81ft)
- Housing Material: Aluminium, plastic
- Net Weight: 0.544kg (1.2lb)
- Operating Temperature: 0°C - 45°C (32°F - 113°F)
- Storage Temperature: -20°C - 70°C (-4°F - 158°F)
- Humidity: 0% - 40% (non-condensing)
- Power Requirements: -
- Colour: Black and grey

### Miscellaneous

- Packaging Type: Polybag
- Packaging Dimensions: 236x255x60mm (9.29x10.04x2.36in)
- Gross Weight: 0.6kg (1.32lb)
- Warranty (Years): 2
- Certificated: CE, UKCA, FCC, RoHS & REACH, California Proposition 65

### Package Contents

- 5m USB 3.0 Hub, 4 Ports

### Purchasing Information

- No.: 43389
- EAN: 4002888433891

