

# Product datasheet

Specifications



## Galaxy VS Smart Modular Battery String High Capacity 9Ah

GVSBT4

### Overview

Presentation	One battery string for the Galaxy VS UPS. This string contains 9 Ah batteries.
Lead time	

### Main

Product or component type	Battery module
Range compatibility	Galaxy VS
Battery type	VRLA
Range of product	Galaxy VS

### Batteries & Runtime

Device mounting	Enclosed battery cabinet
Battery voltage	120 V
battery power in VAh	4320 VAh

### Physical

Height	15.7 cm
Width	42.8 cm
Depth	76 cm
Net weight	108 kg

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	18 cm
Package 1 Width	80 cm
Package 1 Length	60 cm
Package 1 Weight	112 kg

### Contractual warranty

Warranty	18 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number

5aa5ed58-9f72-49f2-ad76-720ad4129c6e

REACH Regulation

[REACH Declaration](#)

### Energy efficiency

Energy Efficiency Optimized

Energy efficient product

## Use Again

### Repack and remanufacture

End of life manual availability

[End of Life Information](#)

Take-back

No

Image of product / Alternate images

Alternative

---

